Author index

A'HERN, R. see FEARFIELD, L.A.
ABDEL HALIM, A. see SHAKER, O.
ABDUL GHAFFAR, S. & FINLAY, A.Y. Moral and cost dilemma of a psoriasis patient, 186
ABDULLAH, A. see TAIBJEE, S.M.
ABE, M. see YAMANE, N.
ABIDA, O. see KALLEL SELLAMI, M.
ABUZAHRA, F. see KNACKSTEDT, C.
ADACHI, K. see YAMANE, N.
ADAMI, J. see ODENBRO, Å.
AFRAMIAN, D.J. Oral adverse effects for escitalopram (Cipralex®), 1046
AGUADO, L. see ESPAÑA, A.
AHLNER, J. see ULFF, E.
AHMAD, K. & ROGERS, S. Two years of experience with etanercept in recalcitrant psoriasis, 1010
AIBA, S. see OKUYAMA, R.
AINSWORTH, G. see COX, N.H.
ALLARD, A. see DAUENDORFFER, J.N.
ALTMEYER, P. see BECHARA, F.G.
ALTMEYER, P. see GAMBICHLER, T.
ALTMEYER, P. see KREUTER, A.
ALTOBELLI, E., PETROCELLI, R., MARZILIANO, C., FARGNOLI, M.C., MACCARONE, M., CHIMENTI, S. & PERIS, K. Family history of psoriasis and age at disease onset in Italian patients with psoriasis, 1400
ALTOMARE, A. see FRIGERIO, E.
ALTOMARE, G.F. see FRIGERIO, E.
AMANO, H., NAGAI, Y., KATADA, K., HASHIMOTO, C. & ISHIKAWA, O. Successful treatment of cutaneous lesions in juvenile dermatomyositis with high-dose intravenous immunoglobulin, 1390
AMANO, S. see MATSUNAGA, Y.
AMANO, T., TAKEDA, T., YANO, H. & TAMURA, T. Olopatadine hydrochloride accelerates the recovery of skin barrier function in mice, 906
AMARIGLIO, N. see HOCHBERG, M.
AMBRETTI, S., VENTUROLI, S., MIRASOLI, M., LA PLACA, M., BONVICINI, F., CRICCA, M., ZERBINI, M., RODA, A. & MUSIANI, M. Assessment of the presence of mucosal human papillomaviruses in malignant melanomas using combined fluorescent in situ hybridization and chemiluminescent immunohistochemistry, 38
AMEEN, M. see FRIEDMANN, A.C.
AMEGLIO, F. see SANTONOCITO, C.
ANADKAT, M.J. see HEFFERNAN, M.P.
ANDERSEN, K.E. see PAULSEN, E.
ANDRÉ, J. see RICHERT, B.
ANDRÉ, S. see LACINA, L.
ANGELL-PETERSEN, E., CHRISTENSEN, C., MÜLLER, C.R. & WARLOE, T. Phototoxic reaction and porphyrin fluorescence in skin after topical application of methyl aminolaevulinate, 301
ANNEMANS, L. see CAEKELBERGH, K.
ANSAI, S. see TAKATA, M.
ANTIGA, E. see CAPRONI, M.
ANTILLE, C. see MAZEREEUW-HAUTIER, J.
ANTONIOU, C., DESSINIOTI, C., KATSAMBAS, A. & STRATIGOS, A.J. Elevated triglyceride and cholesterol levels after intravenous antitumour necrosis factor-α therapy in a patient with psoriatic arthritis and psoriasis vulgaris, 1090
ANTONIOU, C. see STEFANAKI, I.
ANTONOPOULOU, A. see GIAMARELLOS-BOURBOULIS, E.J.
AOKI, H., MORO, O., TAGAMI, H. & KISHIMOTO, J. Gene expression profiling analysis of solar lentigo in relation to immunohistochemical characteristics, 1214
ARACTINGI, S. see BACHMEYER, C.
ARAI, I. see HONMA, Y.
ARAKI, E., KAMBE, N., TAKAHASHI, K., MIYACHI, Y. & UTANI, A. Multiple dermatomal daughter lesions of postzoster granuloma, 1369
ARAKI, E. see TOGO, T.
ARDERN-JONES, M. see BATEMAN, E.A.L.
ARDIGÒ, M., MALISZEWSKI, I., COTA, C., SCOPE, A., SACERDOTI, G., GONZALEZ, S. & BERARDESCA, E. Preliminary evaluation of in vivo reflectance confocal microscopy features of discoid lupus erythematosus, 1196
ARELLANO-CAMPOS, O. see ZULOAGA-SALCEDO, S.
ARMSTRONG, D.K.B. see MCKENNA, D.J.
ARMSTRONG, D.K.B. Textbook of Pediatric Dermatology, 2nd edn. J. Harper, A. Oranje & N. Prose (editors). Oxford: Blackwell Publishing, 2005, 611
ARMSTRONG, S.J. see KEOGH-BROWN, M.R.
ARNABOLDI, F. see SELLERI, S.
ARNETZ, B.B. & FJELLNER, B. Stress responsiveness in patients with psoriasis, 388
ARREGUI, M.A. see TRÉBOL, I.
ASANO, Y. see IHN, H.
ASASHIMA, N. see NAKASHIMA, H.
ATHERTON, D. see MAZEREEUW-HAUTIER, J.
ATHERTON, D.J. see CHAN, S.M.H.
ATHERTON, D.J. see MAZEREEUW-HAUTIER, J.
AUDRING, H. see LEE, H-H.
AUSMA, J. see FAERGEMANN, J.
AVERY, A.J. see KEOGH-BROWN, M.R.
AVILA, A. see ZERPA, O.
AY EL-DEEN, M.A. see SHAKER, O.

BACHELEZ, H. see DAUENDORFFER, J.N.
BACHELEZ, H. see GUYOT, A.D.
BACHELEZ, H. see POULALHON, N.
BACHELIER, F. see SOUFIR, N.
BACHMANN, M.O. see KEOGH-BROWN, M.R.
BACHMEYER, C., KHOSROTEHRANI, K., MOGUELET, P. & ARACTINGI, S. Primary cutaneous follicular B-cell lymphoma arising at the site of radiotherapy for breast cancer, 198
BACHMEYER, C., TILLIE-LEBLOND, I., LACERT, A., CADRANEL, J. & ARACTINGI, S. 'Mechanic's hands': a misleading cutaneous sign of the antisynthetase syndrome, 192
BADÍA, X. see VANACLOCHA, F.
BADMINTON, M.N. see TAIBJEE, S.M.
BAILEY, J.N.R., WAITE, A.E., CLAYTON, W.J. & RUSTIN, M.H.A. Application of topical mitomycin C to the base of shave-removed keloid scars to prevent their recurrence, 682
BALLOY, B.C. see SOUFIR, N.
BALME, B. see DALLE, S.
BALSARI, A. see SELLERI, S.
BANG, R.H. see REDDY, S.
BARBAROT, S. see BORALEVI, F.
BARDE, C. see THIELEN, A.M.

© 2007 British Association of Dermatologists

Author index

A'HERN, R. see FEARFIELD, L.A.
ABDEL HALIM, A. see SHAKER, O.
ABDUL GHAFFAR, S. & FINLAY, A.Y. Moral and cost dilemma of a psoriasis patient, 186
ABDULLAH, A. see TAIBJEE, S.M.
ABE, M. see YAMANE, N.
ABIDA, O. see KALLEL SELLAMI, M.
ABUZAHRA, F. see KNACKSTEDT, C.
ADACHI, K. see YAMANE, N.
ADAMI, J. see ODENBRO, Å.
AFRAMIAN, D.J. Oral adverse effects for escitalopram (Cipralex®), 1046
AGUADO, L. see ESPAÑA, A.
AHLNER, J. see ULFF, E.
AHMAD, K. & ROGERS, S. Two years of experience with etanercept in recalcitrant psoriasis, 1010
AIBA, S. see OKUYAMA, R.
AINSWORTH, G. see COX, N.H.
ALLARD, A. see DAUENDORFFER, J.N.
ALTMEYER, P. see BECHARA, F.G.
ALTMEYER, P. see GAMBICHLER, T.
ALTMEYER, P. see KREUTER, A.
ALTOBELLI, E., PETROCELLI, R., MARZILIANO, C., FARGNOLI, M.C., MACCARONE, M., CHIMENTI, S. & PERIS, K. Family history of psoriasis and age at disease onset in Italian patients with psoriasis, 1400
ALTOMARE, A. see FRIGERIO, E.
ALTOMARE, G.F. see FRIGERIO, E.
AMANO, H., NAGAI, Y., KATADA, K., HASHIMOTO, C. & ISHIKAWA, O. Successful treatment of cutaneous lesions in juvenile dermatomyositis with high-dose intravenous immunoglobulin, 1390
AMANO, S. see MATSUNAGA, Y.
AMANO, T., TAKEDA, T., YANO, H. & TAMURA, T. Olopatadine hydrochloride accelerates the recovery of skin barrier function in mice, 906
AMARIGLIO, N. see HOCHBERG, M.
AMBRETTI, S., VENTUROLI, S., MIRASOLI, M., LA PLACA, M., BONVICINI, F., CRICCA, M., ZERBINI, M., RODA, A. & MUSIANI, M. Assessment of the presence of mucosal human papillomaviruses in malignant melanomas using combined fluorescent in situ hybridization and chemiluminescent immunohistochemistry, 38
AMEEN, M. see FRIEDMANN, A.C.
AMEGLIO, F. see SANTONOCITO, C.
ANADKAT, M.J. see HEFFERNAN, M.P.
ANDERSEN, K.E. see PAULSEN, E.
ANDRÉ, J. see RICHERT, B.
ANDRÉ, S. see LACINA, L.
ANGELL-PETERSEN, E., CHRISTENSEN, C., MÜLLER, C.R. & WARLOE, T. Phototoxic reaction and porphyrin fluorescence in skin after topical application of methyl aminolaevulinate, 301
ANNEMANS, L. see CAEKELBERGH, K.
ANSAI, S. see TAKATA, M.
ANTIGA, E. see CAPRONI, M.
ANTILLE, C. see MAZEREEUW-HAUTIER, J.
ANTONIOU, C., DESSINIOTI, C., KATSAMBAS, A. & STRATIGOS, A.J. Elevated triglyceride and cholesterol levels after intravenous antitumour necrosis factor-α therapy in a patient with psoriatic arthritis and psoriasis vulgaris, 1090
ANTONIOU, C. see STEFANAKI, I.
ANTONOPOULOU, A. see GIAMARELLOS-BOURBOULIS, E.J.
AOKI, H., MORO, O., TAGAMI, H. & KISHIMOTO, J. Gene expression profiling analysis of solar lentigo in relation to immunohistochemical characteristics, 1214
ARACTINGI, S. see BACHMEYER, C.
ARAI, I. see HONMA, Y.
ARAKI, E., KAMBE, N., TAKAHASHI, K., MIYACHI, Y. & UTANI, A. Multiple dermatomal daughter lesions of postzoster granuloma, 1369
ARAKI, E. see TOGO, T.
ARDERN-JONES, M. see BATEMAN, E.A.L.
ARDIGÒ, M., MALISZEWSKI, I., COTA, C., SCOPE, A., SACERDOTI, G., GONZALEZ, S. & BERARDESCA, E. Preliminary evaluation of in vivo reflectance confocal microscopy features of discoid lupus erythematosus, 1196
ARELLANO-CAMPOS, O. see ZULOAGA-SALCEDO, S.
ARMSTRONG, D.K.B. see MCKENNA, D.J.
ARMSTRONG, D.K.B. Textbook of Pediatric Dermatology, 2nd edn. J. Harper, A. Oranje & N. Prose (editors). Oxford: Blackwell Publishing, 2005, 611
ARMSTRONG, S.J. see KEOGH-BROWN, M.R.
ARNABOLDI, F. see SELLERI, S.
ARNETZ, B.B. & FJELLNER, B. Stress responsiveness in patients with psoriasis, 388
ARREGUI, M.A. see TRÉBOL, I.
ASANO, Y. see IHN, H.
ASASHIMA, N. see NAKASHIMA, H.
ATHERTON, D. see MAZEREEUW-HAUTIER, J.
ATHERTON, D.J. see CHAN, S.M.H.
ATHERTON, D.J. see MAZEREEUW-HAUTIER, J.
AUDRING, H. see LEE, H-H.
AUSMA, J. see FAERGEMANN, J.
AVERY, A.J. see KEOGH-BROWN, M.R.
AVILA, A. see ZERPA, O.
AY EL-DEEN, M.A. see SHAKER, O.

BACHELEZ, H. see DAUENDORFFER, J.N.
BACHELEZ, H. see GUYOT, A.D.
BACHELEZ, H. see POULALHON, N.
BACHELIER, F. see SOUFIR, N.
BACHMANN, M.O. see KEOGH-BROWN, M.R.
BACHMEYER, C., KHOSROTEHRANI, K., MOGUELET, P. & ARACTINGI, S. Primary cutaneous follicular B-cell lymphoma arising at the site of radiotherapy for breast cancer, 198
BACHMEYER, C., TILLIE-LEBLOND, I., LACERT, A., CADRANEL, J. & ARACTINGI, S. 'Mechanic's hands': a misleading cutaneous sign of the antisynthetase syndrome, 192
BADÍA, X. see VANACLOCHA, F.
BADMINTON, M.N. see TAIBJEE, S.M.
BAILEY, J.N.R., WAITE, A.E., CLAYTON, W.J. & RUSTIN, M.H.A. Application of topical mitomycin C to the base of shave-removed keloid scars to prevent their recurrence, 682
BALLOY, B.C. see SOUFIR, N.
BALME, B. see DALLE, S.
BALSARI, A. see SELLERI, S.
BANG, R.H. see REDDY, S.
BARBAROT, S. see BORALEVI, F.
BARDE, C. see THIELEN, A.M.

© 2007 British Association of Dermatologists

BARKEN, K.B. see ECKHART, L.
BARKER, J.N.W.N. see GRIFFITHS, C.E.M.
BASC, E. see CARDOT-LECCIA, N.
BASRA, M.K.A. & FINLAY, A.Y. The family impact of skin diseases: the Greater Patient concept, 929
BASRA, M.K.A., SUE-HO, R. & FINLAY, A.Y. The Family Dermatology Life Quality Index: measuring the secondary impact of skin disease, 528
BASSET-SEGUIN, N. see SOUFIR, N.
BASSI, E., POLI, F., CHARACHON, A., CLAUDEPIERRE, P. & REVUZ, J. Infliximab-induced acne: report of two cases, 402
BATCHELOR, R.J., ROSE, R.F., YUNG, A., RATHMELL, B., TURNER, D. & GOULDEN, V. Audit of erythema in patients with psoriasis undergoing phototherapy with narrowband (TL-01) ultraviolet B: impact of the introduction of a comprehensive erythema-reporting protocol, 1045
BATCHELOR, R.J., STABLES, G.I. & STRINGER, M.R. Successful treatment of scalp actinic keratoses with photodynamic therapy using ambient light, 779
BATEMAN, E.A.L., ARDERN-JONES, M. & OGG, G.S. Dose-related reduction in allergen-specific T cells associates with clinical response of atopic dermatitis to methotrexate, 1376
BAUMANN, U. see THOMSON, M.A.
BAUMERT, J., PLEWIG, G., VOLKENANDT, M. & SCHMID-WENDTNER, M-H. Factors associated with a high tumour thickness in patients with melanoma, 938
BAXTER, K. see MARZO-ORTEGA, H.
BAZIAKA, F. see GIAMARELLOS-BOURBOULIS, E.J.
BEARN, M.A. see COX, N.H.
BECHARA, F.G., ALTMEYER, P., SAND, M. & HOFFMANN, K. Surgical treatment of axillary hyperhidrosis, 398
BECHARA, F.G. see GAMBICHLER, T.
BEGON, E. see POULALHON, N.
BELJAARDS, R.C. see DE ROOS, K-P.
BELLOCCO, R. see ODENBRO, Å.
BELTRÁN, E., TOLL, A., PROS, A., CARBONELL, J. & PUJOL, R.M. Assessment of nailfold capillaroscopy by × 30 digital epiluminescence (dermoscopy) in patients with Raynaud phenomenon, 892
BEN AYED, M. see KALLEL SELLAMI, M.
BEN OSMAN, A. see KALLEL SELLAMI, M.
BENASSI, L. see MAGNONI, C.
BENGOUFA, D. see POULALHON, N.
BENOHANIAN, A. Needle-free anaesthesia prior to botulinum toxin type A injection treatment of palmar and plantar hyperhidrosis, 593
BENOIT, S. see SCHMIDT, E.
BERARDESCA, E. see ARDIGÒ, M.
DE BERKER, D., MCGREGOR, J.M. & HUGHES, B.R. ON BEHALF OF THE BRITISH ASSOCIATION OF DERMATOLOGISTS THERAPY GUIDELINES AND AUDIT SUBCOMMITTEE. Guidelines for the management of actinic keratoses, 222
DE BERKER, D. Interest in interests in photodynamic therapy, 1392
BERNARDELLI, I.M. see SOUSA JR, J.X.
BERNARDI, C. see MAGNONI, C.
BERNE, B. see BURACZEWSKA, I.
BERTAZZONI, G. see MAGNONI, C.
BERTI, E. see VENER, C.
BERTSCH, H.P. see MITTELDORF, C.
BESSIS, D. see KLUGER, N.
BESSIS, D. see MARQUE, M.M.
BETLLOCH, I. see VILLARRUBIA, B.
BEYLOT, C. see ORLANDINI, V.
BEYLOT-BARRY, M. see DUFFAU, P.
BEYLOT-BARRY, M. see ORLANDINI, V.
BHATTI, L.A. see BREWSTER, D.H.
BICCIATO, S. see MAGNONI, C.
BIENIEK, R., LAZAR, A.J.F., PHOTOPOULOS, C. & LYLE, S. Sebaceous tumours contain a subpopulation of cells expressing the keratin 15 stem cell marker, 378
BILENCHI, R., POGGIALI, S., DE PADOVA, L.A., PISANI, C., DE PAOLA, M. & FIMIANI, M. Human papillomavirus reactivation following topical tacrolimus therapy of anogenital lichen sclerosus, 405
BINDELS, P.J.E. see EMINOVIĆ, N.
BIRNIE, A., LANGAN, S., ENGLISH, J.S.C. & EEDY, D.J. Updates from the British Association of Dermatologists 86th Annual Meeting, 4–7 July 2006, Manchester, U.K., 802
BIRNIE, A.J., THOMAS, K.S. & VARMA, S. Should eye protection be worn during dermatological surgery: prospective observational study, 1258
BÍRÓ, L. see SEABRA, A.B.
BITOUN, E. see MAZEREEUW-HAUTIER, J.
BLAKE, G. see ROBERGE, D.
BLANCHET-BARDON, C. see VERFAILLE, C.J.
BLANCO, B. see ZERPA, O.
BODEMER, C. see MAHÉ, E.
BODEMER, C. see MAZEREEUW-HAUTIER, J.
BODMAN-SMITH, M.D. see GREEN, D.S.
BOEHNCKE, W-H. see LUDWIG, R.J.
BÖER, A., BRESCH, M., DAYRIT, J. & FALK, T.M. Erythema migrans: a reassessment of diagnostic criteria for early cutaneous manifestations of borreliosis with particular emphasis on clonality investigations, 1263
BOEZEMAN, J.B.M. see KÖRVER, J.E.M.
BOFFETTA, P. see ODENBRO, Å.
BONCELA, J. see NARBUTT, J.
BONIFAZ, A., FLORES, P., SAÚL, A., CARRASCO-GERARD, E. & PONCE, R.M. Treatment of actinomycetoma due to *Nocardia* spp. with amoxicillin–clavulanate, 308
BONVICINI, F. see AMBRETTI, S.
BOOKEN, N. see UTIKAL, J.
BOR, J.H.J. see VERHOEVEN, E.W.M.
BORALEVI, F., LÉAUTÉ-LABRÈZE, C., LEPREUX, S., BARBAROT, S., MAZEREEUW-HAUTIER, J., ESCHARD, C. & TAÏEB, A. Idiopathic facial aseptic granuloma: a multicentre prospective study of 30 cases, 705
BORDEA, C. see IMKO-WALCZUK, B.
BORGERS, M. see FAERGEMANN, J.
BORRADORI, L. see THIELEN, A.M.
BORYS, D. see HUNZEKER, C.M.
BOTELLA, C. see VILLARRUBIA, B.
BOUILLET, L., PONARD, D., ROUSSET, H., CICHON, S. & DROUET, C. A case of hereditary angio-oedema type III presenting with C1-inhibitor cleavage and a missense mutation in the F12 gene, 1063
BOVELL, D.L., CORBETT, A.D., HOLMES, S., MACDONALD, A. & HARKER, M. The absence of apoeccrine glands in the human axilla has disease pathogenetic implications, including axillary hyperhidrosis, 1278
BOVENSCHEN, H.J., OTERO, M.E., LANGEWOUTERS, A.M.G., VAN VLIJMEN-WILLEMS, I.M.J.J., VAN RENS, D.W.A., SEYGER, M.M.B. & VAN DE KERKHOF, P.C.M. Oral retinoic acid metabolism blocking agent Rambazole™ for plaque psoriasis: an immunohistochemical study, 263
BRAEUTIGAM, M. see WEISSENBACHER, S.

BRENNER, H. see WOLKEWITZ, M.
BRESCH, M. see BÖER, A.
BRETERNITZ, M., FLACH, M., PRÄßLER, J., ELSNER, P. & FLUHR, J.W. Acute barrier disruption by adhesive tapes is influenced by pressure, time and anatomical location: integrity and cohesion assessed by sequential tape stripping; a randomized, controlled study, 231
BREUER, J. see SOUFIR, N.
BREUKSCH, S. see GAMBICHLER, T.
BREWSTER, D.H., BHATTI, L.A., INGLIS, J.H.C., NAIRN, E.R. & DOHERTY, V.R. Recent trends in incidence of nonmelanoma skin cancers in the East of Scotland, 1992–2003, 1295
BRÖCKER, E.B. see SCHMIDT, E.
BRÖCKER, E.B. see SCHUBERT, B.
BROCKMEYER, N.H. see KREUTER, A.
BROWN, V.L., MATIN, R.N., CERIO, R., LEEDHAM-GREEN, M.E., PROBY, C.M. & HARWOOD, C.A. Melanomas in renal transplant recipients: the London experience, and invitation to participate in a European study, 165
BRUCKNER-TUDERMAN, L. see HAS, C.
BRUIJNZEEL-KOOMEN, C.A.F.M. see HAECK, I.M.
BRUIJNZEEL-KOOMEN, C.A.F.M. see OS-MEDENDORP, H.
DE BRUIN-WELLER, M.S. see HAECK, I.M.
BULLOCK, A.J. see HARRISON, C.A.
BUNKER, C.B. see FEARFIELD, L.A.
BURACZEWSKA, I., BERNE, B., LINDBERG, M., TÖRMÄ, H. & LODÉN, M. Changes in skin barrier function following long-term treatment with moisturizers, a randomized controlled trial, 492
BURDEN, A.D. see EDWARD, M.
BURMESTER, G-R. see LEE, H-H.
BUSCH, S. see MEIER, F.
BUSKENS, E. see HAECK, I.M.
BUSSEL, A. see GUYOT, A.D.

CADRANEL, J. see BACHMEYER, C.
CAEKELBERGH, K. & ANNEMANS, L. Interest in interests in photodynamic therapy: reply from authors, 1393
CALLEN, J., CHAMLIN, S., EICHENFIELD, L.F., ELLIS, C., GIRARDI, M., GOLDFARB, M., HANIFIN, J., LEE, P., MARGOLIS, D., PALLER, A.S., PIACQUADIO, D., PETERSON, W., KAULBACK, K., FENNERTY, M. & WINTROUB, B.U. A systematic review of the safety of topical therapies for atopic dermatitis, 203
CAMPANA, F. see FRICAIN, J-C.
CANEGALLO, L. see LODI, G.
CANO, J. see GONZÁLEZ-LÓPEZ, M.A.
CAPIZZI, R. see SANTONOCITO, C.
CAPOLUONGO, E. see SANTONOCITO, C.
CAPRONI, M., TORCHIA, D., ANTIGA, E., TERRANOVA, M., VOLPI, W., DEL BIANCO, E., D'AGATA, A. & FABBRI, P. The comparative effects of tacrolimus and hydrocortisone in adult atopic dermatitis: an immunohistochemical study, 312
CAPUTO, R. see VENER, C.
CARBONELL, J. see BELTRÁN, E.
CARDOSO, R., MASSONE, C., SOYER, H.P. & HOFMANN-WELLENHOF, R. Additional dermoscopic presentation of haemosiderotic dermatofibroma, 199
CARDOT-LECCIA, N., ITALIANO, A., MONTEIL, M.C., BASC, E., PERRIN, C. & PEDEUTOUR, F. Naevus lipomatosus superficialis: a case report with a 2p24 deletion, 380
CARMICHAEL, A.J. see DARNÉ, S.
CARNERO, L. see TRÉBOL, I.
CARR, R.A. see THOMSON, M.A.
CARRASCO-GERARD, E. see BONIFAZ, A.
CARRASSI, A. see LODI, G.
CASABONNE, D. see IMKO-WALCZUK, B.
CASTIGLIA, D. see CASTORI, M.
CASTILLO-VAZQUEZ, M. see ZULOAGA-SALCEDO, S.
CASTORI, M., CECCARINI, C., CASTIGLIA, D., RUGGERI, S., DALLAPICCOLA, D. & ZAMBRUNO, G. Delayed diagnosis of dyskeratosis congenita in a 40-year-old woman with multiple head and neck squamous cell carcinomas, 406
CATNEY, D. see HOEY, S.E.H.
CECCARINI, C. see CASTORI, M.
CEN, Y. see CHEN, J-J.
CERETTI, E. see VENER, C.
CERIO, R. see BROWN, V.L.
CERRONI, L. see TAKATA, M.
CHALMERS, D.A., TODD, G., SAXE, N., MILNE, J.T., TOLOSANA, S., NGCELWANE, P.N., HLABA, B.N., MNGOMENI, L.N., NONXUBA, T.G. & WILLIAMS, H.C. Validation of the U.K. Working Party diagnostic criteria for atopic eczema in a Xhosa-speaking African population, 111
CHALMERS, J.R. see KEOGH-BROWN, M.R.
CHALMERS, R.J.G. see GRIFFITHS, C.E.M.
CHAM, P.M.H., CHEN, S.C., GRILL, J.P., JONK, Y.C. & WARSHAW, E.M. Reliability of self-reported willingness-to-pay and annual income in patients treated for toenail onychomycosis, 922
CHAMLIN, S. see CALLEN, J.
CHAN, C-C., THONG, H-Y., CHAN, Y-C. & LIAO, Y-H. Human papillomavirus type 5 infection in a patient with Hailey–Hailey disease successfully treated with imiquimod, 579
CHAN, J-Y. see HONG, J-B.
CHAN, S.M.H., DILLON, M.J., DUFFY, P.G. & ATHERTON, D.J. Nephro-urological complications of epidermolysis bullosa in paediatric patients, 143
CHAN, Y.C. see CHIAM, L.Y.T.
CHAN, Y-C. see CHAN, C-C.
CHANG, B.Z. see CHEN, K.
CHANG, B.P-H., HSU, C-H., CHEN, H-C. & HSIEH, J-W. An infant with extensive Mongolian spot, naevus flammeus and cutis marmorata telangiectatica congenita: a unique case of phakomatosis pigmentovascularis, 1068
CHANG, H-W. see TZUNG, T-Y.
CHANG, M.W. see SHIN, H.T.
CHANG, S-E., HAN, S-S., JUNG, H-J. & CHOI, J-H. Neuropeptides and their receptors in psoriatic skin in relation to pruritus, 1272
CHANG, Y.T., CHOU, C.T., YU, C.W., LIN, M.W., SHIAO, Y.M., CHEN, C.C., HUANG, C.H., LEE, D.D., LIU, H.N., WANG, W.J. & TSAI, S.F. Cytokine gene polymorphisms in Chinese patients with psoriasis, 899
CHANG, Y-C., WU, W-M., CHEN, C-H., LEE, S-H., HONG, H-S. & HSU, L-A. Association between the insertion/deletion polymorphism of the angiotensin I-converting enzyme gene and risk for psoriasis in a Chinese population in Taiwan, 642
CHARACHON, A. see BASSI, E.
CHASSAING, N. see NAOURI, M.
CHEN, C.C. see CHANG, Y.T.
CHEN, C-H. see CHANG, Y-C.
CHEN, G-S. see WU, C-S.
CHEN, H-C. see CHANG, B.P-H.
CHEN, J-J., ZHAO, S., CEN, Y., LIU, X-X., YU, R. & WU, D-M. Effect of heat shock protein 47 on collagen accumulation in keloid fibroblast cells, 1188

CHEN, K., CHANG, B.Z., JU, M., ZHANG, X.H. & GU, H. Comparative study of photodynamic therapy vs. CO_2 laser vaporization in treatment of condylomata acuminata, a randomized clinical trial, 516
CHEN, R-J. see HONG, J-B.
CHEN, S.C. see CHAM, P.M.H.
CHEN, W., WEI, W., YAN-JUN, L., JI-YING, W., XIAO-PING, D., JIAN, W., RUI-HONG, S., ZI-ANG, P., WEN-YUAN, Z., LI-PING, Y., HONG-XIA, P. & XIN-YE, X. Multiple huge cutaneous horns overlying verrucae vulgaris induced by human papillomavirus type 2: a case report, 760
CHEN, X-R. see WANG, W-H.
CHEVRANT-BRETON, J. see MAZEREEUW-HAUTIER, J.
CHIAM, L.Y.T. & CHAN, Y.C. Solitary plaque mycosis fungoides on the penis responding to topical imiquimod therapy, 560
CHIMENTI, S. see ALTOBELLI, E.
CHIMENTI, S. see GRIFFITHS, C.E.M.
CHIU, H-C. see HONG, J-B.
CHO, B.K. see KIM, S.Y.
CHOI, H-J. see KIM, S.Y.
CHOI, J-H. see CHANG, S-E.
CHONG, H. see ROSS, G.L.
CHOU, C.T. see CHANG, Y.T.
CHRISTENSEN, C. see ANGELL-PETERSEN, E.
CHRISTENSEN, L.P. see PAULSEN, E.
CHRISTIANO, A.M. see O'REGAN, G.M.
CHRISTOPHERS, E. see GRIFFITHS, C.E.M.
CHU, J. see FOGARTY, G.B.
CICHON, S. see BOUILLET, L.
CIERNIEWSKA-CIESLAK, A. see NARBUTT, J.
CIRILLO, N. see LANZA, A.
CIUPINSKA, M. see WOZNIAK, K.
CLARK, S.M. see MOURELATOS, K.
CLAUDEPIERRE, P. see BASSI, E.
CLAYTON, R. & TURNER, R. Cosmetic surgery: who needs surgeons when you've got creams?, 1383
CLAYTON, T.H. & HARRISON, P.V. Photodynamic therapy for infected leg ulcers, 384
CLAYTON, W.J. see BAILEY, J.N.R.
COGHILL, R.C. see YOSIPOVITCH, G.
COGREL, O. see DUFFAU, P.
COGREL, O. see ORLANDINI, V.
COLANARDI, M.C. see NETTIS, E.
COLLIN, B., TAYLOR, I.B., WILKIE, A.O.M. & MOSS, C. Fibroblast growth factor receptor 3 (FGFR3) mutation in a verrucous epidermal naevus associated with mild facial dysmorphism, 1353
COLLYNS, T. see ROSS, G.L.
COLOMBO, M.D. see FRIGERIO, E.
COLVER, G.B. see GOYAL, N.N.
CONCOLINO, P. see SANTONOCITO, C.
CONEJO-MIR, J.S. see VANACLOCHA, F.
CONTRERAS, M.E. see REDDY, S.
CONUS, N.M. see FOGARTY, G.B.
CONVIT, J. see ZERPA, O.
CORBETT, A.D. see BOVELL, D.L.
COSCOJUELA, C. see GILABERTE, Y.
COTA, C. see ARDIGÒ, M.
COULSON, I.H. see OGDEN, S.
COURVILLE, P. see MARIE, I.
COVE, J.H. see MOURELATOS, K.
COX, N.H., BEARN, M.A., HEROLD, J., AINSWORTH, G. & LIU, C. Blindness due to the IgA variant of epidermolysis bullosa acquisita, and treatment with osteo-odonto-keratoprosthesis, 775
COX, N.H., EEDY, D.J. & MORTON, C.A. ON BEHALF OF THE BRITISH ASSOCIATION OF DERMATOLOGISTS THERAPY GUIDELINES AND AUDIT SUBCOMMITEE. Guidelines for management of Bowen's disease: 2006 update, 11
COX, N.H. see MADAN, V.
CRICHLOW, S.M., MORTIMER, N.J. & HARMAN, K.E. A successful therapeutic trial of rituximab in the treatment of a patient with recalcitrant, high-titre epidermolysis bullosa acquisita, 194
CREAMER, D. see WHITE, J.M.L.
CREAMER, J.D. see RAJ, K.
CRICCA, M. see AMBRETTI, S.
CULLINAN, P. see HARRIS, J.M.
CUNLIFFE, W.J. see MARZO-ORTEGA, H.
CUNLIFFE, W.J. see MOURELATOS, K.
CUNLIFFE, W.J. see WILCOX, H.E.

D'AGATA, A. see CAPRONI, M.
DALGLEISH, A.G. see GREEN, D.S.
DALLAPICCOLA, D. see CASTORI, M.
DALLE, S., DEPAPE, L., PHAN, A., BALME, B., RONGER-SAVLE, S. & THOMAS, L. Squamous cell carcinoma of the nail apparatus: clinicopathological study of 35 cases, 871
DANBY, F.W. Ciclosporin use in toxic epidermal necrolysis, 390
DANESCU, S. see HAS, C.
DARBYSHIRE, P. see TAIBJEE, S.M.
DARNÉ, S. & CARMICHAEL, A.J. Isolated recurrence of vesicobullous incontinentia pigmenti in a schoolgirl, 600
DAUDÉN, E. see VANACLOCHA, F.
DAUENDORFFER, J.N., RIVET, J., ALLARD, A. & BACHELEZ, H. Sézary syndrome in a patient receiving infliximab for ankylosing spondylitis, 742
DAVIDOVICI, B.B. see KARDAUN, S.H.
DAVIES, E.E.G. see EGHLILEB, A.M.
DAVIS, R.F. & HARMAN, K.E. Confluent and reticulated papillomatosis successfully treated with amoxicillin, 583
DAVISON, S.N. see MAJESKI, C.J.
DAWN, A.G. see YOSIPOVITCH, G.
DAYRIT, J. see BÖER, A.
DE PADOVA, L.A. see BILENCHI, R.
DE PAOLA, M. see BILENCHI, R.
DE PROST, Y. see MAHÉ, E.
DEL BIANCO, E. see CAPRONI, M.
DEL GIUDICE, P. Milia and cutaneous leishmaniasis, 1088
DEL OLMO, J. see ESPAÑA, A.
DELESTAING, G. see SOUFIR, N.
DELGADO-JIMENEZ, Y., GOIRIZ, R., VARGAS-DIEZ, E., FRAGA, J., GARCIA-DIEZ, A. & FERNANDEZ-HERRERA, J. Acute graft-versus-host disease (GVHD) overlapping chronic GVHD after reinduction chemotherapy, 388
DEMAROSI, F. see LODI, G.
DEMITSU, T. see MORIUE, T.
DENYER, M.E. see OGDEN, S.
DEPAPE, L. see DALLE, S.
DER-PETROSSIAN, M., FÖDINGER, M., KNOBLER, R., HÖNIGSMANN, H. & TRAUTINGER, F. Photodegradation of folic acid during extracorporeal photopheresis, 117
DERVENOULAS, J. see TSIRIGOTIS, P.
DESSINIOTI, C. see ANTONIOU, C.
DETERT, J. see LEE, H-H.
DEVEREUX, C.E.J. see HOEY, S.E.H.
DEVEREUX, S. see WHITE, J.M.L.
DI BENEDETTO, D. see LODI, G.
DI CARLO, A. see SANTONOCITO, C.

DI STASIO, E. see SANTONOCITO, C.
DIAMANDIS, E.P. see KOMATSU, N.
DIEPGEN, T.L. see WOLKEWITZ, M.
DIFFEY, B. Do we need a revised public health policy on sun exposure? Response from Brian DIFFEY, 788
DILLON, M.J. see CHAN, S.M.H.
DIMISIANOS, G. see STEFANAKI, I.
DINH, H.V. see GOH, M.S.Y.
DJOUKELFIT, K. see STOEBNER, P.E.
DO, J.E., KIM, Y.J. & KANG, H.Y. Hypohidrosis colocalized with Becker's naevus, 766
DOHERTY, V.R. see BREWSTER, D.H.
DOLAN, O.M. see HOEY, S.E.H.
DOMÍNGUEZ-SOTO, L. see ZULOAGA-SALCEDO, S.
DONNELLY, D. see HOEY, S.E.H.
DONNELLY, J. see MCKENNA, D.J.
DÖRR, H.D. see VITZTHUM, J.
DOUTRE, M.S. see ORLANDINI, V.
DOUTRE, M-S. see DUFFAU, P.
DRENTH, J.P.H. see VAN DER HILST, J.C.H.
DROUET, C. see BOUILLET, L.
DRYSDALE, S. see MARZO-ORTEGA, H.
DU VIVIER, A.W.P. see RAJ, K.
DU VIVIER, A.W.P. see WHITE, J.M.L.
DUBERTRET, L. see POULALHON, N.
DUBERTRET, L. see SOUFIR, N.
DUFFAU, P., BEYLOT-BARRY, M., PALUSSIERE, J., LY, S., COGREL, O. & DOUTRE, M-S. Necrotic livedo after vertebroplasty, 382
DUFFY, P.G. see CHAN, S.M.H.
DULLER, P. see VERHOEVEN, E.W.M.
DUNN, M. see ELEWSKI, B.
DUQUE, M.I. see YOSIPOVITCH, G.
DUTEIL, L. see KHEMIS, A.
DVOŘÁNKOVÁ, B. see LACINA, L.
DYKES, P.J. see MATTS, P.J.

EADY, E.A. see MOURELATOS, K.
ECKHART, L., FISCHER, H., BARKEN, K.B., TOLKER-NIELSEN, T. & TSCHACHLER, E. DNase1L2 suppresses biofilm formation by *Pseudomonas aeruginosa* and *Staphylococcus aureus*, 1342
ECONOMOPOULOS, T. see TSIRIGOTIS, P.
EDWARD, M., FITZGERALD, L., THIND, C., LEMAN, J. & BURDEN, A.D. Cutaneous mucinosis associated with dermatomyositis and nephrogenic fibrosing dermopathy: fibroblast hyaluronan synthesis and the effect of patient serum, 473
EEDY, D.J. see BIRNIE, A.
EEDY, D.J. see COX, N.H.
EEDY, D.J. see ENGLISH, J.S.C.
EGHLILEB, A.M., DAVIES, E.E.G. & FINLAY, A.Y. Psoriasis has a major secondary impact on the lives of family members and partners, 1245
EHAMA, R. see MATSUNAGA, Y.
EICHENFIELD, L.F. see CALLEN, J.
EL HADIDI, H. see SHAKER, O.
EL SHERIF, H. see SHAKER, O.
EL-AGNAF, M.R. see RAMADAN, K.M.
ELAND-DE KOK, P.C.M. see OS-MEDENDORP, H.
ELEWSKI, B., LEONARDI, C., GOTTLIEB, A.B., STROBER, B.E., SIMIENS, M.A., DUNN, M. & JAHREIS, A. Comparison of clinical and pharmacokinetic profiles of etanercept 25 mg twice weekly and 50 mg once weekly in patients with psoriasis, 138
ELLIS, C. see CALLEN, J.
ELSNER, P. see BRETERNITZ, M.
EMERY, P. see MARZO-ORTEGA, H.
EMING, S. see KURSCHAT, P.
EMINOVIĆ, N., DE KEIZER, N.F., BINDELS, P.J.E. & HASMAN, A. Maturity of teledermatology evaluation research: a systematic literature review, 412
ENGLISH, J.S.C. & EEDY, D.J. Has teledermatology in the U.K. finally failed?, 411
ENGLISH, J.S.C. see BIRNIE, A.
ENK, C.D. see HOCHBERG, M.
VAN ERP, P.E.J. see KÖRVER, J.E.M.
ESCHARD, C. see BORALEVI, F.
ESPAÑA, A., FERNÁNDEZ, S., DEL OLMO, J., MARQUINA, M., PRETEL, M., RUBA, D. & SÁNCHEZ-IBARROLA, A. Ear, nose and throat manifestations in pemphigus vulgaris, 733
ESPAÑA, A., SITARU, C., PRETEL, M., AGUADO, L. & JIMENEZ, J. Erythema gyratum repens-like eruption in a patient with epidermolysis bullosa acquisita associated with ulcerative colitis, 773
ESWEDI, H.A. see RAMADAN, K.M.
EVERS, A.W.M. see VERHOEVEN, E.W.M.

FABBRI, P. see CAPRONI, M.
FAERGEMANN, J., AUSMA, J., VANDEPLASSCHE, L. & BORGERS, M. The efficacy of oral treatment with pramiconazole in pityriasis versicolor: a phase II a trial, 1385
FALK, T.M. see BÖER, A.
FANTONI, L. see MAGNONI, C.
FARGNOLI, M.C. see ALTOBELLI, E.
FARHI, D. see GUYOT, A.D.
FARRAR, M.D. see WILCOX, H.E.
FAST, K. see YOSIPOVITCH, G.
FAULHABER, D. see NASHAN, D.
FAURSCHOU, A. & WULF, H.C. The relation between sun protection factor and amount of suncreen applied *in vivo*, 716
FEARFIELD, L.A., LARKIN, J.M.G., ROWE, A., A'HERN, R., FISHER, C., FRANCIS, N., MACKIE, R., MCCANN, B., GORE, M.E. & BUNKER, C.B. Expression of p16, CD95, CD95L and *Helix pomatia* agglutinin in relapsing and nonrelapsing very thin melanoma, 440
FEHÉR, M. see SEABRA, A.B.
FENNERTY, M. see CALLEN, J.
FERGUSON, J. see KERR, A.C.
FERNÁNDEZ, S. see ESPAÑA, A.
FERNANDEZ-HERRERA, J. see DELGADO-JIMENEZ, Y.
FERNÁNDEZ-LLACA, H. see GONZÁLEZ-LÓPEZ, M.A.
FERRÁNDIZ, C. see JUST, M.
FERRANNINI, A. see NETTIS, E.
FERRARI, F. see MAGNONI, C.
FERRARI, S. see MAGNONI, C.
FEZZA, B. see KALLEL SELLAMI, M.
FIERLBECK, G. see ULMER, A.
FILIZ, N. see SENAYLI, A.
FIMIANI, M. see BILENCHI, R.
FINCH, T.L., MAIR, F.S. & MAY, C.R. Teledermatology in the U.K.: lessons in service innovation, 521
FINLAY, A.Y. see ABDUL GHAFFAR, S.
FINLAY, A.Y. see BASRA, M.K.A.
FINLAY, A.Y. see EGHLILEB, A.M.
FINLAY, A.Y. see KATUGAMPOLA, R.P.
FISCHER, H. see ECKHART, L.
FISCHER, M.D. see GREEN, D.S.
FISHER, C. see FEARFIELD, L.A.
FITZGERALD, L. see EDWARD, M.
FJELLNER, B. see ARNETZ, B.B.

FLACH, M. see BRETERNITZ, M.
FLECKMAN, P. see WILLIAMS, L.H.
FLORES, P. see BONIFAZ, A.
FLUHR, J.W. see BRETERNITZ, M.
FÖDINGER, M. see DER-PETROSSIAN, M.
FOGARTY, G.B., CONUS, N.M., CHU, J. & MCARTHUR, G. Characterization of the expression and activation of the epidermal growth factor receptor in squamous cell carcinoma of the skin, 92
FOLEY, P. see GOH, M.S.Y.
FORDHAM, R.J. see KEOGH-BROWN, M.R.
FORSCHNER, T. see KÖHLER, A.
FRAGA, J. see DELGADO-JIMENEZ, Y.
FRANCÈS, C. see GUYOT, A.D.
FRANCHI, C. see FRIGERIO, E.
FRANCIS, N. see FEARFIELD, L.A.
FREEMAN, C.R. see ROBERGE, D.
FRICAIN, J-C., SIBAUD, V., SWETYENGA, N., TABRIZI, R., CAMPANA, F. & TAÏEB, A. Long-term efficacy of topical tacrolimus on oral lesions of chronic graft-versus-host disease, 588
FRIEDMANN, A.C., AMEEN, M. & SWALE, V.J. Familial pityriasis rotunda in black-skinned patients; a first report, 1365
FRIEDRICH, M. see LEE, H-H.
FRIGERIO, E., COLOMBO, M.D., FRANCHI, C., ALTOMARE, A., GARUTTI, C. & ALTOMARE, G.F. Severe psoriasis treated with a new macrolide: everolimus, 372
FRY, L. see GRIFFITHS, C.E.M.
FUJII, S. see KOO, S-W.
FUJIMOTO, M. see NAKASHIMA, H.
FUJIMOTO, W. see TANAKA, R.
FUJIMOTO, W. see UCHIDA, T.
FUKUSHIMA, Y. see INOUE, R.
FURUE, M. see IMAFUKU, S.
FUTAKI, N. see HONMA, Y.

GABIUS, H-J. see LACINA, L.
GALLUCCI, R.M. see LUCKETT, L.R.
GAMBICHLER, T., HOFFJAN, S., ALTMEYER, P. & BECHARA, F.G. A case of sporadic Bazex–Dupré–Christol syndrome presenting with scarring folliculitis of the scalp, 184
GAMBICHLER, T., SKRYGAN, M., TOMI, N.S., BREUKSCH, S., ALTMEYER, P. & KREUTER, A. Significant downregulation of transforming growth factor-β signal transducers in human skin following ultraviolet-A1 irradiation, 951
GAMBICHLER, T. see KREUTER, A.
GANESAN, R. see THOMSON, M.A.
GARBE, C. see MEIER, F.
GARCIA-DIEZ, A. see DELGADO-JIMENEZ, Y.
GARCÍA-RIO, I. see TRÉBOL, I.
GARG, A. see GARG, J.
GARG, J., TILAK, R., GULATI, A.K., SINGH, S., PRAKASH, P. & GARG, A. *Scytalidium* infection associated with dyskeratosis congenita, 604
GARIBOLDI, S. see SELLERI, S.
GARUTTI, C. see FRIGERIO, E.
GASCOYNE-BINZI, D.M. see ROSS, G.L.
GAUBE, S. see PLACZEK, M.
GAULIARD, A. see LEE, H-H.
GAVIN, A. see HOEY, S.E.H.
GENTILESCHI, S. see SANTONOCITO, C.
GERAMI, P. & GUITART, J. Folliculotropic Sézary syndrome: a new variant of cutaneous T-cell lymphoma, 781
GERDES, S., SHAKERY, K. & MROWIETZ, U. Dimethylfumarate inhibits nuclear binding of nuclear factor κB but not of nuclear factor of activated T cells and CCAAT/enhancer binding protein β in activated human T cells, 838
GERGER, A. see HORN, M.
GERMAIN, L. see MORISSETTE, G.
GIAMARELLOS-BOURBOULIS, E.J., ANTONOPOULOU, A., PETROPOULOU, C., MOUKTAROUDI, M., SPYRIDAKI, E., BAZIAKA, F., PELEKANOU, A., GIAMARELLOU, H. & STAVRIANEAS, N.G. Altered innate and adaptive immune responses in patients with hidradenitis suppurativa, 51
GIAMARELLOU, H. see GIAMARELLOS-BOURBOULIS, E.J.
GIANELLI, U. see VENER, C.
GIANNETTI, A. see MAGNONI, C.
GIANNOPOULOU, V. see TSIRIGOTIS, P.
GILABERTE, Y., COSCOJUELA, C., VÁZQUEZ, C., ROSELLÓ, R. & VERA, J. Perforating folliculitis associated with tumour necrosis factor-α inhibitors administered for rheumatoid arthritis, 368
GILBERT, D. see KALLEL SELLAMI, M.
GILBERTZ, K-P. see PLACZEK, M.
GILLGREN, P. see ODENBRO, Å.
GIRARD, C. see KLUGER, N.
GIRARDI, M. see CALLEN, J.
GIRKAS, K. see TSIRIGOTIS, P.
GIRSZYN, N. see MAHÉ, E.
GLADISCH, R. see UTIKAL, J.
GOEBELER, M. see SCHMIDT, E.
GOEBELER, M. see UTIKAL, J.
GOERDT, S. see UTIKAL, J.
GOGAS, H. see STEFANAKI, I.
GOH, M.S.Y., MCCORMACK, C., DINH, H.V., WELSH, B., FOLEY, P. & PRINCE, H.M. Rituximab in the adjuvant treatment of pemphigus vulgaris: a prospective open-label pilot study in five patients, 990
GOIRIZ, R. see DELGADO-JIMENEZ, Y.
GOLDFARB, M. see CALLEN, J.
GONZALEZ, S. see ARDIGÒ, M.
GONZALEZ, V. see KLUGER, N.
GONZÁLEZ-LÓPEZ, M.A., SALESA, R., GONZÁLEZ-VELA, M.C., FERNÁNDEZ-LLACA, H., VAL-BERNAL, J.F. & CANO, J. Subcutaneous phaeohyphomycosis caused by *Exophiala oligosperma* in a renal transplant recipient, 762
GONZÁLEZ-PÉREZ, R. see TRÉBOL, I.
GONZÁLEZ-VELA, M.C. see GONZÁLEZ-LÓPEZ, M.A.
GOODYEAR, H. see TAIBJEE, S.M.
GORE, M.E. see FEARFIELD, L.A.
GOSS, J.M., NORD, K.M., OLARTE, M.R. & GROSSMAN, M.E. Perioral dermatitis in a patient with myasthenia gravis following systemic corticosteroid treatment, 582
GOTTLIEB, A.B. see ELEWSKI, B.
GOTTSCHLING, M. see KÖHLER, A.
GOUGH, A. see MARZO-ORTEGA, H.
GOULDEN, V. see BATCHELOR, R.J.
GOYAL, N.N. & COLVER, G.B. Development of a diagnostic role for a clinical nurse specialist, 1060
GRACE, B.D. see SHAKER, O.
GRANADOS, J. see ZULOAGA-SALCEDO, S.
GRECO, M.A. see HUNZEKER, C.M.
GREEN, D.S., BODMAN-SMITH, M.D., DALGLEISH, A.G. & FISCHER, M.D. Phase I/II study of topical imiquimod and intralesional interleukin-2 in the treatment of accessible metastases in malignant melanoma, 337
GRIFFITHS, B. see MARZO-ORTEGA, H.
GRIFFITHS, C.E.M., CHRISTOPHERS, E., BARKER, J.N.W.N., CHALMERS, R.J.G., CHIMENTI, S., KRUEGER, G.G., LEONARDI, C.,

MENTER, A., ORTONNE, J-P. & FRY, L. A classification of psoriasis vulgaris according to phenotype, 258
GRILL, J.P. see CHAM, P.M.H.
GROSSMAN, M.E. see GOSS, J.M.
GROTH, W. see MÜLLER, F.B.
GRYPDONCK, M.H.F. see OS-MEDENDORP, H.
GU, H. see CHEN, K.
GUALDI, G. see MAGNONI, C.
GUIKERS, C. see HAECK, I.M.
GUILLÈN, C. see VANACLOCHA, F.
GUILLOT, B. see KLUGER, N.
GUILLOT, B. see MARQUE, M.M.
GUITART, J. see GERAMI, P.
GULATI, A.K. see GARG, J.
GUYOT, A.D., FARHI, D., INGEN-HOUSZ-ORO, S., BUSSEL, A., PARQUET, N., RABIAN, C., BACHELEZ, H. & FRANCÈS, C. Treatment of refractory erosive oral lichen planus with extracorporeal photochemotherapy: 12 cases, 553

HADJ-RABIA, S. see MAHÉ, E.
HAECK, I.M., TIMMER-DE MIK, L., LENTJES, E.G.W.M., BUSKENS, E., HIJNEN, D.J., GUIKERS, C., BRUIJNZEEL-KOOMEN, C.A.F.M. & DE BRUIN-WELLER, M.S. Low basal serum cortisol in patients with severe atopic dermatitis: potent topical corticosteroids wrongfully accused, 979
HAGFORSEN, E. see MICHAËLSSON, G.
HÅKANSSON, N. see ODENBRO, Å.
HALD, M., VEIEN, N.K., LAURBERG, G. & JOHANSEN, J.D. Severity of hand eczema assessed by patients and dermatologist using a photographic guide, 77
HALEVY, S. see KARDAUN, S.H.
HAMEL, L. see VANACLOCHA, F.
HAMEL-TEILLAC, D. see MAHÉ, E.
HAN, S-S. see CHANG, S-E.
HANIFFA, M. see WEATHERHEAD, S.C.
HANIFFA, M.A., LLOYD, J.J. & LAWRENCE, C.M. The use of a spectrophotometric intracutaneous analysis device in the real-time diagnosis of melanoma in the setting of a melanoma screening clinic, 1320
HANIFIN, J. see CALLEN, J.
HANTASH, B.M. & KANZLER, M.H. The efficacy of tetracycline antibiotics for treatment of lichen planus: an open-label clinical trial, 758
HAPPLE, R. Type 2 segmental Cowden disease vs. Proteus syndrome, 1089
HARIGAE, H. see OKUYAMA, R.
HARKER, M. see BOVELL, D.L.
HARMAN, K.E. see CRICHLOW, S.M.
HARMAN, K.E. see DAVIS, R.F.
HARPER, J.I. see MAZEREEUW-HAUTIER, J.
HARRIS, J.M., WILLIAMS, H.C., WHITE, C., MOFFAT, S., MILLS, P., NEWMAN TAYLOR, A.J. & CULLINAN, P. Early allergen exposure and atopic eczema, 698
HARRISON, C.A., LAYTON, C.M., HAU, Z., BULLOCK, A.J., JOHNSON, T.S. & MACNEIL, S. Transglutaminase inhibitors induce hyperproliferation and parakeratosis in tissue-engineered skin, 247
HARRISON, P.V. see CLAYTON, T.H.
HARVEY, I. see KEOGH-BROWN, M.R.
HARWOOD, C.A. see BROWN, V.L.
HARWOOD, C.A. see PERRETT, C.M.
HAS, C., DANESCU, S., VOLZ, A., NÖH, F., TECHNAU, K. & BRUCKNER-TUDERMAN, L. Incontinentia pigmenti in a newborn with a novel nonsense mutation in the NEMO gene, 392
HASHIMOTO, C. see AMANO, H.
HASHIMOTO, K. see SHIOHARA, T.
HASHIMOTO, T. see YAMANE, N.
HASHIMOTO, Y. see HONMA, Y.
HASMAN, A. see EMINOVIĆ, N.
HAU, Z. see HARRISON, C.A.
HAYASHI, H. see UCHIDA, T.
HEAGERTY, A. see TAIBJEE, S.M.
HEENEN, M. see SIMONART, T.
HEFFERNAN, M.P., NELSON, M.M. & ANADKAT, M.J. A pilot study of the safety and efficacy of picolinic acid gel in the treatment of acne vulgaris, 548
HERLYN, M. see MEIER, F.
HERN, S. & MORTIMER, P.S. *In vivo* quantification of microvessels in clinically uninvolved psoriatic skin and in normal skin, 1224
HERO, I. see RAJARATNAM, R.
HEROLD, J. see COX, N.H.
HERTL, M. see JACOBI, A.
HERZOG, C. see LUDWIG, R.J.
HIJNEN, D.J. see HAECK, I.M.
HILDEBRANDT, B. see WEISSENBACHER, S.
HILDENBRAND, R. see UTIKAL, J.
HILL, V.A. see THOMSON, M.A.
VAN DER HILST, J.C.H., VAN DER MEER, J.W.M., DRENTH, J.P.H. & SIMON, A. AL amyloidosis enhances development of amyloid A amyloidosis, 748
HINO, R., KOBAYASHI, M., MORI, T., ORIMO, H., SHIMAUCHI, T., KABASHIMA, K. & TOKURA, Y. Inhibition of T helper 2 chemokine production by narrowband ultraviolet B in cultured keratinocytes, 830
HIRAKAWA, S. see KOO, S-W.
HIRASHIMA, N. see OGATA, M.
HIROSAKI, K. see OGINO, J.
HJELMGREN, J., SVENSSON, Å., JÖRGENSEN, E.T., LINDEMALM-LUNDSTAM, B. & RAGNARSON TENNVALL, G. Cost-effectiveness of tacrolimus ointment vs. standard treatment in patients with moderate and severe atopic dermatitis: a health-economic model simulation based on a patient survey and clinical trial data, 913
HLABA, B.N. see CHALMERS, D.A.
HO, A. see RAJ, K.
HO, A.Y. see WHITE, J.M.L.
HOCHBERG, M., ZELIGSON, S., AMARIGLIO, N., RECHAVI, G., INGBER, A. & ENK, C.D. Genomic-scale analysis of psoriatic skin reveals differentially expressed insulin-like growth factor-binding protein-7 after phototherapy, 289
HOEY, S.E.H., DEVEREUX, C.E.J., MURRAY, L., CATNEY, D., GAVIN, A., KUMAR, S., DONNELLY, D. & DOLAN, O.M. Skin cancer trends in Northern Ireland and consequences for provision of dermatology services, 1301
HOFFJAN, S. see GAMBICHLER, T.
HOFFMANN, K. see BECHARA, F.G.
HOFMANN, H. see WEISSENBACHER, S.
HOFMANN-WELLENHOF, R. see CARDOSO, R.
HOJYO-TOMOKA, T. see ZULOAGA-SALCEDO, S.
HOLLAND, K.T. see WILCOX, H.E.
HOLLAND, R.C. see KEOGH-BROWN, M.R.
HOLLOWOOD, K. see IMKO-WALCZUK, B.
HOLMEN, T.L. see SAUNES, M.
HOLMES, S. see BOVELL, D.L.
HONG, H-S. see CHANG, Y-C.
HONG, J-B., CHIU, H-C., CHAN, J-Y., CHEN, R-J. & LIN, S-J. A woman with iatrogenic androgenetic alopecia responding to finasteride, 754

HONG-XIA, P. see CHEN, W.
HÖNIGSMANN, H. see DER-PETROSSIAN, M.
HONMA, Y., ARAI, I., FUTAKI, N., HASHIMOTO, Y., SUGIMOTO, M., SAKURAI, T. & NAKAIKE, S. Cyclooxygenase-1 inhibition delays recovery of the cutaneous barrier disruption caused by mechanical scratching in mice, 1178
VAN DEN HOOGEN, H.J.M. see VERHOEVEN, E.W.M.
HOQUE, S.R., MANSOUR, S. & MORTIMER, P.S. Yellow nail syndrome: not a genetic disorder? Eleven new cases and a review of the literature, 1230
HORN, M., GERGER, A., KOLLER, S., WEGER, W., LANGSENLEHNER, U., KRIPPL, P., KERL, H., SAMONIGG, H. & SMOLLE, J. The use of confocal laser-scanning microscopy in microsurgery for invasive squamous cell carcinoma, 81
HOVNANIAN, A. see MAZEREEUW-HAUTIER, J.
HOWE, A. see KEOGH-BROWN, M.R.
HSIEH, J-W. see CHANG, B.P-H.
HSU, C-H. see CHANG, B.P-H.
HSU, L-A. see CHANG, Y-C.
HU, S-L. see HUANG, H-Y.
HUANG, C.H. see CHANG, Y.T.
HUANG, H-Y. & HU, S-L. Scrotal cutaneous chylous reflux, 752
HUANG, Y-C., XIAO, Y-Y., ZHENG, Y-H., JANG, W., YANG, Y-L. & ZHU, X-J. Infantile systemic hyalinosis: a case report and mutation analysis in a Chinese infant, 602
HUBICHE, T., LEAUTE-LABREZE, C., LEPREUX, S., PEREL, Y. & TAÏEB, A. Psoriasis after cord blood stem cell transplantation, 386
HUGER, M. see KREUTER, A.
HUGHES, B.R. see DE BERKER, D.
HUGHES, T.M. see KATUGAMPOLA, R.P.
HUMPHREYS, F. see THOMSON, M.A.
HUNZEKER, C.M., BORYS, D., GRECO, M.A., ORLOW, S.J. & SCHAFFER, J.V. Unilateral cutaneous heterotopic meningeal nodules with neural, smooth muscle and connective tissue hamartomas: a field defect of cephalic neural crest-derived tissues, 1047
HURT, M.A. The nature of solar (actinic) keratosis, 408
HUTCHINSON, P.E. & OSBORNE, J.E. Do we need a revised public health policy on sun exposure?, 786

ICHINOHASAMA, R. see OKUYAMA, R.
IGUCHI, A. see MORIUCHI, R.
IHN, H., MIMURA, Y., YAZAWA, N., JINNIN, M., ASANO, Y., YAMANE, K. & TAMAKI, K. High-dose intravenous immunoglobulin infusion as treatment for diffuse scleroderma, 1058
IIJIMA, M. see SHIOHARA, T.
IKEZAWA, Z. see SHIOHARA, T.
IMAFUKU, S., TASHIRO, A. & FURUE, M. Ciclosporin treatment of psoriasis in a patient with chronic hepatitis C, 1367
IMANISHI, N. see KISHI, K.
IMKO-WALCZUK, B., LALLY, A., LE MIRE, L., CASABONNE, D., HOLLOWOOD, K., BORDEA, C. & WOJNAROWSKA, F. Melanomas in renal transplant recipients: the London experience, and invitation to participate in a European study: reply from authors, 167
INAOKI, M. see UCHIDA, T.
INGBER, A. see HOCHBERG, M.
INGEN-HOUSZ-ORO, S. see GUYOT, A.D.
INGHAM, E. see WILCOX, H.E.
INGLIS, J.H.C. see BREWSTER, D.H.
INOUE, R., NISHIO, A., FUKUSHIMA, Y. & USHIDA, K. Oral treatment with probiotic *Lactobacillus johnsonii* NCC533 (La1) for a specific part of the weaning period prevents the development of atopic dermatitis induced after maturation in model mice, NC/Nga, 499
INOUE, T. see OGATA, M.
IORIZZO, M. see RICHERT, B.
IRVINE, A.D. see O'REGAN, G.M.
ISHII, N. see YAMANE, N.
ISHIKAWA, O. see AMANO, H.
ISHIKAWA, O. see NAKAMURA, M.
ITALIANO, A. see CARDOT-LECCIA, N.
ITOH, F. see KAWASAKI, K.
ITOH, M., YANABA, K., KOBAYASHI, T. & NAKAGAWA, H. Taxane-induced scleroderma, 363

JACOBI, A., SCHULER, G. & HERTL, M. Differential clinical response to alefacept in combination with methotrexate in two patients with refractory palmar psoriasis, 178
JAHREIS, A. see ELEWSKI, B.
JANER, V. see THIELEN, A.M.
JANG, W. see HUANG, Y-C.
JANIN, A. see SOUFIR, N.
JANJUA, N.R., KONGSHOJ, B., PETERSEN, J.H. & WULF, H.C. Sunscreens and thyroid function in humans after short-term whole-body topical application: a single-blinded study, 1080
JANSEN, G.H.L. see PASMOOIJ, A.M.G.
JAPPE, U. see SCHUH, B.
JIAN, W. see CHEN, W.
JIANG, W. see WANG, W-H.
JIMBOW, K. see OGINO, J.
JIMENEZ, J. see ESPAÑA, A.
JINNIN, M. see IHN, H.
JI-YING, W. see CHEN, W.
JOCHYMSKI, C. see NARBUTT, J.
JOHANSEN, J.D. see HALD, M.
JOHNSEN, R. see SAUNES, M.
JOHNSON, J.A. see MAJESKI, C.J.
JOHNSON, T.S. see HARRISON, C.A.
JOLY, P. see KALLEL SELLAMI, M.
JOLY, P. see MARIE, I.
DE JONG, M.C.J.M. see MENTINK, L.F.
JONK, Y.C. see CHAM, P.M.H.
JONKMAN, M.F. see MENTINK, L.F.
JONKMAN, M.F. see PASMOOIJ, A.M.G.
JÖRGENSEN, E.T. see HJELMGREN, J.
JU, M. see CHEN, K.
JUNG, H-J. see CHANG, S-E.
JUST, M., RIBERA, M., MONSÓ, E., LORENZO, J.C. & FERRÁNDIZ, C. Effect of smoking on skin elastic fibres: morphometric and immunohistochemical analysis, 85

KABASHIMA, K. see HINO, R.
KAGATANI, S. see OKUYAMA, R.
KAGAYA, M. see OGINO, J.
KAIAFA, A. see KHEMIS, A.
KAITSA, I. see TSIRIGOTIS, P.
KALLEL SELLAMI, M., ZITOUNI, M., TOMBARI, W., BEN AYED, M., ABIDA, O., LAADHAR, L., MOKNI, M., FEZZA, B., TURKI, H., MOKHTAR, I., BEN OSMAN, A., KAMOUN MOHAMED, R., JOLY, P., TRON, F., GILBERT, D., MASMOUDI, H. & MAKNI, S. Anti-desmoglein-1 antibodies are prevalent in Tunisian patients with hydatidosis and leishmaniasis, 591
KAMADA, A. see OGINO, J.
KAMBE, N. see ARAKI, E.
KAMOUN MOHAMED, R. see KALLEL SELLAMI, M.

KANAVAKIS, E. see STEFANAKI, I.
KANEDA, M. see MORIUCHI, R.
KANEKO, R. see OGINO, J.
KANEKO, T. see NISHIZAWA, A.
KANG, H.Y. see DO, J.E.
KANG, H.Y. see KIM, Y.J.
KANO, Y., SAKUMA, K. & SHIOHARA, T. Sclerodermoid graft-versus-host disease-like lesions occurring after drug-induced hypersensitivity syndrome, 1061
KANZLER, M.H. see HANTASH, B.M.
KAPSIMALI, V. see TSIRIGOTIS, P.
KARDAUN, S.H., SIDOROFF, A., VALEYRIE-ALLANORE, L., HALEVY, S., DAVIDOVICI, B.B., MOCKENHAUPT, M. & ROUJEAU, J.C. Variability in the clinical pattern of cutaneous side-effects of drugs with systemic symptoms: does a DRESS syndrome really exist?, 609
KARRAN, P. see PERRETT, C.M.
KARY, S. see LEE, H-H.
KATADA, K. see AMANO, H.
KATO, N. see YAMANE, N.
KATSAMBAS, A. see ANTONIOU, C.
KATSAMBAS, A.D. see STEFANAKI, I.
KATSUBE, K-I. see KISHI, K.
KATSUURA, J. see MORIUE, T.
KATUGAMPOLA, R.P., HUGHES, T.M., MILLS, C.M. & STONE, N.M. Allergic contact dermatitis complicating pustular psoriasis in two patients, 788
KATUGAMPOLA, R.P., LEWIS, V.J. & FINLAY, A.Y. The Dermatology Life Quality Index: assessing the efficacy of biological therapies for psoriasis, 945
KATZ, K.A. see QUAIN, R.D.
KATZ, K.A. see UBRIANI, R.
KAUFMANN, R. see LUDWIG, R.J.
KAULBACK, K. see CALLEN, J.
KAWADA, A. see OISO, N.
KAWAKAMI, T. see KAWASAKI, K.
KAWASAKI, K., KAWAKAMI, T., WATABE, H., ITOH, F., MIZOGUCHI, M. & SOMA, Y. Expression of matrilysin (matrix metalloproteinase-7) in primary cutaneous and metastatic melanoma, 613
KAWASUMI, M. see KOO, S-W.
DE KEIZER, N.F. see EMINOVIĆ, N.
KELLY, D.A. see THOMSON, M.A.
KELSELL, D.P. see MAZEREEUW-HAUTIER, J.
KEMMLER, N. see UTIKAL, J.
KENNEDY, C. see OS-MEDENDORP, H.
KEOGH-BROWN, M.R., FORDHAM, R.J., THOMAS, K.S., BACHMANN, M.O., HOLLAND, R.C., AVERY, A.J., ARMSTRONG, S.J., CHALMERS, J.R., HOWE, A., RODGERS, S., WILLIAMS, H.C. & HARVEY, I. To freeze or not to freeze: a cost-effectiveness analysis of wart treatment, 687
VAN DE KERKHOF, P.C.M., MROWIETZ, U., SEGAERT, S. & KRAGBALLE, K. Comparative efficacy of topical antipsoriatic treatments, systemic treatment and biologics: is severity assessment beyond Psoriasis Area and Severity Index a necessity?, 771
VAN DE KERKHOF, P.C.M. see BOVENSCHEN, H.J.
VAN DE KERKHOF, P.C.M. see KÖRVER, J.E.M.
VAN DE KERKHOF, P.C.M. see VERHOEVEN, E.W.M.
KERKMANN, U. see PLACZEK, M.
KERL, H. see HORN, M.
KERR, A.C. & FERGUSON, J. Type II adult-onset pityriasis rubra pilaris successfully treated with intravenous immunoglobulin, 1055
KETTIS-LINDBLAD, Å. see ULFF, E.
KHEMIS, A., KAIAFA, A., QUEILLE-ROUSSEL, C., DUTEIL, L. & ORTONNE, J.P. Evaluation of efficacy and safety of rucinol serum in patients with melasma: a randomized controlled trial, 997
KHOSROTEHRANI, K. see BACHMEYER, C.
KHUMALO, N.P., PILLAY, K. & NGWANYA, R.M. Acute 'relaxer'-associated scarring alopecia: a report of five cases, 1394
KIDERYOVÁ, L. see LACINA, L.
KIM, D.S., ROH, M.R., LEE, J.H. & LEE, K.H. Pterygium unguis formation in porokeratosis of Mibelli, 1384
KIM, J.W. see YOON, T.Y.
KIM, M.K. see YOON, T.Y.
KIM, S.Y., CHOI, H-J., PARK, H.J., LEE, J.Y. & CHO, B.K. An unusual terminal hair growth on the nose tip associated with gefitinib therapy, 1087
KIM, Y.C. see KIM, Y.J.
KIM, Y.J., KANG, H.Y., LEE, E-S. & KIM, Y.C. Treatment of Fordyce spots with 5-aminolaevulinic acid–photodynamic therapy, 399
KIM, Y.J. see DO, J.E.
KIMURA, T. see TAKATA, M.
KINGO, K., MÖSSNER, R., KÕKS, S., RÄTSEP, R., KRÜGER, U., VASAR, E., REICH, K. & SILM, H. Association analysis of *IL19*, *IL20* and *IL24* genes in palmoplantar pustulosis, 646
KISHI, K., MATSUDA, N., KUBOTA, Y., KATSUBE, K-I., IMANISHI, N. & NAKAJIMA, T. Rapid, severe repigmentation of congenital melanocytic naevi after curettage and dermabrasion: histological features, 1251
KISHIMOTO, J. see AOKI, H.
KISS, L. see SEABRA, A.B.
KITAGAWA, H., MIZUNO, M., NAKAMURA, Y., KUROKAWA, I. & MIZUTANI, H. Cutaneous horn can be a clinical manifestation of underlying sebaceous carcinoma, 180
KJELLGREN, K.I. see ULFF, E.
KLOOSTERHUIS, G.J. see MENTINK, L.F.
KLUGER, N., GIRARD, C., GONZALEZ, V., GUILLOT, B. & BESSIS, D. Efalizumab-induced aseptic meningitis, 189
KNACKSTEDT, C., WINOGRAD, R., KOCH, A., ABUZAHRA, F., TRAUTWEIN, C. & WASMUTH, H.E. Acute necrotic pancreatitis induced by severe hypercalcaemia due to tacalcitol ointment, 576
KNOBLER, R. see DER-PETROSSIAN, M.
KOBASHI, Y. see TANAKA, R.
KOBAYASHI, H. see OISO, N.
KOBAYASHI, M. see HINO, R.
KOBAYASHI, R. see MORIUCHI, R.
KOBAYASHI, T. see ITOH, M.
KOCH, A. see KNACKSTEDT, C.
KODAMA, K. see YAMANE, N.
KÖHLER, A., FORSCHNER, T., MEYER, T., ULRICH, C., GOTTSCHLING, M., STOCKFLETH, E. & NINDL, I. Multifocal distribution of cutaneous human papillomavirus types in hairs from different skin areas, 1078
KOHNO, M. see NAKASHIMA, T.
KÕKS, S. see KINGO, K.
KOLLAI, M. see SEABRA, A.B.
KOLLER, S. see HORN, M.
KOMATSU, N., SAIJOH, K., KUK, C., SHIRASAKI, F., TAKEHARA, K. & DIAMANDIS, E.P. Aberrant human tissue kallikrein levels in the stratum corneum and serum of patients with psoriasis: dependence on phenotype, severity and therapy, 875
KONGSHOJ, B. see JANJUA, N.R.
KOO, S-W., HIRAKAWA, S., FUJII, S., KAWASUMI, M. & NGHIEM, P. Protection from photodamage by topical application of caffeine after ultraviolet irradiation, 957

KORE-EDA, S. see PARK, K.
KÖRVER, J.E.M., VISSERS, W.H.P.M., VAN RENS, D.W.A., PASCH, M.C., VAN ERP, P.E.J., BOEZEMAN, J.B.M. & VAN DE KERKHOF, P.C.M. A double-blind, randomized quantitative comparison of calcitriol ointment and calcipotriol ointment on epidermal cell populations, proliferation and differentiation, 130
KOSEOGLU, D. see SENAYLI, A.
KOWALEWSKI, C. see WOZNIAK, K.
KOZLOWSKI, W. see NARBUTT, J.
KRAAIMAAT, F.W. see VERHOEVEN, E.W.M.
KRAGBALLE, K. see VAN DE KERKHOF, P.C.M.
KREUTER, A., ALTMEYER, P. & GAMBICHLER, T. Treatment of localized scleroderma depends on the clinical subtype, 1363
KREUTER, A., BROCKMEYER, N.H., PFISTER, H., ALTMEYER, P. & WIELAND, U. Increased human papillomavirus type 31 DNA load in a verrucous high-grade intraepithelial neoplasia of a human immunodeficiency virus-infected patient with extensive bowenoid papulosis, 596
KREUTER, A., TOMI, N.S., WEINER, S.M., HUGER, M., ALTMEYER, P. & GAMBICHLER, T. Mycophenolate sodium for subacute cutaneous lupus erythematosus resistant to standard therapy, 1321
KREUTER, A. see GAMBICHLER, T.
KRIEG, T. see KURSCHAT, P.
KRIPPL, P. see HORN, M.
KRISTJÁNSSON, G. see MICHAËLSSON, G.
KRUEGER, G.G. see GRIFFITHS, C.E.M.
KRÜGER, U. see KINGO, K.
KUBOTA, Y. see KISHI, K.
KUBOTA, Y. see MORIUE, T.
KUČEROVÁ, L. see LACINA, L.
KUK, C. see KOMATSU, N.
KULMS, D. see MEIER, F.
KUMANOGOH, A. see NAKASHIMA, H.
KUMAR, S. see HOEY, S.E.H.
KURACHI, M. see TAKANO, N.
KUROKAWA, I. see KITAGAWA, H.
KURSCHAT, P., EMING, S., NASHAN, D., KRIEG, T. & MAUCH, C. Early increase in serum levels of the angiogenesis-inhibitor endostatin and of basic fibroblast growth factor in melanoma patients during disease progression, 653
KUWANO, Y. see NAKASHIMA, H.
KUZNETSOV, A.V. see WEISENSEEL, P.

LA PLACA, M. see AMBRETTI, S.
LAADHAR, L. see KALLEL SELLAMI, M.
LACERT, A. see BACHMEYER, C.
LACINA, L., SMETANA JR, K., DVOŘÁNKOVÁ, B., PYTLÍK, R., KIDERYOVÁ, L., KUČEROVÁ, L., PLZÁKOVÁ, Z., ŠTORK, J., GABIUS, H-J. & ANDRÉ, S. Stromal fibroblasts from basal cell carcinoma affect phenotype of normal keratinocytes, 819
LACZA, Z. see SEABRA, A.B.
LAHFA, M. see POULALHON, N.
LALLY, A. & TURNER, R. A survey of approach to wound healing by secondary intention among British Society for Dermatological Surgery members, 575
LALLY, A. see IMKO-WALCZUK, B.
LAMBERTENGHI DELILIERS, G. see VENER, C.
LAN, C-C.E. see WU, C-S.
LANGAN, S. see BIRNIE, A.
LANGEWOUTERS, A.M.G. see BOVENSCHEN, H.J.
LANGSENLEHNER, U. see HORN, M.
LANZA, A. & CIRILLO, N. Caspase-dependent cleavage of desmoglein 1 depends on the apoptotic stimulus, 400
LARKIN, J.M.G. see FEARFIELD, L.A.
LASITHIOTAKIS, K. see MEIER, F.
LAURBERG, G. see HALD, M.
LAUZON, G.J. see MAJESKI, C.J.
LAVIERI, M.M. see SANTONOCITO, C.
LAWRENCE, C.M. see HANIFFA, M.A.
LAWRENCE, C.M. see WEATHERHEAD, S.C.
LAYTON, C.M. see HARRISON, C.A.
LAZAR, A.J.F. see BIENIEK, R.
LE GALLIC, G. see MARQUE, M.M.
LE MIRE, L. see IMKO-WALCZUK, B.
LEAR, J.T. see MADAN, V.
LÉAUTÉ-LABRÈZE, C. see BORALEVI, F.
LEAUTE-LABREZE, C. see HUBICHE, T.
LEBBÉ, C. see POULALHON, N.
LEE, D.D. see CHANG, Y.T.
LEE, E-S. see KIM, Y.J.
LEE, H-H., SONG, I-H., FRIEDRICH, M., GAULIARD, A., DETERT, J., RÖWERT, J., AUDRING, H., KARY, S., BURMESTER, G-R., STERRY, W. & WORM, M. Cutaneous side-effects in patients with rheumatic diseases during application of tumour necrosis factor-α antagonists, 486
LEE, J.B. see PARK, G.T.
LEE, J.H. see KIM, D.S.
LEE, J.H. see PARK, G.T.
LEE, J.Y. see KIM, S.Y.
LEE, K.H. see KIM, D.S.
LEE, P. see CALLEN, J.
LEE, S.C. see PARK, G.T.
LEE, S-H. see CHANG, Y-C.
LEECH, S.N. & MOSS, C. A current and online genodermatosis database, 1115
LEEDHAM-GREEN, M.E. see BROWN, V.L.
LEHMANN, P. Methyl aminolaevulinate–photodynamic therapy: a review of clinical trials in the treatment of actinic keratoses and nonmelanoma skin cancer, 793
LEI, P-C. see WANG, W-H.
LEIGH, I.M. see PERRETT, C.M.
LEMAN, J. see EDWARD, M.
LEMMINK, H.H. see PASMOOIJ, A.M.G.
LENTJES, E.G.W.M. see HAECK, I.M.
LEONARDI, C. see ELEWSKI, B.
LEONARDI, C. see GRIFFITHS, C.E.M.
LEPREUX, S. see BORALEVI, F.
LEPREUX, S. see HUBICHE, T.
LESIAK, A. see NARBUTT, J.
LESTER, L. & VENDITTI, C. The prevalence of pili multigemini, 1362
LEVESQSUE, H. see MARIE, I.
LEWIS, F.M. & NEILL, S.M. Safety of calcineurin inhibitors in the management of lichen sclerosis, 1389
LEWIS, V.J. see KATUGAMPOLA, R.P.
LI, L-F. see WANG, W-H.
LIAO, Y-H. see CHAN, C-C.
LIBOUTET, M. see SOUFIR, N.
LIN, J. see TAKATA, M.
LIN, M.W. see CHANG, Y.T.
LIN, S-J. see HONG, J-B.
LIN, Z-M. see ZHANG, L-L.
LINDBERG, M. see BURACZEWSKA, I.
LINDEMALM-LUNDSTAM, B. see HJELMGREN, J.
LIOTÉ, F. see POULALHON, N.
LI-PING, Y. see CHEN, W.
LIU, C. see COX, N.H.

LIU, H.N. see CHANG, Y.T.
LIU, X-X. see CHEN, J-J.
LIU, Y-S. see TZUNG, T-Y.
LLORENS, M.A. see VANACLOCHA, F.
LLOYD, J.J. see HANIFFA, M.A.
LODÉN, M. see BURACZEWSKA, I.
LODI, G., TAROZZI, M., SARDELLA, A., DEMAROSI, F., CANEGALLO, L., DI BENEDETTO, D. & CARRASSI, A. Miconazole as adjuvant therapy for oral lichen planus: a double-blind randomized controlled trial, 1336
LORD, R. see SCOTT, D.K.
LORENZO, J.C. see JUST, M.
LÖW, M. see WOLKEWITZ, M.
LUCAS, A. see VILLARRUBIA, B.
LUCKETT, L.R. & GALLUCCI, R.M. Interleukin-6 (IL-6) modulates migration and matrix metalloproteinase function in dermal fibroblasts from IL-6KO mice, 1163
LUDWIG, R.J., HERZOG, C., ROSTOCK, A., OCHSENDORF, F.R., ZOLLNER, T.M., THACI, D., KAUFMANN, R., VOGL, T.J. & BOEHNCKE, W-H. Psoriasis: a possible risk factor for development of coronary artery calcification, 271
LUGER, T.A. see NASHAN, D.
LUGER, T.A. see STÄNDER, S.
LY, S. see DUFFAU, P.
LYLE, S. see BIENIEK, R.
LYON, C.C. see OGDEN, S.

MA, Z-H. see ZHANG, L-L.
MCARTHUR, G. see FOGARTY, G.B.
MCCANN, B. see FEARFIELD, L.A.
MACCARONE, M. see ALTOBELLI, E.
MCCORMACK, C. see GOH, M.S.Y.
MACDONALD, A. see BOVELL, D.L.
MCGRATH, J.A. see WONG, T.
MCGREGOR, J.M. see DE BERKER, D.
MCGREGOR, J.M. see PERRETT, C.M.
MACHADO, M.C.R. see SOUSA JR, J.X.
MCKENNA, D.J., DONNELLY, J. & ARMSTRONG, D.K.B. Nicorandil-induced leg ulceration, 394
MACKIE, R. see FEARFIELD, L.A.
MACNEIL, S. see HARRISON, C.A.
MACZEY, E. see MEIER, F.
MADAN, V. & COX, N.H. Primary cutaneous peripheral T-cell lymphoma, unspecified, that completely regressed after skin biopsy, 785
MADAN, V. & LEAR, J.T. Minocycline-induced pigmentation of pre-existing capillaritis, 590
MADAN, V., MUSTON, H.L. & MARSLAND, A.M. Isotretinoin-induced pleuritic chest pain, 385
MAGNONI, C., TENEDINI, E., FERRARI, F., BENASSI, L., BERNARDI, C., GUALDI, G., BERTAZZONI, G., RONCAGLIA, E., FANTONI, L., MANFREDINI, R., BICCIATO, S., FERRARI, S., GIANNETTI, A. & TAGLIAFICO, E. Transcriptional profiles in melanocytes from clinically unaffected skin distinguish the neoplastic growth pattern in patients with melanoma, 62
MAHÉ, E., GIRSZYN, N., HADJ-RABIA, S., BODEMER, C., HAMEL-TEILLAC, D. & DE PROST, Y. Subcutaneous fat necrosis of the newborn: a systematic evaluation of risk factors, clinical manifestations, complications and outcome of 16 children, 709
MAIR, F.S. see FINCH, T.L.
MAJESKI, C.J., JOHNSON, J.A., DAVISON, S.N. & LAUZON, G.J. Itch Severity Scale: a self-report instrument for the measurement of pruritus severity, 667
MAKNI, S. see KALLEL SELLAMI, M.
MAKRANTONAKI, E. & ZOUBOULIS, C.C. Testosterone metabolism to 5α-dihydrotestosterone and synthesis of sebaceous lipids is regulated by the peroxisome proliferator-activated receptor ligand linoleic acid in human sebocytes, 428
MALISZEWSKI, I. see ARDIGÒ, M.
MALLEY, R.C. see SCOTT, D.K.
MAN, S.Y.K. see MAZEREEUW-HAUTIER, J.
MANABE, T. see TOGO, T.
MANFREDINI, R. see MAGNONI, C.
MANSOUR, S. see HOQUE, S.R.
MARCANDREA, M. see NETTIS, E.
MARCEAU, F. see MORISSETTE, G.
MARGOLIS, D. see CALLEN, J.
MARIE, I., JOLY, P., COURVILLE, P. & LEVESQSUE, H. Pseudosystemic sclerosis as a complication of recombinant human interleukin 2 (aldesleukin) therapy, 182
MARKS, R. see MATTS, P.J.
MAROTI, M. see ULFF, E.
MARQUE, M.M., GUILLOT, B., LE GALLIC, G. & BESSIS, D. Raised limb bands in infancy: a post-traumatic aetiology?, 578
MARQUINA, M. see ESPAÑA, A.
MARSDEN, J.R. see RAJARATNAM, R.
MARSLAND, A.M. see MADAN, V.
MARTIN, L. see NAOURI, M.
MARTINEZ, J. see STOEBNER, P.E.
MARTINEZ-MIR, A. see O'REGAN, G.M.
MARUYAMA, N. see NAKASHIMA, H.
MARZILIANO, C. see ALTOBELLI, E.
MARZO-ORTEGA, H., BAXTER, K., STRAUSS, R.M., DRYSDALE, S., GRIFFITHS, B., MISBAH, S.A., GOUGH, A., CUNLIFFE, W.J. & EMERY, P. Is minocycline therapy in acne associated with antineutrophil cytoplasmic antibody positivity? A cross-sectional study, 1005
MARZOUK, J. see RAJARATNAM, R.
MASMOUDI, H. see KALLEL SELLAMI, M.
MASSONE, C. see CARDOSO, R.
MATAIX, J. see VILLARRUBIA, B.
MATIN, R.N. see BROWN, V.L.
MATOS, N. see ZERPA, O.
MATSUDA, N. see KISHI, K.
MATSUDA, Y. see MORIUE, T.
MATSUMURA, Y. see PARK, K.
MATSUNAGA, Y., OGURA, Y., EHAMA, R., AMANO, S., NISHIYAMA, T. & TAGAMI, H. Establishment of a mouse skin model of the lichenification in human chronic eczematous dermatitis, 884
MATSUOKA, Y. see MORIUE, T.
MATSUURA, H. see TANAKA, R.
MATSUZAKI, Y. see NISHIZAWA, A.
MATTS, P.J., DYKES, P.J. & MARKS, R. The distribution of melanin in skin determined *in vivo*, 620
MAUCH, C. see KURSCHAT, P.
MAY, C.R. see FINCH, T.L.
MAZEREEUW-HAUTIER, J., BITOUN, E., CHEVRANT-BRETON, J., MAN, S.Y.K., BODEMER, C., PRINS, C., ANTILLE, C., SAURAT, J-H., ATHERTON, D., HARPER, J.I., KELSELL, D.P. & HOVNANIAN, A. Keratitis–ichthyosis–deafness syndrome: disease expression and spectrum of connexin 26 (*GJB2*) mutations in 14 patients, 1015
MAZEREEUW-HAUTIER, J., WILSON, L.C., MOHAMMED, S., SMALLWOOD, D., SHACKLETON, S., ATHERTON, D.J. & HARPER, J.I. Hutchinson–Gilford progeria syndrome: clinical

findings in three patients carrying the G608G mutation in *LMNA* and review of the literature, 1308
MAZEREEUW-HAUTIER, J. see BORALEVI, F.
MÈCHIN, M-C. see RAYMOND, A-A.
VAN DER MEER, J.W.M. see VAN DER HILST, J.C.H.
MEGGITT, S.J. see WEATHERHEAD, S.C.
MEIER, F., BUSCH, S., LASITHIOTAKIS, K., KULMS, D., GARBE, C., MACZEY, E., HERLYN, M. & SCHITTEK, B. Combined targeting of MAPK and AKT signalling pathways is a promising strategy for melanoma treatment, 1204
MEINEKE, V. see VITZTHUM, J.
MENDOZA, I. see ZERPA, O.
MENTER, A. see GRIFFITHS, C.E.M.
MENTINK, L.F., DE JONG, M.C.J.M., KLOOSTERHUIS, G.J., ZUIDERVEEN, J., JONKMAN, M.F. & PAS, H.H. Coexistence of IgA antibodies to desmogleins 1 and 3 in pemphigus vulgaris, pemphigus foliaceus and paraneoplastic pemphigus, 635
MERKL, J. see WEISSENBACHER, S.
METZLER, G. see ULMER, A.
MEUNIER, L. see STOEBNER, P.E.
MEYER, T. see KÖHLER, A.
MICHAËLSSON, G., KRISTJÁNSSON, G., PIHL LUNDIN, I. & HAGFORSEN, E. Palmoplantar pustulosis and gluten sensitivity: a study of serum antibodies against gliadin and tissue transglutaminase, the duodenal mucosa and effects of gluten-free diet, 659
MICHENET, P. see NAOURI, M.
MILFORD, D.V. see THOMSON, M.A.
MILLS, C.M. see KATUGAMPOLA, R.P.
MILLS, P. see HARRIS, J.M.
MILNE, J.T. see CHALMERS, D.A.
MIMURA, Y. see IHN, H.
MIRASOLI, M. see AMBRETTI, S.
MISAGO, N. see OGATA, M.
MISBAH, S.A. see MARZO-ORTEGA, H.
MITSUHASHI, Y. see NISHIZAWA, A.
MITTELDORF, C., STADLER, R., BERTSCH, H.P. & NEUMANN, C. Folliculotropic mycosis fungoides with CD30+ large-cell transformation in a young woman: beneficial effect of bexarotene, 584
MIYACHI, Y. see ARAKI, E.
MIYACHI, Y. see PARK, K.
MIYAMOTO, I. see MORIUE, T.
MIYAMOTO, T. see UCHIDA, T.
MIZOGUCHI, M. see KAWASAKI, K.
MIZUNO, M. see KITAGAWA, H.
MIZUTANI, H. see KITAGAWA, H.
MNGOMENI, L.N. see CHALMERS, D.A.
MOCKENHAUPT, M. see KARDAUN, S.H.
MOFFAT, S. see HARRIS, J.M.
MOGUELET, P. see BACHMEYER, C.
MOHAMMED, S. see MAZEREEUW-HAUTIER, J.
MOKHTAR, I. see KALLEL SELLAMI, M.
MOKNI, M. see KALLEL SELLAMI, M.
MOLONEY, F.J. & ROGERS, S. Life imitating art, 1086
MONSÓ, E. see JUST, M.
MONTEIL, M.C. see CARDOT-LECCIA, N.
MOREL, P. see POULALHON, N.
MORI, T. see HINO, R.
MORISSETTE, G., GERMAIN, L. & MARCEAU, F. The antiwrinkle effect of topical concentrated 2-dimethylaminoethanol involves a vacuolar cytopathology, 433
MORIUCHI, R., SHIBAKI, A., YASUKAWA, K., ONOZUKA, T., SATO, T., KANEDA, M., IGUCHI, A., KOBAYASHI, R. & SHIMIZU, H. Neonatal vesiculopustular eruption of the face: a sign of trisomy 21-associated transient myeloproliferative disorder, 1373
MORIUE, T., YONEDA, K., KATSUURA, J., MATSUOKA, Y., NAKAI, K., YOKOI, I., MATSUDA, Y., NIBU, N., MIYAMOTO, I., DEMITSU, T. & KUBOTA, Y. Planar xanthoma due to cholestasis in graft versus host disease, 1374
MORIYA, T. see OKUYAMA, R.
MORO, O. see AOKI, H.
MORTIMER, N.J. see CRICHLOW, S.M.
MORTIMER, P.S. see HERN, S.
MORTIMER, P.S. see HOQUE, S.R.
MORTON, C.A. see COX, N.H.
MOSS, C. see COLLIN, B.
MOSS, C. see LEECH, S.N.
MOSS, C. see TAIBJEE, S.M.
MOSS, C. see THOMSON, M.A.
MÖSSNER, R. see KINGO, K.
MOUKTAROUDI, M. see GIAMARELLOS-BOURBOULIS, E.J.
MOURELATOS, K., EADY, E.A., CUNLIFFE, W.J., CLARK, S.M. & COVE, J.H. Temporal changes in sebum excretion and propionibacterial colonization in preadolescent children with and without acne, 22
MROWIETZ, U. see GERDES, S.
MROWIETZ, U. see VAN DE KERKHOF, P.C.M.
MUANZA, T. see ROBERGE, D.
MUFTI, G.J. see RAJ, K.
MUFTI, G.J. see WHITE, J.M.L.
MUKASA, Y. see OGDEN, S.
MÜLLER, C.R. see ANGELL-PETERSEN, E.
MÜLLER, F.B. & GROTH, W. Annular elastolytic giant cell granuloma: a prodromal stage of mid-dermal elastolysis?, 1377
MULLER, H.K. see SCOTT, D.K.
MURAOKA, W. see NAKASHIMA, T.
MURRAY, L. see HOEY, S.E.H.
MUSIANI, M. see AMBRETTI, S.
MUSTON, H.L. see MADAN, V.

NACHAT, R. see RAYMOND, A-A.
NAGAI, Y. see AMANO, H.
NAIRN, E.R. see BREWSTER, D.H.
NAKAGAWA, H. see ITOH, M.
NAKAI, K. see MORIUE, T.
NAKAIKE, S. see HONMA, Y.
NAKAJIMA, T. see KISHI, K.
NAKAMURA, H. see YAMANE, N.
NAKAMURA, M. & ISHIKAWA, O. A patient with alopecia, nail dystrophy, palmoplantar hyperkeratosis, keratitis, hearing difficulty and micrognathia without GJB2 or GJB6 mutations: a new type of hidrotic ectodermal dysplasia?, 777
NAKAMURA, Y. see KITAGAWA, H.
NAKANO, A. see NISHIZAWA, A.
NAKANO, H. see NISHIZAWA, A.
NAKANO, Y. Novel function of DUSP14/MKP6 (dual specific phosphatase 14) as a nonspecific regulatory molecule for delayed-type hypersensitivity, 848
NAKASHIMA, H., FUJIMOTO, M., ASASHIMA, N., WATANABE, R., KUWANO, Y., YAZAWA, N., MARUYAMA, N., OKOCHI, H., KUMANOGOH, A. & TAMAKI, K. Serum chemokine profile in patients with bullous pemphigoid, 454
NAKASHIMA, T., SATO, E., NIWANO, Y., KOHNO, M., MURAOKA, W. & ODA, T. Inhibitory or scavenging action of ketoconazole and

ciclopiroxolamine against reactive oxygen species released by primed inflammatory cells, 720
NAOURI, M., MICHENET, P., CHASSAING, N. & MARTIN, L. Immunohistochemical characterization of elastofibroma and exclusion of *ABCC6* as a predisposing gene, 755
NARBUTT, J., LESIAK, A., SYSA-JEDRZEJOWSKA, A., WOZNIACKA, A., CIERNIEWSKA-CIESLAK, A., BONCELA, J., JOCHYMSKI, C., KOZLOWSKI, W., ZALEWSKA, A., SKIBINSKA, M. & NORVAL, M. Repeated low-dose ultraviolet (UV) B exposures of humans induce limited photoprotection against the immune effects of erythemal UVB radiation, 539
NARISAWA, Y. see OGATA, M.
NASHAN, D., FAULHABER, D., STÄNDER, S., LUGER, T.A. & STADLER, R. Mycosis fungoides: a dermatological masquerader, 1
NASHAN, D. see KURSCHAT, P.
NAVSARIA, H. see WONG, T.
NEILL, S.M. see LEWIS, F.M.
NELSON, M.M. see HEFFERNAN, M.P.
NEOH, C.Y., TAN, A.W.H. & NG, S.K. Sweet's syndrome: a spectrum of unusual clinical presentations and associations, 480
NETTIS, E., COLANARDI, M.C., SOCCIO, A.L., MARCANDREA, M., PINTO, L., FERRANNINI, A., TURSI, A. & VACCA, A. Double-blind, placebo-controlled study of sublingual immunotherapy in patients with latex-induced urticaria: a 12-month study, 674
NEUMANN, C. see MITTELDORF, C.
NEWMAN TAYLOR, A.J. see HARRIS, J.M.
NG, S.K. see NEOH, C.Y.
NGCELWANE, P.N. see CHALMERS, D.A.
NGHIEM, P. see KOO, S-W.
NGWANYA, R.M. see KHUMALO, N.P.
NIBU, N. see MORIUE, T.
NIGHTINGALE, P.G. see THOMSON, M.A.
NIKOLAOU, V. see STEFANAKI, I.
NINDL, I. see KÖHLER, A.
NISHIE, W. see YAMANE, N.
NISHIO, A. see INOUE, R.
NISHIYAMA, T. see MATSUNAGA, Y.
NISHIZAWA, A., TOYOMAKI, Y., NAKANO, A., TAKEUCHI, S., MATSUZAKI, Y., TAKEDA, H., KANEKO, T., MITSUHASHI, Y. & NAKANO, H. A novel H1 domain mutation in the keratin 2 gene in a Japanese family with ichthyosis bullosa of Siemens, 1042
NIWANO, Y. see NAKASHIMA, T.
NONXUBA, T.G. see CHALMERS, D.A.
NORD, K.M. see GOSS, J.M.
NORVAL, M. see NARBUTT, J.

O'REGAN, G.M., ZURADA, J., MARTINEZ-MIR, A., CHRISTIANO, A.M. & IRVINE, A.D. A recurrent splice-site mutation in the human hairless gene underlies congenital atrichia in Irish families, 744
OCHSENDORF, F.R. see LUDWIG, R.J.
ODA, T. see NAKASHIMA, T.
ODENBRO, Å., GILLGREN, P., BELLOCCO, R., BOFFETTA, P., HÅKANSSON, N. & ADAMI, J. The risk for cutaneous malignant melanoma, melanoma in situ and intraocular malignant melanoma in relation to tobacco use and body mass index, 99
OGATA, M., MISAGO, N., SUZUKI, Y., HIRASHIMA, N., INOUE, T., YAMASAKI, M. & NARISAWA, Y. A case of herpes zoster in a child with congenital insensitivity to pain with anhidrosis, 1084
OGDEN, S. & COULSON, I.H. A useful tip for direct microscopy, 394
OGDEN, S., DENYER, M.E. & WILKINSON, S.M. Erythema nodosum and eosinophilic oesophagitis: more than a chance association?, 1388
OGDEN, S., MUKASA, Y., LYON, C.C. & COULSON, I.H. Nicorandil-induced peristomal ulcers: is nicorandil also associated with gastrointestinal fistula formation?, 608
OGG, G.S. see BATEMAN, E.A.L.
OGINO, J., SAGA, K., KAGAYA, M., KAMADA, A., HIROSAKI, K., KANEKO, R. & JIMBOW, K. CD30+ large cell transformation of mycosis fungoides after psoralen plus ultraviolet A photochemotherapy, 148
OGURA, Y. see MATSUNAGA, Y.
OHASHI, Y. see TAKANO, N.
OISO, N., TSURUTA, D., OTA, T., KOBAYASHI, H. & KAWADA, A. Spotted and rippled reticulate hypermelanosis: a possible variant of Dowling–Degos disease, 196
OKOCHI, H. see NAKASHIMA, H.
OKUYAMA, R., HARIGAE, H., MORIYA, T., KAGATANI, S., TAGAMI, H., ICHINOHASAMA, R. & AIBA, S. Indurated nodules and plaques showing a dense plasma cell infiltrate as a cutaneous manifestation of Castleman's disease, 174
OLARTE, M.R. see GOSS, J.M.
OLIVEIRA, M.G. see SEABRA, A.B.
OMAR, E.D. see SOUSA JR, J.X.
ONOZUKA, T. see MORIUCHI, R.
OPIZZI, E. see SELLERI, S.
ORIMO, H. see HINO, R.
ORLANDINI, V., COGREL, O., DOUTRE, M.S., BEYLOT, C. & BEYLOT-BARRY, M. Pityriasis rubra pilaris and hypothyroidism. Efficacy of thyroid hormone replacement therapy in skin recovery, 606
ORLOW, S.J. see HUNZEKER, C.M.
ORLOW, S.J. see SHIN, H.T.
ORTONNE, J.P. see KHEMIS, A.
ORTONNE, J-P. see GRIFFITHS, C.E.M.
OSAWA, R. see YAMANE, N.
OSBORNE, J.E. see HUTCHINSON, P.E.
OS-MEDENDORP, H., ROS, W.J.G., ELAND-DE KOK, P.C.M., KENNEDY, C., THIO, B.H., SCHUUR-VAN DER ZANDE, A., GRYPDONCK, M.H.F. & BRUIJNZEEL-KOOMEN, C.A.F.M. Effectiveness of the nursing programme 'Coping with itch': a randomized controlled study in adults with chronic pruritic skin disease, 1235
OTA, M. see TOGO, T.
OTA, T. see OISO, N.
OTERO, M.E. see BOVENSCHEN, H.J.

PAGLIUCA, A. see WHITE, J.M.L.
PALAZZO, M. see SELLERI, S.
PALLER, A.S. see CALLEN, J.
PALUSSIERE, J. see DUFFAU, P.
PANAGIOTOU, P. see STEFANAKI, I.
PANKOTAI, E. see SEABRA, A.B.
PAPADOPOULOS, O. see STEFANAKI, I.
PAPAGEORGIOU, E. see TSIRIGOTIS, P.
PAPAGEORGIOU, S. see TSIRIGOTIS, P.
PAPPA, V. see TSIRIGOTIS, P.
PARADISI, A. see SANTONOCITO, C.
PARK, G.T., LEE, J.H., YUN, S.J., LEE, S.C. & LEE, J.B. Paraneoplastic pemphigus without an underlying neoplasm, 563
PARK, H.J. see KIM, S.Y.
PARK, K., TANIOKA, M., YONEZAWA, M., MATSUMURA, Y., KORE-EDA, S. & MIYACHI, Y. A large foot ulcer due to disseminated *Mycobacterium avium* infection in a patient with previously undiagnosed HIV infection, 1381
PARQUET, N. see GUYOT, A.D.

PAS, H.H. see MENTINK, L.F.
PAS, H.H. see PASMOOIJ, A.M.G.
PASCH, M.C. see KÖRVER, J.E.M.
PASMOOIJ, A.M.G., PAS, H.H., JANSEN, G.H.L., LEMMINK, H.H. & JONKMAN, M.F. Localized and generalized forms of blistering in junctional epidermolysis bullosa due to *COL17A1* mutations in the Netherlands, 861
PASSONI, E. see VENER, C.
PAULSEN, E., CHRISTENSEN, L.P. & ANDERSEN, K.E. Compositae dermatitis from airborne parthenolide, 510
PEDEUTOUR, F. see CARDOT-LECCIA, N.
PEITSCH, W.K. see UTIKAL, J.
PELEKANOU, A. see GIAMARELLOS-BOURBOULIS, E.J.
PELTONEN, J. see PELTONEN, S.
PELTONEN, S., RIEHOKAINEN, J., PUMMI, K. & PELTONEN, J. Tight junction components occludin, ZO-1, and claudin-1, -4 and -5 in active and healing psoriasis, 466
PEREL, Y. see HUBICHE, T.
PÉREZ-HERNÁNDEZ, N. see ZULOAGA-SALCEDO, S.
PERIS, K. see ALTOBELLI, E.
PERRETT, C.M., MCGREGOR, J.M., WARWICK, J., KARRAN, P., LEIGH, I.M., PROBY, C.M. & HARWOOD, C.A. Treatment of post-transplant premalignant skin disease: a randomized intrapatient comparative study of 5-fluorouracil cream and topical photodynamic therapy, 320
PERRIN, C. see CARDOT-LECCIA, N.
PETERSEN, J.H. see JANJUA, N.R.
PETERSON, W. see CALLEN, J.
PETROCELLI, R. see ALTOBELLI, E.
PETROPOULOU, C. see GIAMARELLOS-BOURBOULIS, E.J.
PFISTER, H. see KREUTER, A.
PHAN, A. see DALLE, S.
PHOTOPOULOS, C. see BIENIEK, R.
PIACQUADIO, D. see CALLEN, J.
PIHL LUNDIN, I. see MICHAËLSSON, G.
PILLAY, K. see KHUMALO, N.P.
PINTO, L. see NETTIS, E.
PISANI, C. see BILENCHI, R.
PLACZEK, M., PRZYBILLA, B., KERKMANN, U., GAUBE, S. & GILBERTZ, K-P. Effect of ultraviolet (UV) A, UVB or ionizing radiation on the cell cycle of human melanoma cells, 843
PLEWIG, G. see BAUMERT, J.
PLZÁKOVÁ, Z. see LACINA, L.
POGGIALI, S. see BILENCHI, R.
POLEGRE, M. see ZERPA, O.
POLI, F. see BASSI, E.
POLYDOROU, D. see STEFANAKI, I.
PONARD, D. see BOUILLET, L.
PONCE, R.M. see BONIFAZ, A.
POOSTI, R. see STOEBNER, P.E.
POULALHON, N., BEGON, E., LEBBÉ, C., LIOTÉ, F., LAHFA, M., BENGOUFA, D., MOREL, P., DUBERTRET, L. & BACHELEZ, H. A follow-up study in 28 patients treated with infliximab for severe recalcitrant psoriasis: evidence for efficacy and high incidence of biological autoimmunity, 329
PRAKASH, P. see GARG, J.
PRÄßLER, J. see BRETERNITZ, M.
PRATLONG, F. see ZERPA, O.
PRETEL, M. see ESPAÑA, A.
PRINCE, H.M. see GOH, M.S.Y.
PRINS, C. see MAZEREEUW-HAUTIER, J.
PRINZ, J.C. see WEISENSEEL, P.
PROBY, C.M. see BROWN, V.L.
PROBY, C.M. see PERRETT, C.M.
PROS, A. see BELTRÁN, E.
PRZYBILLA, B. see PLACZEK, M.
PUJOL, R.M. see BELTRÁN, E.
PUMMI, K. see PELTONEN, S.
PYTLÍK, R. see LACINA, L.

QUAIN, R.D. & KATZ, K.A. Characteristics and completeness of clinical trial registrations in psoriasis and atopic dermatitis, 106
QUEILLE, S. see SOUFIR, N.
QUEILLE-ROUSSEL, C. see KHEMIS, A.

RABIAN, C. see GUYOT, A.D.
RADULESCU, M. see WOLKEWITZ, M.
RAGNARSON TENNVALL, G. see HJELMGREN, J.
RAJ, K., HO, A., CREAMER, J.D., DU VIVIER, A.W.P., SALISBURY, J.R. & MUFTI, G.J. Complete response of deep neutrophilic dermatosis associated with myelodysplastic syndrome to 5-azacytidine, 1039
RAJARATNAM, R., MARSDEN, J.R., MARZOUK, J. & HERO, I. Pulmonary carcinoid associated with melanoma: two cases and a review of the literature, 738
RAMADAN, K.M., ESWEDI, H.A. & EL-AGNAF, M.R. Schnitzler syndrome: a case report of successful treatment using the anti-CD20 monoclonal antibody rituximab, 1072
RATHMELL, B. see BATCHELOR, R.J.
RÄTSEP, R. see KINGO, K.
RAVEL, C. see ZERPA, O.
RAYMOND, A-A., MÉCHIN, M-C., NACHAT, R., TOULZA, E., TAZI-AHNINI, R., SERRE, G. & SIMON, M. Nine procaspases are expressed in normal human epidermis, but only caspase-14 is fully processed, 420
RECHAVI, G. see HOCHBERG, M.
REDDY, S., BANG, R.H. & CONTRERAS, M.E. Telangiectatic cutaneous metastasis from carcinoma of the prostate, 598
REICH, K. see KINGO, K.
VAN RENS, D.W.A. see BOVENSCHEN, H.J.
VAN RENS, D.W.A. see KÖRVER, J.E.M.
REVUZ, J. see BASSI, E.
REYNOLDS, N.J. see WEATHERHEAD, S.C.
RIBERA, M. see JUST, M.
RICHERT, B., IORIZZO, M., TOSTI, A. & ANDRÉ, J. Nail bed lichen planus associated with onychopapilloma, 1071
RIEHOKAINEN, J. see PELTONEN, S.
RING, J. see WEISSENBACHER, S.
RING, L. see ULFF, E.
RIVET, J. see DAUENDORFFER, J.N.
ROBERGE, D., MUANZA, T., BLAKE, G., SHUSTIK, C., VUONG, T. & FREEMAN, C.R. Does adjuvant alpha-interferon improve outcome when combined with total skin irradiation for mycosis fungoides? 57
ROCCHETTI, S. see SANTONOCITO, C.
RODA, A. see AMBRETTI, S.
RODGERS, S. see KEOGH-BROWN, M.R.
RODRÍGUEZ-PÉREZ, J.M. see ZULOAGA-SALCEDO, S.
ROGERS, S. see AHMAD, K.
ROGERS, S. see MOLONEY, F.J.
ROH, M.R. see KIM, D.S.
ROKOS, H. see SCHALLREUTER, K.U.
ROMITI, R. see SOUSA JR, J.X.
RONCAGLIA, E. see MAGNONI, C.
RONGER-SAVLE, S. see DALLE, S.

DE ROOS, K-P. & BELJAARDS, R.C. The Delphi panel in the economic evaluation of photodynamic therapy for actinic keratosis and basal cell carcinoma: poor results?, 1393
ROS, W.J.G. see OS-MEDENDORP, H.
ROSE, R.F. see BATCHELOR, R.J.
ROSELLÓ, R. see GILABERTE, Y.
ROSINSKA-BORKOWSKA, D. see WOZNIAK, K.
ROSS, G.L., CHONG, H., COLLYNS, T., GASCOYNE-BINZI, D.M. & SARKANY, R.P.E. Lichen scrofulosorum caused by *Mycobacterium szulgai*: a new cause of a tuberculide reaction, 586
ROSTOCK, A. see LUDWIG, R.J.
ROTHENBACHER, D. see WOLKEWITZ, M.
ROUJEAU, J.C. see KARDAUN, S.H.
ROUSSET, H. see BOUILLET, L.
ROWE, A. see FEARFIELD, L.A.
RÖWERT, J. see LEE, H-H.
RUBA, D. see ESPAÑA, A.
RUGGERI, S. see CASTORI, M.
RUI-HONG, S. see CHEN, W.
RUMIO, C. see SELLERI, S.
RUSTIN, M.H.A. see BAILEY, J.N.R.
RUTELLA, S. see SANTONOCITO, C.
RUZICKA, T. see WEISENSEEL, P.

SACERDOTI, G. see ARDIGÒ, M.
SAGA, K. see OGINO, J.
SAIDA, T. see TAKATA, M.
SAIJOH, K. see KOMATSU, N.
SAINZ DE LOS TERREROS, M. see VANACLOCHA, F.
SAKUMA, K. see KANO, Y.
SAKURAI, T. see HONMA, Y.
SAKURAI, T. see TAKANO, N.
SALESA, R. see GONZÁLEZ-LÓPEZ, M.A.
SALISBURY, J.R. see RAJ, K.
SALISBURY, J.R. see WHITE, J.M.L.
SAMONIGG, H. see HORN, M.
SÁNCHEZ-IBARROLA, A. see ESPAÑA, A.
SAND, M. see BECHARA, F.G.
SANTI, C.G. see SOUSA JR, J.X.
SANTONOCITO, C., CAPIZZI, R., CONCOLINO, P., LAVIERI, M.M., PARADISI, A., GENTILESCHI, S., TORTI, E., RUTELLA, S., ROCCHETTI, S., DI CARLO, A., DI STASIO, E., AMEGLIO, F., ZUPPI, C. & CAPOLUONGO, E. Association between cutaneous melanoma, Breslow thickness and vitamin D receptor BsmI polymorphism, 277
SARACIBAR, N. see TRÉBOL, I.
SARDELLA, A. see LODI, G.
SARIKAYA, B. see SENAYLI, A.
SARKANY, R.P.E. see ROSS, G.L.
SATO, E. see NAKASHIMA, T.
SATO, T. see MORIUCHI, R.
SAÚL, A. see BONIFAZ, A.
SAUNES, M., SMIDESANG, I., HOLMEN, T.L. & JOHNSEN, R. Atopic dermatitis in adolescent boys is associated with greater psychological morbidity compared with girls of the same age: the Young-HUNT study, 283
SAURAT, J.H. see THIELEN, A.M.
SAURAT, J-H. see MAZEREEUW-HAUTIER, J.
SAWAMURA, D. see YAMANE, N.
SAXE, N. see CHALMERS, D.A.
SCHAFFER, J.V. see HUNZEKER, C.M.
SCHALLREUTER, K.U. & ROKOS, H. From the bench to the bedside: proton pump inhibitors can worsen vitiligo, 1371
SCHANZ, S. see ULMER, A.
SCHERS, H.J. see VERHOEVEN, E.W.M.
SCHITTEK, B. see MEIER, F.
SCHMIDT, E., SEITZ, C.S., BENOIT, S., BRÖCKER, E.B. & GOEBELER, M. Rituximab in autoimmune bullous diseases: mixed responses and adverse effects, 352
SCHMID-WENDTNER, M-H. see BAUMERT, J.
SCHUBERT, B., SEITZ, C.S., WEIGEL, C., BRÖCKER, E.B. & TRAUTMANN, A. Angio-oedema induced by bicycling, 1056
SCHUH, B. & JAPPE, U. Selenium intoxication: undesirable effect of a fasting cure, 177
SCHULER, G. see JACOBI, A.
SCHUUR-VAN DER ZANDE, A. see OS-MEDENDORP, H.
SCOPE, A. see ARDIGÒ, M.
SCOTT, D.K., LORD, R., MULLER, H.K., MALLEY, R.C. & WOODS, G.M. Proteomics identifies enhanced expression of stefin A in neonatal murine skin compared with adults: functional implications, 1156
SEABRA, A.B., PANKOTAI, E., FEHÉR, M., SOMLAI, Á., KISS, L., BÍRÓ, L., SZABÓ, C., KOLLAI, M., OLIVEIRA, M.G. & LACZA, Z. S-nitrosoglutathione-containing hydrogel increases dermal blood flow in streptozotocin-induced diabetic rats, 814
SEELIGER, S. see STÄNDER, S.
SEGAERT, S. see VAN DE KERKHOF, P.C.M.
SEITZ, C.S. see SCHMIDT, E.
SEITZ, C.S. see SCHUBERT, B.
SELLERI, S., ARNABOLDI, F., PALAZZO, M., GARIBOLDI, S., ZANOBBIO, L., OPIZZI, E., SHIRAI, Y.F., BALSARI, A. & RUMIO, C. Toll-like receptor agonists regulate β-defensin 2 release in hair follicle, 1172
SENAYLI, A., SEZER, E., SEZER, T., SENAYLI, Y., KOSEOGLU, D., FILIZ, N. & SARIKAYA, B. Coexistence of sacral dimple, solitary collagenoma and mid-dorsal hypertrichosis in a child with occult spinal dysraphism, 1065
SENAYLI, Y. see SENAYLI, A.
SERRE, G. see RAYMOND, A-A.
SERUP, J. see ULFF, E.
SERVIDA, F. see VENER, C.
SEYGER, M.M.B. see BOVENSCHEN, H.J.
SEZER, E. see SENAYLI, A.
SEZER, T. see SENAYLI, A.
SHACKLETON, S. see MAZEREEUW-HAUTIER, J.
SHAKER, O., AY EL-DEEN, M.A., EL HADIDI, H., GRACE, B.D., EL SHERIF, H. & ABDEL HALIM, A. The role of heat shock protein 60, vascular endothelial growth factor and antiphospholipid antibodies in Behçet disease, 32
SHAKERY, K. see GERDES, S.
SHIAO, Y.M. see CHANG, Y.T.
SHIBAKI, A. see MORIUCHI, R.
SHIMAUCHI, T. see HINO, R.
SHIMIZU, H. see MORIUCHI, R.
SHIMIZU, H. see YAMANE, N.
SHIN, H.T., ORLOW, S.J. & CHANG, M.W. Ulcerated haemangioma of infancy: a retrospective review of 47 patients, 1050
SHIOHARA, T., IIJIMA, M., IKEZAWA, Z. & HASHIMOTO, K. The diagnosis of a DRESS syndrome has been sufficiently established on the basis of typical clinical features and viral reactivations, 1083
SHIOHARA, T. see KANO, Y.
SHIRAI, Y.F. see SELLERI, S.
SHIRASAKI, F. see KOMATSU, N.
SHUSTIK, C. see ROBERGE, D.
SIBAUD, V. see FRICAIN, J-C.

SIDOROFF, A. see KARDAUN, S.H.
SILM, H. see KINGO, K.
SIMIENS, M.A. see ELEWSKI, B.
SIMON, A. see VAN DER HILST, J.C.H.
SIMON, M. see RAYMOND, A-A.
SIMONART, T. & HEENEN, M. T cell/keratinocyte interactions in psoriasis: where is the trigger? 171
SIMONART, T. see VADOUD-SEYEDI, J.
SINGH, S. see GARG, J.
SITARU, C. see ESPAÑA, A.
SKIBINSKA, M. see NARBUTT, J.
SKRYGAN, M. see GAMBICHLER, T.
SMALLWOOD, D. see MAZEREEUW-HAUTIER, J.
SMETANA JR, K. see LACINA, L.
SMIDESANG, I. see SAUNES, M.
SMITH, N. see UBRIANI, R.
SMOLLE, J. see HORN, M.
SOCCIO, A.L. see NETTIS, E.
SOLIGO, D. see VENER, C.
SOLOETA, R. see TRÉBOL, I.
SOMA, Y. see KAWASAKI, K.
SOMLAI, Á. see SEABRA, A.B.
SONG, I-H. see LEE, H-H.
SOTTO, M.N. see SOUSA JR, J.X.
SOUFIR, N., QUEILLE, S., LIBOUTET, M., THIBAUDEAU, O., BACHELIER, F., DELESTAING, G., BALLOY, B.C., BREUER, J., JANIN, A., DUBERTRET, L., VILMER, C. & BASSET-SEGUIN, N. Inactivation of the *CDKN2A* and the p53 tumour suppressor genes in external genital carcinomas and their precursors, 448
SOUSA JR, J.X., OMAR, E.D., BERNARDELLI, I.M., SOTTO, M.N., SANTI, C.G., ROMITI, R. & MACHADO, M.C.R. Periorbital pigmented and reticulated junctional melanocytic naevus: a report of two cases, 383
SOYER, H.P. see CARDOSO, R.
SPYRIDAKI, E. see GIAMARELLOS-BOURBOULIS, E.J.
STABLES, G.I. see BATCHELOR, R.J.
STADLER, R. see MITTELDORF, C.
STADLER, R. see NASHAN, D.
STÄNDER, H. see STÄNDER, S.
STÄNDER, S., STÄNDER, H., SEELIGER, S., LUGER, T.A. & STEINHOFF, M. Topical pimecrolimus and tacrolimus transiently induce neuropeptide release and mast cell degranulation in murine skin, 1020
STÄNDER, S. see NASHAN, D.
STAVRIANEAS, N. see TSIRIGOTIS, P.
STAVRIANEAS, N.G. see GIAMARELLOS-BOURBOULIS, E.J.
VAN STEENSEL, M.A. see VERFAILLE, C.J.
STEFANAKI, I., STRATIGOS, A.J., DIMISIANOS, G., NIKOLAOU, V., PAPADOPOULOS, O., POLYDOROU, D., GOGAS, H., TSOUTSOS, D., PANAGIOTOU, P., KANAVAKIS, E., ANTONIOU, C. & KATSAMBAS, A.D. p53 codon 72 Pro homozygosity increases the risk of cutaneous melanoma in individuals with dark skin complexion and among noncarriers of melanocortin 1 receptor red hair variants, 357
STEFANATO, C.M. see WAIN, E.M.
STEGMAIER, C. see WOLKEWITZ, M.
STEIJLEN, P.M. see VERFAILLE, C.J.
STEINHOFF, M. see STÄNDER, S.
STERRY, W. see LEE, H-H.
STEVENSON, O.E. see TAIBJEE, S.M.
STOCKFLETH, E. see KÖHLER, A.
STOEBNER, P.E., POOSTI, R., DJOUKELFIT, K., MARTINEZ, J. & MEUNIER, L. Decreased human epidermal antigen-presenting cell activity after ultraviolet A exposure: dose–response effects and protection by sunscreens, 1315
STONE, N.M. see KATUGAMPOLA, R.P.
ŠTORK, J. see LACINA, L.
STRATIGOS, A.J. see ANTONIOU, C.
STRATIGOS, A.J. see STEFANAKI, I.
STRAUSS, R.M. see MARZO-ORTEGA, H.
STRINGER, M.R. see BATCHELOR, R.J.
STROBER, B.E. see ELEWSKI, B.
SUE-HO, R. see BASRA, M.K.A.
SUGGETT, N.R. see THOMSON, M.A.
SUGIMOTO, M. see HONMA, Y.
SUZUKI, S. see TOGO, T.
SUZUKI, T. see TAKATA, M.
SUZUKI, Y. see OGATA, M.
SVENSSON, Å. see HJELMGREN, J.
SWALE, V.J. see FRIEDMANN, A.C.
SWETYENGA, N. see FRICAIN, J-C.
SYSA-JEDRZEJOWSKA, A. see NARBUTT, J.
SZABÓ, C. see SEABRA, A.B.

TABRIZI, R. see FRICAIN, J-C.
TAGAMI, H. see AOKI, H.
TAGAMI, H. see MATSUNAGA, Y.
TAGAMI, H. see OKUYAMA, R.
TAGLIAFICO, E. see MAGNONI, C.
TAIBJEE, S.M., STEVENSON, O.E., ABDULLAH, A., TAN, C.Y., DARBYSHIRE, P., MOSS, C., GOODYEAR, H., HEAGERTY, A., WHATLEY, S. & BADMINTON, M.N. Allogeneic bone marrow transplantation in a 7-year-old girl with congenital erythropoietic porphyria: a treatment dilemma, 567
TAÏEB, A. see BORALEVI, F.
TAÏEB, A. see FRICAIN, J-C.
TAÏEB, A. see HUBICHE, T.
TAKAHASHI, K. see ARAKI, E.
TAKANO, N., SAKURAI, T., OHASHI, Y. & KURACHI, M. Effects of high-affinity nerve growth factor receptor inhibitors on symptoms in the NC/Nga mouse atopic dermatitis model, 241
TAKATA, M., LIN, J., TAKAYANAGI, S., SUZUKI, T., ANSAI, S., KIMURA, T., CERRONI, L. & SAIDA, T. Genetic and epigenetic alterations in the differential diagnosis of malignant melanoma and spitzoid lesion, 1287
TAKAYANAGI, S. see TAKATA, M.
TAKEDA, H. see NISHIZAWA, A.
TAKEDA, T. see AMANO, T.
TAKEHARA, K. see KOMATSU, N.
TAKEUCHI, S. see NISHIZAWA, A.
TAMAKI, K. see IHN, H.
TAMAKI, K. see NAKASHIMA, H.
TAMURA, T. see AMANO, T.
TAN, A.W.H. see NEOH, C.Y.
TAN, C.Y. see TAIBJEE, S.M.
TANAKA, R., MATSUURA, H., KOBASHI, Y. & FUJIMOTO, W. Clinical utility of an interferon-γ-based assay for mycobacterial detection in papulonecrotic tuberculid, 169
TANIOKA, M. see PARK, K.
TAROZZI, M. see LODI, G.
TASHIRO, A. see IMAFUKU, S.
TAYLOR, I.B. see COLLIN, B.
TAZI-AHNINI, R. see RAYMOND, A-A.
TECHNAU, K. see HAS, C.
TENEDINI, E. see MAGNONI, C.
TERRANOVA, M. see CAPRONI, M.

THACI, D. see LUDWIG, R.J.
THIBAUDEAU, O. see SOUFIR, N.
THIELEN, A.M., BARDE, C., JANER, V., BORRADORI, L. & SAURAT, J.H. Reiter syndrome triggered by adalimumab (Humira®) and leflunomide (Arava®) in a patient with ankylosing spondylarthropathy and Crohn disease, 188
THIND, C. see EDWARD, M.
THIO, B.H. see OS-MEDENDORP, H.
THOMAS, K.S. see BIRNIE, A.J.
THOMAS, K.S. see KEOGH-BROWN, M.R.
THOMAS, L. see DALLE, S.
THOMSON, M.A., CARR, R.A., GANESAN, R. & HUMPHREYS, F. Extensive mucinous metaplasia of the vulva arising within Zoon's vulvitis, 750
THOMSON, M.A., SUGGETT, N.R., NIGHTINGALE, P.G., MILFORD, D.V., BAUMANN, U., KELLY, D.A., MOSS, C. & HILL, V.A. Skin surveillance of a U.K. paediatric transplant population, 45
THONG, H-Y. see CHAN, C-C.
TILAK, R. see GARG, J.
TILLIE-LEBLOND, I. see BACHMEYER, C.
TIMMER-DE MIK, L. see HAECK, I.M.
TODD, G. see CHALMERS, D.A.
TOGO, T., ARAKI, E., OTA, M., MANABE, T., SUZUKI, S. & UTANI, A. Fibrous hamartoma of infancy in a patient with Williams syndrome, 1052
TOKURA, Y. see HINO, R.
TOLKER-NIELSEN, T. see ECKHART, L.
TOLL, A. see BELTRÁN, E.
TOLOSANA, S. see CHALMERS, D.A.
TOMBARI, W. see KALLEL SELLAMI, M.
TOMI, N.S. see GAMBICHLER, T.
TOMI, N.S. see KREUTER, A.
TORCHIA, D. see CAPRONI, M.
TÖRMÄ, H. see BURACZEWSKA, I.
TORTI, E. see SANTONOCITO, C.
TOSTI, A. see RICHERT, B.
TOULZA, E. see RAYMOND, A-A.
TOYOMAKI, Y. see NISHIZAWA, A.
TRAUTINGER, F. see DER-PETROSSIAN, M.
TRAUTMANN, A. see SCHUBERT, B.
TRAUTWEIN, C. see KNACKSTEDT, C.
TRÉBOL, I., GONZÁLEZ-PÉREZ, R., GARCÍA-RIO, I., ARREGUI, M.A., SARACIBAR, N., CARNERO, L. & SOLOETA, R. Paraneoplastic neutrophilic figurate erythema, 396
TRON, F. see KALLEL SELLAMI, M.
TSAI, S.F. see CHANG, Y.T.
TSCHACHLER, E. see ECKHART, L.
TSIRIGOTIS, P., PAPPA, V., PAPAGEORGIOU, S., KAPSIMALI, V., GIANNOPOULOU, V., KAITSA, I., GIRKAS, K., PAPAGEORGIOU, E., STAVRIANEAS, N., ECONOMOPOULOS, T. & DERVENOULAS, J. Extracorporeal photopheresis in combination with bexarotene in the treatment of mycosis fungoides and Sézary syndrome, 1379
TSOUTSOS, D. see STEFANAKI, I.
TSURUTA, D. see OISO, N.
TURKI, H. see KALLEL SELLAMI, M.
TURNER, D. see BATCHELOR, R.J.
TURNER, R. see CLAYTON, R.
TURNER, R. see LALLY, A.
TURSI, A. see NETTIS, E.
TZUNG, T-Y., LIU, Y-S. & CHANG, H-W. Tacrolimus vs. clobetasol propionate in the treatment of facial cutaneous lupus erythematosus: a randomized, double-blind, bilateral comparison study, 191

UBRIANI, R., SMITH, N. & KATZ, K.A. Reporting of study design in titles and abstracts of articles published in clinically oriented dermatology journals, 557
UCHIDA, T., HAYASHI, H., INAOKI, M., MIYAMOTO, T. & FUJIMOTO, W. A failure of mucocutaneous lymphangiogenesis may underlie the clinical features of lipoid proteinosis, 152
ULFF, E., MAROTI, M., KETTIS-LINDBLAD, Å., KJELLGREN, K.I., AHLNER, J., RING, L. & SERUP, J. Single application of a fluorescent test cream by healthy volunteers: assessment of treated and neglected body sites, 974
ULMER, A., METZLER, G., SCHANZ, S. & FIERLBECK, G. Dapsone in the management of 'insect bite-like reaction' in a patient with chronic lymphocytic leukaemia, 172
ULRICH, C. see KÖHLER, A.
ULRICH, M. see ZERPA, O.
USHIDA, K. see INOUE, R.
UTANI, A. see ARAKI, E.
UTANI, A. see TOGO, T.
UTIKAL, J., PEITSCH, W.K., KEMMLER, N., BOOKEN, N., HILDENBRAND, R., GLADISCH, R., GOERDT, S. & GOEBELER, M. Bullous eosinophilic cellulitis associated with ulcerative colitis: effective treatment with sulfasalazine and glucocorticoids, 764

VACCA, A. see NETTIS, E.
VADOUD-SEYEDI, J. & SIMONART, T. Treatment of axillary hyperhidrosis with botulinum toxin type A reconstituted in lidocaine or in normal saline: a randomized, side-by-side, double-blind study, 986
VAL-BERNAL, J.F. see GONZÁLEZ-LÓPEZ, M.A.
VALEYRIE-ALLANORE, L. see KARDAUN, S.H.
VAN DER VALK, P.G.M. see VERHOEVEN, E.W.M.
VANACLOCHA, F., DAUDÉN, E., BADÍA, X., GUILLÉN, C., CONEJO-MIR, J.S., SAINZ DE LOS TERREROS, M., HAMEL, L. & LLORENS, M.A. Cost-effectiveness of treatment of superficial basal cell carcinoma: surgical excision vs. imiquimod 5% cream, 769
VANDEPLASSCHE, L. see FAERGEMANN, J.
VANHOUTTE, F.P. see VERFAILLE, C.J.
VARGAS-ALARCÓN, G. see ZULOAGA-SALCEDO, S.
VARGAS-DIEZ, E. see DELGADO-JIMENEZ, Y.
VARMA, S. see BIRNIE, A.J.
VASAR, E. see KINGO, K.
VÁZQUEZ, C. see GILABERTE, Y.
VEGA-MEMIJE, E. see ZULOAGA-SALCEDO, S.
VEIEN, N.K. see HALD, M.
VENDITTI, C. see LESTER, L.
VENER, C., SOLIGO, D., BERTI, E., GIANELLI, U., SERVIDA, F., CERETTI, E., CAPUTO, R., PASSONI, E. & LAMBERTENGHI DELILIERS, G. Indeterminate cell histiocytosis in association with later occurrence of acute myeloblastic leukaemia, 1357
VENTUROLI, S. see AMBRETTI, S.
VERA, J. see GILABERTE, Y.
VERFAILLE, C.J., VANHOUTTE, F.P., BLANCHET-BARDON, C., VAN STEENSEL, M.A. & STEIJLEN, P.M. Oral liarozole vs. acitretin in the treatment of ichthyosis: a phase II/III multicentre, double-blind, randomized, active-controlled study, 965
VERHOEVEN, E.W.M., KRAAIMAAT, F.W., VAN DE KERKHOF, P.C.M., VAN WEEL, C., DULLER, P., VAN DER VALK, P.G.M., VAN DEN HOOGEN, H.J.M., BOR, J.H.J., SCHERS, H.J. & EVERS, A.W.M. Prevalence of physical symptoms of itch, pain and fatigue in patients with skin diseases in general practice, 1346

VILLARRUBIA, B., BETLLOCH, I., MATAIX, J., LUCAS, A. & BOTELLA, C. Bortezomib-associated rash: a new recognizable and avoidable side-effect, 784
VILMER, C. see SOUFIR, N.
VISSERS, W.H.P.M. see KÖRVER, J.E.M.
VITZTHUM, J., DÖRR, H.D. & MEINEKE, V. Ultraviolet B exposure could influence the interpretation of serum S100β levels in patients with malignant melanoma, 772
VAN VLIJMEN-WILLEMS, I.M.J.J. see BOVENSCHEN, H.J.
VOGL, T.J. see LUDWIG, R.J.
VOLKENANDT, M. see BAUMERT, J.
VOLPI, W. see CAPRONI, M.
VOLZ, A. see HAS, C.
VUONG, T. see ROBERGE, D.

WAHIE, S. see WEATHERHEAD, S.C.
WAIN, E.M. & STEFANATO, C.M. Four millimetres: a variable measurement?, 404
WAITE, A.E. see BAILEY, J.N.R.
WANG, L-F. see WU, C-S.
WANG, W.J. see CHANG, Y.T.
WANG, W-H., LI, L-F., ZHANG, Q., YANG, S-M., JIANG, W., WANG, Y-Y., LEI, P-C. & CHEN, X-R. Ultrastructural features of ichthyosis hystrix strongly resembling Lambert type, 1027
WANG, Y-Y. see WANG, W-H.
WARLOE, T. see ANGELL-PETERSEN, E.
WARSHAW, E.M. see CHAM, P.M.H.
WARWICK, J. see PERRETT, C.M.
WASMUTH, H.E. see KNACKSTEDT, C.
WATABE, H. see KAWASAKI, K.
WATANABE, R. see NAKASHIMA, H.
WEATHERHEAD, S.C., HANIFFA, M. & LAWRENCE, C.M. Melanomas arising from naevi and *de novo* melanomas — does origin matter?, 72
WEATHERHEAD, S.C., WAHIE, S., REYNOLDS, N.J. & MEGGITT, S.J. An open-label, dose-ranging study of methotrexate for moderate-to-severe adult atopic eczema, 346
VAN WEEL, C. see VERHOEVEN, E.W.M.
WEGER, W. see HORN, M.
WEI, W. see CHEN, W.
WEIGEL, C. see SCHUBERT, B.
WEINER, S.M. see KREUTER, A.
WEISENSEEL, P., KUZNETSOV, A.V., RUZICKA, T. & PRINZ, J.C. Palmoplantar pustulosis is not inevitably associated with antigliadin antibodies, 1399
WEISSENBACHER, S., MERKL, J., HILDEBRANDT, B., WOLLENBERG, A., BRAEUTIGAM, M., RING, J. & HOFMANN, H. Pimecrolimus cream 1% for papulopustular rosacea: a randomized vehicle-controlled double-blind trial, 728
WELSH, B. see GOH, M.S.Y.
WEN-YUAN, Z. see CHEN, W.
WHATLEY, S. see TAIBJEE, S.M.
WHITE, C. see HARRIS, J.M.
WHITE, J.M.L., CREAMER, D., DU VIVIER, A.W.P., PAGLIUCA, A., HO, A.Y., DEVEREUX, S., SALISBURY, J.R. & MUFTI, G.J. Sclerodermatous graft-versus-host disease: clinical spectrum and therapeutic challenges, 1032
WIELAND, U. see KREUTER, A.
WILCOX, H.E., FARRAR, M.D., CUNLIFFE, W.J., HOLLAND, K.T. & INGHAM, E. Resolution of inflammatory acne vulgaris may involve regulation of CD4+ T-cell responses to *Propionibacterium acnes*, 460
WILKIE, A.O.M. see COLLIN, B.
WILKINSON, S.M. see OGDEN, S.
WILLIAMS, H.C. see CHALMERS, D.A.
WILLIAMS, H.C. see HARRIS, J.M.
WILLIAMS, H.C. see KEOGH-BROWN, M.R.
WILLIAMS, L.H. & FLECKMAN, P. Painless periungual pyogenic granulomata associated with reverse transcriptase inhibitor therapy in a patient with human immunodeficiency virus infection, 163
WILSON, L.C. see MAZEREEUW-HAUTIER, J.
WINOGRAD, R. see KNACKSTEDT, C.
WINTROUB, B.U. see CALLEN, J.
WOJNAROWSKA, F. see IMKO-WALCZUK, B.
WOLKEWITZ, M., ROTHENBACHER, D., LÖW, M., STEGMAIER, C., ZIEGLER, H., RADULESCU, M., BRENNER, H. & DIEPGEN, T.L. Lifetime prevalence of self-reported atopic diseases in a population-based sample of elderly subjects: results of the ESTHER study, 693
WOLLENBERG, A. see WEISSENBACHER, S.
WONG, T., MCGRATH, J.A. & NAVSARIA, H. The role of fibroblasts in tissue engineering and regeneration, 1149
WOODS, G.M. see SCOTT, D.K.
WORM, M. see LEE, H-H.
WOZNIACKA, A. see NARBUTT, J.
WOZNIAK, K., KOWALEWSKI, C., ROSINSKA-BORKOWSKA, D. & CIUPINSKA, M. Two patients with localized epidermolysis bullosa acquisita: diagnostic value of laser scanning confocal microscopy, 1066
WU, C-S., LAN, C-C.E., WANG, L-F., CHEN, G-S., WU, C-S. & YU, H-S. Effects of psoralen plus ultraviolet A irradiation on cultured epidermal cells *in vitro* and patients with vitiligo *in vivo*, 122
WU, C-S. see WU, C-S.
WU, D-M. see CHEN, J-J.
WU, W-M. see CHANG, Y-C.
WULF, H.C. see FAURSCHOU, A.
WULF, H.C. see JANJUA, N.R.

XIAO, Y-Y. see HUANG, Y-C.
XIAO-PING, D. see CHEN, W.
XIN-YE, X. see CHEN, W.
XU, Z. see ZHANG, L-L.

YAMANE, K. see IHN, H.
YAMANE, N., KATO, N., YANAGI, T. & OSAWA, R. Naevus sebaceus on the female breast accompanied with a tubular apocrine adenoma and a syringocystadenoma papilliferum, 1397
YAMANE, N., SAWAMURA, D., NISHIE, W., ABE, M., KODAMA, K., ADACHI, K., NAKAMURA, H., ISHII, N., HASHIMOTO, T. & SHIMIZU, H. Anti-p200 pemphigoid in a 17-year-old girl successfully treated with systemic corticosteroid and dapsone, 1075
YAMASAKI, M. see OGATA, M.
YANABA, K. see ITOH, M.
YANAGI, T. see YAMANE, N.
YANG, S-M. see WANG, W-H.
YANG, Y. see ZHANG, L-L.
YANG, Y-L. see HUANG, Y-C.
YANG, Y-L. see ZHANG, L-L.
YAN-JUN, L. see CHEN, W.
YANO, H. see AMANO, T.
YASUKAWA, K. see MORIUCHI, R.
YAZAWA, N. see IHN, H.
YAZAWA, N. see NAKASHIMA, H.
YOKOI, I. see MORIUE, T.
YONEDA, K. see MORIUE, T.
YONEZAWA, M. see PARK, K.

YOON, T.Y., KIM, J.W. & KIM, M.K. Klippel–Trenaunay syndrome showing hypotrophy of the affected arm, 391
YOSIPOVITCH, G., DUQUE, M.I., FAST, K., DAWN, A.G. & COGHILL, R.C. Scratching and noxious heat stimuli inhibit itch in humans:
a psychophysical study, 629
YU, C.W. see CHANG, Y.T.
YU, H-S. see WU, C-S.
YU, R. see CHEN, J-J.
YUN, S.J. see PARK, G.T.
YUNG, A. see BATCHELOR, R.J.

ZALEWSKA, A. see NARBUTT, J.
ZAMBRUNO, G. see CASTORI, M.
ZANOBBIO, L. see SELLERI, S.
ZELIGSON, S. see HOCHBERG, M.
ZERBINI, M. see AMBRETTI, S.
ZERPA, O., ULRICH, M., BLANCO, B., POLEGRE, M., AVILA, A., MATOS, N., MENDOZA, I., PRATLONG, F., RAVEL, C. & CONVIT, J. Diffuse cutaneous leishmaniasis responds to miltefosine but then relapses, 1328
ZHANG, L-L., LIN, Z-M., MA, Z-H., XU, Z., YANG, Y-L. & YANG, Y. Mutation hotspots of *SCN9A* in primary erythermalgia, 767
ZHANG, Q. see WANG, W-H.
ZHANG, X.H. see CHEN, K.
ZHAO, S. see CHEN, J-J.
ZHENG, Y-H. see HUANG, Y-C.
ZHU, X-J. see HUANG, Y-C.
ZI-ANG, P. see CHEN, W.
ZIEGLER, H. see WOLKEWITZ, M.
ZITOUNI, M. see KALLEL SELLAMI, M.
ZOLLNER, T.M. see LUDWIG, R.J.
ZOUBOULIS, C.C. see MAKRANTONAKI, E.
ZUIDERVEEN, J. see MENTINK, L.F.
ZULOAGA-SALCEDO, S., CASTILLO-VAZQUEZ, M., VEGA-MEMIJE, E., ARELLANO-CAMPOS, O., RODRÍGUEZ-PÉREZ, J.M., PÉREZ-HERNÁNDEZ, N., DOMÍNGUEZ-SOTO, L., HOJYO-TOMOKA, T., VARGAS-ALARCÓN, G. & GRANADOS, J. Class I and class II major histocompatibility complex genes in Mexican patients with actinic prurigo, 1074
ZUPPI, C. see SANTONOCITO, C.
ZURADA, J. see O'REGAN, G.M.

Subject index

ABCC6 gene and elastofibroma (Correspondence), 755
acidified nitrite and wound healing in diabetic and nondiabetic mice (Abstract), 1098
acitretin compared with liarozole in treatment of ichthyosis, 965
acne
 infliximab-induced (Correspondence), 402
 minocycline therapy, and antineutrophil cytoplasmic antibody positivity, 1005
 resolution involving regulation of CD4+ T-cell responses to *Propionibacterium acnes*, 460
 study of safety and efficacy of picolinic acid gel, 548
 temporal changes in sebum excretion and propionibacterial colonization in children with, 22
acne fulminans in SAPHO syndrome (Poster), 1408
actinic keratoses
 economic evaluation of photodynamic therapy (Correspondence), 1393
 guidelines for management, 222
 methyl aminolaevulinate–photodynamic therapy (Review), 793
 nature of (Correspondence), 408
 scalp, treatment with photodynamic therapy using ambient light (Correspondence), 779
actinic prurigo, class I and II MHC genes in Mexican patients (Correspondence), 1074
actinomycetoma due to *Nocardia* spp., treatment with amoxicillin–clavulanate, 308
acute haemorrhagic oedema of infancy in differential diagnosis of nonaccidental injury (Abstract), 1407
acute myeloblastic leukaemia, indeterminate cell histiocytosis associated with later occurrence (Case Report), 1357
adalimumab-triggered Reiter syndrome (Correspondence), 188
adaptive immune response in hidradenitis suppurativa, 51
adenosine receptor single nucleotide polymorphisms, response to methotrexate therapy in psoriasis (Abstract), 1100
adolescence, psychological morbidity of atopic dermatitis, comparison between boys and girls, 283
Africa, validation of UK Working Party diagnostic criteria for atopic dermatitis in Xhosa-speaking population, 111
AIDS *see* HIV/AIDS
AKT signalling
 epidermal, and regulation of SREBP transcription, epidermal lipogenesis and skin barrier activity (Abstract), 1101
 as therapeutic target in melanoma, 1204
aldesleukin, pseudosystemic sclerosis as complication of therapy (Correspondence), 182
alefacept in combination with methotrexate, clinical response in refractory palmar psoriasis (Correspondence), 178
allergens
 early changes in draining lymph node cell activation following topical exposure to (Abstract), 1098
 early exposure and atopic dermatitis, 698
 skin sensitization to and regular antihelminthic therapy (Abstract), 1103
allergic contact dermatitis as complication of pustular psoriasis (Correspondence), 788
alpha-interferon in combination with total skin irradiation, effect on outcome in mycosis fungoides, 57
α-melanocyte stimulating hormone analogues, suppression of phytohaemagglutinin-induced lymphocyte proliferation (Poster), 1110
amoxicillin, in treatment of confluent and reticulated papillomatosis (Correspondence), 583
amoxicillin–clavulanate, in treatment of actinomycetoma due to *Nocardia* spp., 308
amyloidosis, AL amyloidosis and development of amyloid A amyloidosis (Correspondence), 748
androgenetic alopecia, response to finasteride (Correspondence), 754
angio-oedema
 hereditary type III, presentation with C1-inhibitor cleavage and missense mutation in F12 gene (Correspondence), 1063
 induced by bicycling (Correspondence), 1056
angiotensin I-converting enzyme gene polymorphism, and risk of psoriasis in Chinese population, 642
anhidrosis with herpes zoster and congenital insensitivity to pain (Correspondence), 1084
annular elastolytic giant cell granuloma, prodromal stage of elastolysis (Correspondence), 1377
anti-desmoglein antibodies
 in pemphigus vulgaris, pemphigus foliaceus and paraneoplastic pemphigus, 635
 prevalence in Tunisian patients with hydatidosis and leishmaniasis (Correspondence), 591
antigliadin antibodies and palmoplantar pustulosis (Correspondence), 1399
antihelminthic therapy, regular, and allergen skin sensitization (Abstract), 1103
antineutrophil cytoplasmic antibodies and minocycline treatment of acne, 1005
anti-p200 pemphigoid following treatment with systemic corticosteroid and dapsone (Correspondence), 1075
antiphospholipid antibodies, role in Behçet disease, 32
antisynthetase syndrome and mechanic's hands (Correspondence), 192
anti-TNF-α therapy in psoriasis and psoriatic arthritis, elevation of triglyceride and cholesterol levels following (Correspondence), 1090
apoeccrine gland absence in human axilla, axillary hyperhidrosis and other disease pathogenetic implications, 1278
arginase upregulation in human epidermis due to ultraviolet B (Abstract), 1101

aseptic meningitis induced by efalizumab (Correspondence), 189
atopic dermatitis
 adult
  comparative effects of tacrolimus and hydrocortisone, 312
  methotrexate therapy in moderate-to-severe disease, 346
 characteristics and completeness of clinical trial registration, 106
 chronic, establishment of mouse skin model of lichenification, 884
 comprehensive survey of 28 candidate genes using hapTAG approach (Abstract), 1103
 cost-effectiveness of tacrolimus vs. standard treatment in moderate and severe disease, 913
 and early allergen exposure, 698
 interventions to reduce *Staphylococcus aureus* (Poster), 1114
 NC/Nga mouse model
  effects of high-affinity nerve growth factor receptor inhibitors on symptoms, 241
  oral treatment with *Lactobacillus johnsonii* NCC533 (La1) during weaning period and prevention of development of atopic dermatitis, 499
 psychological morbidity, comparison between adolescent boys and girls, 283
 reduction in allergen-specific T cells associated with clinical response to methotrexate (Correspondence), 1376
 severe, low basal serum cortisol in, 979
 systematic review of safety of topical therapies (Review), 203
 validation of UK Working Party diagnostic criteria in Xhosa-speaking African population, 111
atopic diseases, lifetime prevalence of self-reported diseases in elderly subjects, 693
atrichia, congenital in Irish families, recurrent splice-site mutation in human hairless gene underlying (Gene Corner), 744
atrophia maculosa varioliformis cutis (Abstract), 1407
autoimmune bullous diseases, rituximab therapy, 352
autoimmune neutropenia of infancy associated with pyoderma gangrenosum (Abstract), 1405
axillary hyperhidrosis
 and absence of apoeccrine glands in human axilla, 1278
 surgical treatment (Correspondence), 398
 treatment with botulinum toxin reconstituted in saline or lidocaine, 986
5-azacytidine, response of deep neutrophilic dermatosis associated with myelodysplastic syndrome (Case Report), 1039

basal cell carcinoma
 cost-effectiveness of treatment (Correspondence), 769
 economic evaluation of photodynamic therapy (Correspondence), 1393
 stromal fibroblasts from, effect on phenotype of normal keratinocytes, 819
basic fibroblast growth factor serum levels during disease progression in melanoma, 653
Bazex–Dupré–Christol syndrome, sporadic case presenting with scarring folliculitis of the scalp (Correspondence), 184
BCG, complications following in severe combined immunodeficiency (Abstract), 1405
Becker's naevus, hypohidrosis colocalized with (Correspondence), 766
Behçet disease, role of heat shock protein 60, VEGF and antiphospholipid antibodies, 32
β-defensins, regulation of release in hair follicles by toll-like receptor agonists, 1172
bexarotene
 with extracorporeal photopheresis in treatment of Sézary syndrome and mycosis fungoides (Correspondence), 1379
 in treatment of folliculotropic mycosis fungoides with CD30+ large-cell transformation (Correspondence), 584
bicycling, angio-oedema induced by (Correspondence), 1056
blindness due to IgA variant of epidermolysis bullosa acquisita, treatment with osteo-odonto-keratoprosthesis (Correspondence), 775
body mass index and risk of melanoma, 99
bone marrow transplantation, allogeneic, in erythropoietic porphyria (Case Report), 567
borreliosis, reassessment of diagnostic criteria for early cutaneous manifestations, 1263
bortezomib-associated rash (Correspondence), 784
botulinum toxin treatment
 axillary hyperhidrosis, reconstituted in saline or lidocaine, 986
 palmar and plantar hyperhidrosis, needle-free anaesthesia prior to (Correspondence), 593
Bowen's disease, management guidelines, 11
British Association of Dermatologists, 86th Annual Meeting, 802
British Society for Investigative Dermatology, Annual Meeting, 1093
British Society of Paediatric Dermatology, 21st Annual Symposium, 1403
bullous eosinophilic cellulitis with ulcerative colitis (Correspondence), 764
bullous pemphigoid, serum chemokine profile, 454

caffeine, protection from photodamage by topical application, 957
calcineurin inhibitor safety in management of lichen sclerosus (Correspondence), 1389
calcipotriol, comparison with calcitriol of effects on epidermal cell proliferation and differentiation, 130
calcitriol, comparison with calcipotriol of effects on epidermal cell proliferation and differentiation, 130
capillaritis, minocycline-induced pigmentation (Correspondence), 590
carcinoid, pulmonary, associated with melanoma (Case Report), 738

caspase
caspase-14 processing in normal human epidermis, 420
desmoglein 1 cleavage dependent on (Correspondence), 400
Castleman's disease, indurated nodules and plaques showing dense plasma cell infiltrate as cutaneous manifestation (Correspondence), 174
cattle, epidermolysis bullosa in calves (Poster), 1114
CD95/CD95L expression in relapsing and nonrelapsing very thin melanoma, 440
CDKN2A inactivation in external genital carcinomas and their precursors, 448
cell-penetrable peptides and delivery of oligonucleotide antisense/peptide nucleic acid directed against tyrosinase (Poster), 1105
cephalic neural crest-derived tissues, field defect (Correspondence), 1047
cheeks, spontaneous atrophic scarring (Abstract), 1407
chemokine serum profile in bullous pemphigoid, 454
chemotherapy, acute and chronic graft-versus-host disease after reinduction chemotherapy (Correspondence), 388
CHILD syndrome, unusual cutaneous features (Abstract), 1403
childhood
cutaneous tuberculosis in (Abstract), 1404
differential diagnosis of nonaccidental injury (Abstract), 1407
fibrous hamartoma of infancy in Williams syndrome (Correspondence), 1052
infantile systemic hyalinosis (Correspondence), 602
mucous membrane pemphigoid, mycophenolate mofetil monotherapy (Abstract), 1406
nephro-urological complications of epidermolysis bullosa (Case Report), 143
silver hair in (Abstract), 1403
skin surveillance of transplantation population, 45
temporal changes in sebum excretion and propionibacterial colonization in children with and without acne, 22
ulcerated haemangioma (Correspondence), 1050
chronic lymphocytic leukaemia, dapsone management of 'insect bite-like reaction' (Correspondence), 172
chylous reflux, scrotal cutaneous (Correspondence), 752
ciclopiroxolamine, inhibitory or scavenging action against reactive oxygen species released by primed inflammatory cells, 720
ciclosporin
in treatment of psoriasis with chronic hepatitis C (Correspondence), 1367
use in toxic epidermal necrolysis (Correspondence), 390
Cipralex®, oral adverse effects (Correspondence), 1046
ciprofloxacin-induced photosensitivity in fibroblasts and keratinocytes (Poster), 1113
claudins, in active and healing psoriasis, 466
clinical nurse specialist, development of a diagnostic role (Correspondence), 1060
clinical trials, characteristics and completeness of registration in atopic dermatitis and psoriasis, 106
clobetasol propionate compared with tacrolimus propionate in facial cutaneous lupus erythematosus (Correspondence), 191
collagenoma, familial cutaneous, resulting from novel mutation in *LEMD3* (Gene Corner), 375
collagens
effect of heat shock protein 47 on accumulation in keloid fibroblast cells, 1188
localized and generalized forms of junctional epidermolysis bullosa due to *COL17A1* mutations in the Netherlands, 861
role of type VII collagen in invasion of recessive dystrophic epidermolysis bullosa by squamous cell carcinoma (Abstract), 1103
Compositae dermatitis from airborne parthenolide, 510
condylomata acuminata, comparative study of photodynamic therapy and laser therapy, 516
confluent and reticulated papillomatosis, amoxicillin treatment (Correspondence), 583
confocal laser-scanning microscopy
diagnostic value in localized epidermolysis bullosa acquisita (Correspondence), 1066
use in microsurgery for invasive squamous cell carcinoma, 81
see also reflectance confocal microscopy
congenital insensitivity to pain with anhidrosis and herpes zoster (Correspondence), 1084
connexins
analysis of wild-type and mutant connexin 31, nongap junction functions and altered cell signalling (Abstract), 1099
spectrum of connexin 26 (GJB2) mutations and disease expression in KID syndrome, 1015
cord blood stem cell transplantation, psoriasis following (Correspondence), 386
coronary artery calcification, psoriasis as possible risk factor, 271
corticosteroids
comparison of hydrocortisone with tacrolimus in adult atopic dermatitis, 312
systemic
anti-p200 pemphigoid following treatment with (Correspondence), 1075
in myasthenia gravis, perioral dermatitis due to (Correspondence), 582
topical, and low basal serum cortisol in severe atopic dermatitis, 979
cortisol, low basal serum levels in severe atopic dermatitis, 979
cosmetic surgery, need for (Correspondence), 1383
Cowden disease, type 2 segmental, and Proteus syndrome (Correspondence), 1089
cutaneous follicular B-cell lymphoma, at site of radiotherapy for breast cancer (Correspondence), 198
cutaneous horn
as clinical manifestation of underlying sebaceous carcinoma (Correspondence), 180

multiple huge overlying HPV-2-induced verrucae vulgaris (Correspondence), 760
cutaneous lupus erythematosus
facial, comparison of tacrolimus and clobetasol propionate (Correspondence), 191
subacute resistant, mycophenolate sodium therapy, 1321
cutaneous mucinosis associated with dermatomyositis and nephrogenic fibrosing dermopathy, fibroblast hyaluronan synthesis and the effect of patient serum, 473
cutaneous T-cell lymphoma
folliculotropic Sézary syndrome as variant (Correspondence), 781
primary peripheral, regression following skin biopsy (Correspondence), 785
cutis marmorata telangiectatica congenita with naevus flammeus and Mongolian spot, in phakomatosis pigmentovascularis (Correspondence), 1068
cyclooxygenase-1 inhibition, effect on recovery of skin barrier function disruption by mechanical scratching in mice, 1178
cyclophilin B, regulation of location, mobility and secretion in keratinocytes (Abstract), 1097
cytokine gene polymorphisms in Chinese patients with psoriasis, 899

dapsone
anti-p200 pemphigoid following treatment with (Correspondence), 1075
in management of 'insect bite-like reaction' in chronic lymphocytic leukaemia (Correspondence), 172
deep neutrophilic dermatosis associated with myelodysplastic syndrome, response to 5-azacytidine (Case Report), 1039
delayed-type hypersensitivity, novel function of DUSP14/MKP6 as nonspecific regulatory molecule, 848
Delphi panel, economic evaluation of photodynamic therapy for actinic keratoses and basal cell carcinoma (Correspondence), 1393
dermatitis, perioral, in myasthenia gravis following corticosteroid therapy (Correspondence), 582
dermatofibroma, haemosiderotic, additional dermoscopic presentation (Correspondence), 199
dermatological surgery, need for eye protection during, 1258
dermatology journals, clinically oriented, reporting of study design in titles and abstracts of articles, 557
Dermatology Life Quality Index and efficacy of biological therapies for psoriasis, 945
dermoscopy
additional presentation of haemosiderotic dermatofibroma (Correspondence), 199
in assessment of nailfold capillaroscopy in Raynaud phenomenon, 892
desmoglein 1, caspase-dependent cleavage (Correspondence), 400
desmosomes, effect of pachyonychia congenita type 1 mutations on formation (Abstract), 1099
diabetes, effects of acidified nitrite on wound healing in diabetic mice (Abstract), 1098
2-dimethylaminoethanol, antiwrinkle effect, 433
dimethylfumarate inhibition of nuclear factor [kappa]β, 838
direct microscopy, useful tip (Correspondence), 394
discoid lupus erythematosus, preliminary evaluation of *in vivo* reflectance confocal microscopy features, 1196
DNA damage response and nonmelanoma skin cancer (Poster), 1111
DNase1L2 suppression of biofilm formation by *P. aeruginosa* and *S. aureus*, 1342
Dowling–Degos disease
acantholytic variant (Gene Corner), 572
spotted and rippled reticulate hypermelanosis as possible variant of (Correspondence), 196
DRESS syndrome
diagnosis established on basis of typical clinical features and viral reactivations (Correspondence), 1083
existence of (Correspondence), 609
drug-induced hypersensitivity syndrome and sclerodermoid graft-versus-host disease-like lesions (Correspondence), 1061
DUSP14/MKP6 (dual specific phosphatase 14), novel function as nonspecific regulatory molecule for delayed-type hypersensitivity, 848
dyskeratosis congenita
delayed diagnosis in patient with multiple head and neck squamous cell carcinomas (Correspondence), 406
with *Scytalidium* infection (Correspondence), 604

ear, nose and throat manifestations in pemphigus vulgaris, 733
efalizumab-induced aseptic meningitis (Correspondence), 189
elastic fibres, effects of smoking on, 85
elastofibroma, immunohistochemical characterization and exclusion of *ABCC6* gene (Correspondence), 755
endostatin serum levels during disease progression in melanoma, 653
eosinophilic oesophagitis and erythema nodosum (Correspondence), 1388
epidermal cells, comparison of effects of calcitriol and calcipotriol on proliferation and differentiation, 130
epidermal growth factor receptor expression and activation in squamous cell carcinoma, 92
epidermis
decrease in antigen-presenting cell activity after exposure to UVA, dose–response effects and protection by sunscreens, 1315
effect of PUVA on cultured cells *in vitro*, 122
procaspase expression and caspase-14 processing, 420
epidermolysis bullosa
in calves (Poster), 1114
nephro-urological complications in paediatric patients (Case Report), 143

epidermolysis bullosa acquisita
associated with ulcerative colitis, erythema gyratum repens-like eruption in (Correspondence), 773
blindness due to IgA variant, treatment with osteo-odonto-keratoprosthesis (Correspondence), 775
localized, diagnostic value of laser scanning confocal microscopy (Correspondence), 1066
recalcitrant high-titre, trial of rituximab (Correspondence), 194
erythema
impact of introduction of comprehensive erythema-reporting protocol in patients with psoriasis undergoing phototherapy (Correspondence), 1045
paraneoplastic neutrophilic figurate (Correspondence), 396
erythema migrans, reassessment of diagnostic criteria, 1263
erythema nodosum and eosinophilic oesophagitis (Correspondence), 1388
erythemal sensitivity and polymorphic light eruption (Poster), 1107
erythermalgia, primary, mutation hotspots of *SCN9A* (Correspondence), 767
erythropoietic porphyria, allogeneic bone marrow transplantation in (Case Report), 567
escitalopram, oral adverse effects (Correspondence), 1046
ESTHER study, 693
etanercept
comparison of 26 mg twice weekly and 50 mg once weekly in psoriasis, 138
two years experience with in recalcitrant psoriasis, 1010
everolimus therapy of severe psoriasis (Case Report), 372
Exophiala oligosperma, subcutaneous phaeohyphomycosis caused by in renal transplant recipient (Correspondence), 762
extracorporeal photochemotherapy in refractory erosive oral lichen planus, 553
extracorporeal photopheresis
with bexarotene in treatment of Sézary syndrome and mycosis fungoides (Correspondence), 1379
photodegradation of folic acid during, 117

F12 gene missense mutation in type III hereditary angio-oedema (Correspondence), 1063
familial cutaneous collagenoma resulting from novel mutation in LEMD3 (Gene Corner), 375
family, impact of skin diseases, 929
Family Dermatology Life Quality Index, 528
fasting cure and selenium intoxication (Correspondence), 177
fatigue, prevalence in skin disease in general practice, 1346
FGFR3 gene mutation associated with mild facial dysmorphism in verrucous epidermal naevus (Case Report), 1353
fibrillin, direct influence of ultraviolet radiation on structure of microfibrils (Abstract), 1102
fibroblasts
ciprofloxacin-induced photosensitivity (Poster), 1113
effect of heat shock protein 47 on collagen accumulation in keloid fibroblast cells, 1188
human dermal, and amelioration of *in vitro* graft-versus-host reaction (Abstract), 1096
intradermal injection of allogeneic normal human fibroblasts and type VII collagen deposition at dermal–epidermal junction in recessive dystrophic epidermolysis bullosa (Abstract), 1096
role in tissue engineering and regeneration (Review), 1149
stromal, from basal cell carcinoma, effect on phenotype of normal keratinocytes, 819
fibrous hamartoma of infancy in Williams syndrome (Correspondence), 1052
finasteride, response of androgenetic alopecia to (Correspondence), 754
flexural eczema, atopic (Abstract), 1102
fluorescent test cream, single application by healthy volunteers, assessment of treated and neglected body sites, 974
5-fluorouracil, comparison with topical photodynamic therapy in treatment of treatment of post-transplant premalignant disease, 320
folic acid, photodegradation during extracorporeal photopheresis, 117
foot ulcer due to disseminated *Mycobacterium avium* infection in previously undiagnosed HIV infection (Correspondence), 1381
Fordyce spots, photodynamic therapy (Correspondence), 399

Galli–Galli disease as acantholytic variant of Dowling–Degos disease (Gene Corner), 572
gefitinib therapy, terminal hair growth on nose tip in (Correspondence), 1087
genodermatoses, current and online database (Review), 1115
gluten sensitivity and palmoplantar pustulosis, 659
graft-versus-host disease
acute and chronic after reinduction chemotherapy (Correspondence), 388
chronic, long-term efficacy of topical tacrolimus on oral lesions (Correspondence), 588
planar xanthoma due to cholestasis in (Correspondence), 1374
sclerodermatous, clinical spectrum and therapeutic challenges (Case Report), 1032
sclerodermoid lesions resembling, in drug-induced hypersensitivity syndrome (Correspondence), 1061
granuloma
annular elastolytic giant cell, prodromal stage of elastolysis (Correspondence), 1377
idiopathic facial aseptic, multicentre prospective study, 705
postzoster, multiple dermatomal daughter lesions (Correspondence), 1369
Greater Patient concept, 929

haemangioma, ulcerated, of infancy (Correspondence), 1050
haemorrhagic bullae in childhood Henoch–Schönlein purpura (Poster), 1408
haemosiderotic dermatofibroma, additional dermoscopic presentation (Correspondence), 199

Hailey–Hailey disease, HPV-5 infection, imiquimod therapy (Correspondence), 579
hair
acute scarring alopecia associated with relaxers (Correspondence), 1394
growth on nose tip in gefitinib therapy (Correspondence), 1087
silver, in a three-year-old child (Abstract), 1403
hair follicles, regulation of β-defensin release by toll-like receptor agonists, 1172
hamartoma
fibrous hamartoma of infancy in Williams syndrome (Correspondence), 1052
neural, smooth muscle and connective tissue, with unilateral cutaneous heterotopic meningeal nodules (Correspondence), 1047
hand eczema, severity assessment by patients and dermatologists using photographic guide, 77
heat shock proteins
effect of hsp47 on collagen accumulation in keloid fibroblast cells, 1188
role of hsp60 in Behçet disease, 32
Helix pomatia agglutinin expression in relapsing and nonrelapsing very thin melanoma, 440
Henoch–Schönlein purpura and haemorrhagic bullae in childhood (Poster), 1408
hepatitis C, chronic, with psoriasis, ciclosporin treatment (Correspondence), 1367
hereditary angio-oedema type III, presentation with C1-inhibitor cleavage and missense mutation in F12 gene (Correspondence), 1063
Herlitz junctional epidermolysis bullosa, choice for prenatal testing (Abstract), 1404
herpes zoster with congenital insensitivity to pain and anhidrosis (Correspondence), 1084
hidradenitis suppurativa, altered innate and adaptive immune responses, 51
hidrotic ectodermal dysplasia, new variant (Correspondence), 777
HIV/AIDS
foot ulcer due to disseminated *Mycobacterium avium* infection in previously undiagnosed infection (Correspondence), 1381
HPV-31 DNA load in intraepithelial neoplasia in patient with bowenoid papulosis (Correspondence), 596
painless periungual pyogenic granulomata associated with reverse transcriptase therapy (Correspondence), 163
human hairless gene recurrent splice-site mutation in congenital atrichia in Irish families (Gene Corner), 744
human papillomavirus
assessment of presence in malignant melanoma, 38
cutaneous early genes and downregulation of Akt1 and upregulation of Akt2 expression (Poster), 1109
HPV-5 infection in Hailey–Hailey disease, imiquimod therapy (Correspondence), 579
HPV-31 DNA load in intraepithelial neoplasia in HIV infection with bowenoid papulosis (Correspondence), 596
multifocal distribution of cutaneous types in hairs from different skin areas (Correspondence), 1078
multiple huge cutaneous horns overlying HPV-2-induced verrucae vulgaris (Correspondence), 760
reactivation following topical tacrolimus therapy of anogenital lichen sclerosus (Correspondence), 405
Hutchinson–Gilford progeria syndrome, clinical findings in three patients with *LMNA* G608G mutation, 1308
hyalinosis, infantile systemic (Correspondence), 602
hyaluronan synthesis in fibroblasts in cutaneous mucinosis associated with dermatomyositis and nephrogenic fibrosing dermopathy, 473
hydatidosis, prevalence of anti-desmoglein-1 antibodies in Tunisian patients (Correspondence), 591
hydrocortisone, comparison with tacrolimus in adult atopic dermatitis, 312
hypercalcaemia due to tacalcitol, acute necrotic pancreatitis induced by (Correspondence), 576
hypermelanosis, spotted and rippled reticulate, as possible variant of Dowling–Degos disease (Correspondence), 196
hypertrichosis, mid-dorsal, with solitary collagenoma and sacral dimple in occult spinal dysraphism (Correspondence), 1065
hypocomplementaemic urticarial vasculitis (Abstract), 1406
hypohidrosis colocalized with Becker's naevus (Correspondence), 766
hypothyroidism and pityriasis rubra pilaris (Correspondence), 606

ichthyosis
comparison of oral liarozole and acitretin in treatment of, 965
as presentation of sarcoidosis in preschool Afro-Caribbean child (Poster), 1408
X-linked, with a contiguous gene defect in three successive generations (Abstract), 1404
ichthyosis bullosa of Siemens, novel H1 domain mutation in keratin 2 gene in a Japanese family (Gene Corner), 1042
ichthyosis hystrix with strong resemblance to Lambert type, ultrastructural features (Case Report), 1027
idiopathic facial aseptic granuloma, multicentre prospective study, 705
imiquimod
response of solitary plaque mycosis fungoides of the penis (Case Report), 560
therapy of HPV-5 infection in Hailey–Hailey disease (Correspondence), 579
topical, and intralesional IL-2 in treatment of accessible metastases in melanoma, 337
immune responses in human skin, effect of repeated low doses of solar-simulated radiation (Poster), 1109
immunotherapy, sublingual, in latex-induced urticaria, 674

incontinentia pigmenti
in neonate with novel nonsense mutation in NEMO gene (Correspondence), 392
vesicobullous, isolated recurrence (Correspondence), 600
indeterminate cell histiocytosis associated with later occurrence of acute myeloblastic leukaemia (Case Report), 1357
infantile systemic hyalinosis (Correspondence), 602
infliximab
acne induced by (Correspondence), 402
follow-up study therapy in severe recalcitrant psoriasis, 329
in treatment of ankylosing spondylitis, Sézary syndrome associated (Case Report), 742
innate immune response in hidradenitis suppurativa, 51
insulin-like growth factor-binding protein-7, differential expression in psoriatic skin after phototherapy, 289
interleukins
association analysis of IL19, IL20 and IL24 genes in palmoplantar pustulosis, 646
characterization of IL-1F9 activity in keratinocytes (Poster), 1108
IL-6 modulation of matrix metalloproteinase function and migration in dermal fibroblasts from IL-6KO mice, 1163
intralesional IL-2 and topical imiquimod in treatment of accessible metastases in melanoma, 337
protection against psoriasis conferred by R381Q variant of IL23R gene (Abstract), 1099
recombinant human IL-2 therapy, pseudosystemic sclerosis as complication (Correspondence), 182
International Study of Asthma and Allergies in Childhood (Abstract), 1102, 1109
intravenous immunoglobulin
in treatment of diffuse scleroderma (Correspondence), 1058
in treatment of juvenile dermatomyositis (Correspondence), 1390
in treatment of type II adult-onset pityriasis rubra pilaris (Correspondence), 1055
ionizing radiation, effect on cell cycle of human melanoma cells, 843
isotretinoin-induced pleuritic chest pain (Correspondence), 385
itch
effectiveness of nursing programme 'Coping with itch', 1235
inhibition by scratching and noxious heat stimuli, psychophysical study, 629
Itch Severity Scale, 667
measurement by Fast Fourier Transform signal analysis of accelerometer data (Poster), 1112
neuropeptides and receptors in psoriatic skin and relation to pruritus, 1272
prevalence in skin disease in general practice, 1346

junctional epidermolysis bullosa
Herlitz, choice for prenatal testing (Abstract), 1404
localized and generalized forms due to *COL17A1* mutations in the Netherlands, 861
junctional melanocytic naevus, periorbital pigmented and reticulated (Correspondence), 383
juvenile dermatomyositis, treatment with high-dose intravenous immunoglobulin (Correspondence), 1390

kallikrein, aberrant levels in stratum corneum and serum in psoriasis, 875
keloids
application of mitomycin C to base of shave-removed scars to prevent recurrence, 682
effect of heat shock protein 47 on collagen accumulation in fibroblast cells, 1188
keratin 2 gene, novel H1 domain mutation in a Japanese family with ichthyosis bullosa of Siemens (Gene Corner), 1042
keratin 15 stem cell marker expression in sebaceous tumour cell subpopulation (Correspondence), 378
keratinization, unexplained disorders (Abstract), 1407
keratinocytes
apoptosis induced by allergen-specific T cells (Abstract), 1097
characterization of IL-1F9 activity (Poster), 1108
ciprofloxacin-induced photosensitivity (Poster), 1113
cultured, UVB inhibition of T helper 2 chemokine production, 830
effect of pachyonychia congenita type 1 mutations on adhesion (Abstract), 1099
effect of stromal fibroblasts from basal cell carcinoma, 819
immunomodulatory effects of schistosome cercarial interactions with (Poster), 1113
inhibition of transglutaminase 1 transcriptional activation, mRNA and protein expression by lithium (Poster), 1106
RANK as regulator of growth and apoptosis, potential role in cutaneous malignancy (Abstract), 1104
regulation of cyclophilin B location, mobility and secretion (Abstract), 1097
role in T-cell activation (Poster), 1106
T cell/keratinocyte interactions in psoriasis (Correspondence), 171
keratitis–ichthyosis–deafness syndrome *see* KID syndrome
ketoconazole, inhibitory or scavenging action against reactive oxygen species released by primed inflammatory cells, 720
KID syndrome, disease expression and spectrum of connexin 26 (*GJB2*) mutations in, 1015
Kindler syndrome, unusual clinical and molecular findings (Poster), 1106
Klippel–Trenaunay syndrome with hypotrophy of affected arm (Correspondence), 391

Lactobacillus johnsonii NCC533 (La1), oral treatment during weaning period and prevention of development of atopic dermatitis in NC/Nga mouse model, 499
Langerhans cells
immunomodulatory effects of schistosome cercarial interactions with (Poster), 1113
migration provoked by IL-1β in late-onset psoriasis (Abstract), 1097
laser therapy compared with photodynamic therapy in treatment of condylomata acuminata, 516

latex-induced urticaria, study of sublingual immunotherapy, 674
leflunomide-triggered Reiter syndrome (Correspondence), 188
leg ulcers
infected, photodynamic therapy (Correspondence), 384
nicorandil-induced (Correspondence), 394
leishmaniasis
cutaneous, and milia (Correspondence), 1088
diffuse cutaneous, response to miltefosine followed by relapse, 1328
prevalence of anti-desmoglein-1 antibodies in Tunisian patients (Correspondence), 591
LEKTI, proteomic approach to identification of targets (Abstract), 1100
LEMD3, familial cutaneous collagenoma resulting from novel mutation (Gene Corner), 375
liarozole compared with acitretin in treatment of ichthyosis, 965
lichen planus
efficacy of tetracycline antibiotics (Correspondence), 758
nail bed, association with onychopapilloma (Correspondence), 1071
oral, miconazole as adjuvant therapy, 1336
refractory erosive oral, treatment with extracorporeal photochemotherapy, 553
lichen sclerosus
anogenital, human papillomavirus reactivation following topical tacrolimus therapy (Correspondence), 405
safety of calcineurin inhibitors in management (Correspondence), 1389
lichen scrofulosorum caused by *Mycobacterium szulgai* (Correspondence), 586
linoleic acid regulation of testosterone metabolism and sebaceous lipid synthesis in human sebocytes, 428
lipoid proteinosis and failure of mucocutaneous lymphangiogenesis (Case Report), 152
lithium inhibition of transcriptional activation, mRNA and protein expression of transglutaminase 1 in keratinocytes (Poster), 1106
livedo, necrotic, following vertebroplasty (Correspondence), 382
LMNA gene G608G mutation and Hutchinson–Gilford progeria syndrome, 1308

MAPK signalling pathway as therapeutic target in melanoma, 1204
matrilysin (MMP-7) expression in primary cutaneous and metastatic melanoma, 613
matrix metalloproteinases, IL-6 modulation of function in dermal fibroblasts from IL-6KO mice, 1163
mechanic's hands and antisynthetase syndrome (Correspondence), 192
melanin, *in vivo* determination of distribution in skin, 620
melanocytes, transcriptional profiles from unaffected skin in melanoma, 62
melanocytic naevi, rapid, severe repigmentation after curettage and dermabrasion, 1251
melanoma
assessment of presence of human papillomaviruses, 38
association with Breslow thickness and vitamin D receptor BsmI polymorphism, 277
combined targeting of MAPK and AKT signalling pathways as promising treatment strategy, 1204
combining endoplasmic reticulum stress-inducing agents with protein disulphide isomerase inhibitors as novel therapeutic strategy (Abstract), 1104
effects of UVA, UVB or ionizing radiation on cell cycle, 843
factors associated with high tumour thickness, 938
genetic and epigenetic alterations in differential diagnosis from spitzoid lesions, 1287
importance of origins, 72
increased risk in p53 codon 72 Pro homozygosity in individuals with dark skin complexion and noncarriers of melanocortin a receptor red hair variants, 357
influence of UVB exposure on interpretation of serum S100β levels (Correspondence), 772
intraocular, 99
matrilysin expression in primary cutaneous and metastatic, 613
pulmonary carcinoid associated (Case Report), 738
in renal transplant recipients (Correspondence), 165, 167
risk of in relation to tobacco use and body mass index, 99
role of B-RAF-induced extracellular signal-related kinase in resistance to apoptosis (Abstract), 1104
serum levels of endostatin and basic fibroblast growth factor during disease progression, 653
study of topical imiquimod and intralesional IL-2 in treatment of accessible metastases, 337
transcriptional profiles in melanocytes from unaffected skin, 62
trends in Northern Ireland and consequences for provision of dermatology services, 1301
use of spectrophotometric intracutaneous analysis device in real-time diagnosis, 1350
very thin relapsing and nonrelapsing, expression of p16, CD95, CD95L and *Helix pomatia* agglutinin, 440
melanoma *in situ*, 99
melasma, evaluation of efficacy and safety of rucinol serum, 997
meningitis, aseptic, induced by efalizumab (Correspondence), 189
methotrexate
in combination with alefacept, clinical response in refractory palmar psoriasis (Correspondence), 178
dose-related reduction in allergen-specific T cells associated with clinical response of atopic dermatitis to (Correspondence), 1376
response to therapy in psoriasis and single nucleotide polymorphisms in adenosine receptors (Abstract), 1100
in therapy of moderate-to-severe adult atopic dermatitis, 346

methyl aminolaevulinate
in photodynamic therapy, review of clinical trials in treatment of actinic keratoses and nonmelanoma skin cancer (Review), 793
phototoxic reaction and porphyrin fluorescence in skin after topical application, 301
miconazole as adjuvant therapy in oral lichen planus, 1336
microvessel *in vivo* quantification in clinically uninvolved psoriatic skin and normal skin, 1224
milia and cutaneous leishmaniasis (Correspondence), 1088
miltefosine, response of diffuse cutaneous leishmaniasis followed by relapse, 1328
minocycline
pigmentation in pre-existing capillaritis induced by (Correspondence), 590
in treatment of acne, and antineutrophil cytoplasmic antibody positivity, 1005
mitomycin C, application to base of shave-removed keloid scars to prevent recurrence, 682
moisturizers, changes in skin barrier function following long-term treatment, 492
Mongolian spot with naevus flammeus and cutis marmorata telangiectatica congenita in phakomatosis pigmentovascularis (Correspondence), 1068
MSH6 gene mutation in Muir-Torre syndrome (Gene Corner), 158
mucous membrane pemphigoid, childhood, mycophenolate mofetil monotherapy (Abstract), 1406
Muir-Torre syndrome, MSH6 mutation (Gene Corner), 158
mycobacteria, clinical utility of interferon-γ-based assay for detection in papulonecrotic tuberculid (Correspondence), 169
Mycobacterium avium, foot ulcer due to disseminated infection, in previously undiagnosed HIV infection (Correspondence), 1381
Mycobacterium szulgai, lichen scrofulosorum due to (Correspondence), 586
mycophenolate mofetil monotherapy of childhood mucous membrane pemphigoid (Abstract), 1406
mycophenolate sodium treatment of subacute cutaneous lupus erythematosus resistant to standard therapy, 1321
mycosis fungoides (Review), 1
CD30+ large cell transformation after PUVA (Case Report), 148
effect of alpha-interferon and total skin irradiation on outcome, 57
folliculotropic with CD30+ large-cell transformation, bexarotene therapy (Correspondence), 584
and Sézary syndrome, treatment by extracorporeal photopheresis and bexarotene (Correspondence), 1379
solitary plaque of the penis, response to topical imiquimod (Case Report), 560
myelodysplastic syndrome, deep neutrophilic dermatosis associated, response to 5-azacytidine (Case Report), 1039
naevi, melanoma arising from, 72
naevus flammeus with cutis marmorata telangiectatica congenita and Mongolian spot in phakomatosis pigmentovascularis (Correspondence), 1068
naevus lipomatosus superficialis, case report (Correspondence), 380
naevus sebaceus of the female breast, with tubular apocrine adenoma and syringocystadenoma papilliferum (Correspondence), 1397
nail apparatus, squamous cell carcinoma, 871
nail bed
lichen planus, association with onychopapilloma (Correspondence), 1071
pus formation (Correspondence), 1086
nailfold capillaroscopy assessment in Raynaud phenomenon by dermoscopy, 892
nails
painless periungual pyogenic granulomata associated with reverse transcriptase therapy in HIV infection (Correspondence), 163
toenail onychomycosis, reliability of self-reported willingness-to-pay and annual income, 922
yellow nail syndrome, 1230
NC/Nga mouse model of atopic dermatitis
effects of high-affinity nerve growth factor receptor inhibitors on symptoms, 241
oral treatment with *Lactobacillus johnsonii* NCC533 (La1) during weaning period and prevention of development of atopic dermatitis, 499
necrotic livedo following vertebroplasty (Correspondence), 382
NEMO gene, incontinentia pigmenti in neonate with novel nonsense mutation (Correspondence), 392
neonate
facial vesiculopustular eruption in trisomy 21-associated transient myeloproliferative disorder (Correspondence), 1373
subcutaneous fat necrosis, evaluation of risk factors, clinical manifestations, complications and outcome, 709
nerve growth factor receptor inhibitors, high-affinity, effects on symptoms in NC/Nga mouse model of atopic dermatitis, 241
neuropeptides and receptors in psoriatic skin and relation to pruritus, 1272
NFAT activation by ultraviolet radiation and derivation of action spectrum for activation (Poster), 1108
nicorandil
leg ulcers induced by (Correspondence), 394
peristomal ulcers induced by (Correspondence), 608
nitric oxide, rapid photolysis of stores in human skin induced by UVA (Abstract), 1101
S-nitrosoglutathione, effect of hydrogel containing on dermal blood flow in streptozotocin-induced diabetic rats, 814
Nocardia-induced actinomycetoma, treatment with amoxicillin–clavulanate, 308

nonaccidental injury, differential diagnosis (Abstract), 1407
nonmelanoma skin cancer
and DNA damage response (Poster), 1111
intervention for prevention in high-risk groups (Poster), 1112
methyl aminolaevulinate–photodynamic therapy (Review), 793
recent trends in incidence in East of Scotland, 1295
trends in Northern Ireland and consequences for provision of dermatology services, 1301
Northern Ireland, skin cancer trends and consequences for provision of dermatology services, 1301
nose, terminal hair growth on nose tip in gefitinib therapy (Correspondence), 1087
nuclear factor [kappa]β inhibition by dimethylfumarate, 838

occludin in active and healing psoriasis, 466
oesophagitis, eosinophilic, and erythema nodosum (Correspondence), 1388
olopatadine hydrochloride, acceleration of skin barrier function recovery in mice, 906
onychomycosis, toenail, reliability of self-reported willingness-to-pay and annual income, 922
onychopapilloma associated with lichen planus of the nail bed (Correspondence), 1071
oral cavity
lichen planus, miconazole as adjuvant therapy, 1336
refractory erosive lichen planus, treatment with extracorporeal photochemotherapy, 553
oxidative stress, telomerase-dependent protection of mitochondrial DNA (Poster), 1105

p16 expression in relapsing and nonrelapsing very thin melanoma, 440
p53
codon 72 Pro homozygosity in individuals with dark skin complexion and increased risk of melanoma, 357
inactivation in external genital carcinomas and their precursors, 448
pachyonychia congenita type 1, effect of mutations on keratinocyte adhesion and desmosome formation (Abstract), 1099
pain, prevalence in skin disease in general practice, 1346
palmar and plantar hyperhidrosis, needle-free anaesthesia prior to botulinum toxin treatment (Correspondence), 593
palmoplantar pustulosis
and antigliadin antibodies (Correspondence), 1399
association analysis of IL19, IL20 and IL24 genes, 646
and gluten sensitivity, 659
pancreatitis, acute necrotic, induced by hypercalcaemia due to tacalcitol (Correspondence), 576
papulonecrotic tuberculid, clinical utility of interferon-γ-based assay for mycobacterial detection (Correspondence), 169
papulopustular rosacea, treatment with pimecrolimus cream, 1728
paraneoplastic neutrophilic figurate erythema (Correspondence), 396
paraneoplastic pemphigus
anti-desmoglein antibodies in, 635
without underlying neoplasm (Case Report), 563
parthenolide, airborne, and Compositae dermatitis, 510
pemphigoid, anti-p200, following treatment with systemic corticosteroid and dapsone (Correspondence), 1075
pemphigus, paraneoplastic
anti-desmoglein antibodies in, 635
without underlying neoplasm (Case Report), 563
pemphigus foliaceus, anti-desmoglein antibodies in, 635
pemphigus vulgaris
anti-desmoglein antibodies in, 635
ear, nose and throat manifestations, 733
rituximab in adjuvant therapy, 990
penis, solitary plaque mycosis fungoides, response to topical imiquimod (Case Report), 560
perforating folliculitis associated with TNF-α inhibitors in rheumatoid arthritis (Case Report), 368
perioral dermatitis in myasthenia gravis following corticosteroid therapy (Correspondence), 582
peristomal ulcers induced by nicorandil (Correspondence), 608
peroxisome proliferator-activated receptor ligands, regulation of testosterone metabolism and sebaceous lipid synthesis in human sebocytes, 428
phakomatosis pigmentovascularis, unique case of (Correspondence), 1068
photodynamic therapy
comparison with 5-fluorouracil in treatment of post-transplant premalignant disease, 320
comparison with laser therapy in treatment of condylomata acuminata, 516
Delphi panel economic evaluation for actinic keratoses and basal cell carcinoma (Correspondence), 1393
Fordyce spots (Correspondence), 399
infected leg ulcers (Correspondence), 384
interests in (Correspondence), 1392, (Correspondence) 1393
with methyl aminolaevulinate, review of clinical trials in treatment of actinic keratoses and nonmelanoma skin cancer (Review), 793
using ambient light, in treatment of scalp actinic keratoses (Correspondence), 779
photographic guide, in severity assessment of hand eczema by patients and dermatologists, 77
phototherapy
differential expression of insulin-like growth factor-binding protein-7 in psoriatic skin following, 289
in psoriasis, impact of introduction of comprehensive erythema-reporting protocol (Correspondence), 1045
picolinic acid gel, study of safety and efficacy in treatment of acne, 548
pili multigemini, prevalence (Correspondence), 1362
pimecrolimus
and transient induction of neuropeptide release and mast cell degranulation in murine skin, 1020

in treatment of papulopustular rosacea, 728
pityriasis rotunda, familial, in black-skinned patients (Correspondence), 1365
pityriasis rubra pilaris
and hypothyroidism (Correspondence), 606
type II adult-onset, treatment with intravenous immunoglobulin (Correspondence), 1055
pityriasis versicolor, efficacy of oral pramiconazole treatment (Correspondence), 1385
planar xanthoma due to cholestasis in graft-versus-host disease (Correspondence), 1374
pleuritic chest pain induced by isotretinoin (Correspondence), 385
polymorphic light eruption and erythemal sensitivity (Poster), 1107
porokeratosis of Mibelli, pterygium unguis formation in (Correspondence), 1384
postzoster granuloma, multiple dermatomal daughter lesions (Correspondence), 1369
pramiconazole, efficacy of oral treatment in pityriasis versicolor (Correspondence), 1385
procaspase expression in normal human epidermis, 420
Propionibacterium acnes
regulation of CD4+ T-cell responses to and resolution of acne, 460
temporal changes in colonization in children with and without acne, 22
prostatic carcinoma, telangiectatic cutaneous metastasis (Correspondence), 598
Proteus syndrome and type 2 segmental Cowden disease (Correspondence), 1089
proton pump inhibitors, and worsening of vitiligo (Correspondence), 1371
pruritus *see* itch
Pseudomonas aeruginosa, suppression of biofilm formation by DNase1L2, 1342
pseudosystemic sclerosis as complication of recombinant human interleukin-2 therapy (Correspondence), 182
psoriasis
aberrant kallikrein levels in stratum corneum and serum, 875
anti-TNF-α therapy, elevation of triglyceride and cholesterol levels following (Correspondence), 1090
association between angiotensin I-converting enzyme gene polymorphism and risk in Chinese population, 642
characteristics and completeness of clinical trial registration, 106
with chronic hepatitis C, ciclosporin treatment (Correspondence), 1367
classification according to phenotype, 258
comparative efficacy of topical, systemic and biologic treatments (Correspondence), 771
comparison of etanercept 26 mg twice weekly and 50 mg once weekly, 138
cytokine gene polymorphisms in Chinese patients, 899
Dermatology Life Quality Index and efficacy of biological therapies, 945
family history of and age at onset in Italian patients (Correspondence), 1400
following cord blood stem cell transplantation (Correspondence), 386
genomic-scale analysis of skin, differential expression of insulin-like growth factor-binding protein-7 after phototherapy, 289
in vivo quantification of microvessels in clinically uninvolved skin, 1224
lack of association with filaggrin-null alleles (Poster), 1111
late-onset, Langerhans cell migration provoked by IL-1β (Abstract), 1097
major secondary impact on lives of family members and partners, 1245
moral and cost dilemma (Correspondence), 186
need for severity assessment beyond Psoriasis Area and Severity Index (Correspondence), 771
neuropeptides and receptors in skin and relation to pruritus, 1272
phototherapy, impact of introduction of comprehensive erythema-reporting protocol (Correspondence), 1045
plaque, oral Rambazole™ in, 263
protection conferred by R381Q variant of IL23R gene (Abstract), 1099
pustular, complicated by allergic contact dermatitis (Correspondence), 788
recalcitrant, two years experience with etanercept, 1010
refractory palmar, clinical response to alefacept in combination with methotrexate (Correspondence), 178
response to methotrexate therapy and single nucleotide polymorphisms in adenosine receptors (Abstract), 1100
as risk factor for development of coronary artery calcification, 271
severe, everolimus therapy (Case Report), 372
severe recalcitrant, follow-up study of infliximab therapy, 329
stress responsiveness in (Correspondence), 388
T cell/keratinocyte interactions (Correspondence), 171
tight junction components occludin, ZO-1 and claudins in active and healing disease, 466
type 1, and single nucleotide polymorphisms in PTPN22 gene region (Poster), 1110
psoriatic arthritis, anti-TNF-α therapy, elevation of triglyceride and cholesterol levels following (Correspondence), 1090
pterygium unguis formation in porokeratosis of Mibelli (Correspondence), 1384
PTPN22 gene, single nucleotide polymorphisms and type 1 psoriasis (Poster), 1110
PTPRD gene, allelic imbalances and microdeletions affecting in cutaneous squamous cell carcinoma (Abstract), 1100
public health policy, need for revision regarding sun exposure (Correspondence), 786, (Correspondence) 788
pulmonary carcinoid associated with melanoma (Case Report), 738
punch biopsy, differences in diameter of instruments (Correspondence), 404

PUVA
CD30+ large cell transformation of mycosis fungoides following (Case Report), 148
effect on cultured epidermal cells *in vitro* and in vitiligo, 122
pyoderma gangrenosum associated with autoimmune neutropenia of infancy (Abstract), 1405
pyogenic granuloma, painless periungual associated with reverse transcriptase therapy in HIV infection (Correspondence), 163

quality of life
Dermatology Life Quality Index and efficacy of biological therapies for psoriasis, 945
Family Dermatology Life Quality Index, 528

radiotherapy, primary cutaneous follicular B-cell lymphoma arising at site of (Correspondence), 198
raised limb bands, aetiology (Correspondence), 578
Rambazole™, oral, in plaque psoriasis, 263
RANK as regulator of keratinocyte growth and apoptosis, potential role in cutaneous malignancy (Abstract), 1104
Raynaud phenomenon, assessment of nailfold capillaroscopy by dermoscopy, 892
recessive dystrophic epidermolysis bullosa
intradermal injection of allogeneic normal human fibroblasts and type VII collagen deposition at dermal–epidermal junction (Abstract), 1096
squamous cell carcinoma in
identification of molecular signatures (Poster), 1110
role of type VII collagen (Abstract), 1103
recombinant human interleukin-2 therapy, pseudosystemic sclerosis as complication (Correspondence), 182
reflectance confocal microscopy
preliminary evaluation of *in vivo* features in discoid lupus erythematosus, 1196
see also confocal laser-scanning microscopy
Reiter syndrome triggered by adalimumab and leflunomide in ankylosing spondylarthropathy and Crohn disease (Correspondence), 188
relaxers, acute scarring alopecia associated (Correspondence), 1394
renal transplant recipients
melanoma in (Correspondence), 165, (Correspondence) 167
seborrhoeic warts associated with skin cancer (Poster), 1107
subcutaneous phaeohyphomycosis caused by *Exophiala oligosperma* (Correspondence), 762
reverse transcriptase therapy in HIV infection, painless periungual pyogenic granulomata associated (Correspondence), 163
rituximab
in adjuvant therapy of pemphigus vulgaris, 990
in autoimmune bullous diseases, 352
in treatment of Schnitzler syndrome (Correspondence), 1072
trial in recalcitrant high-titre epidermolysis bullosa acquisita (Correspondence), 194
rosacea, papulopustular, treatment with pimecrolimus cream, 1728
rucinol serum, evaluation of efficacy and safety in melasma, 997

S100β, influence of UVB exposure on interpretation of serum levels in melanoma (Correspondence), 772
sacral dimple with solitary collagenoma and mid-dorsal hypertrichosis in occult spinal dysraphism (Correspondence), 1065
SAPHO syndrome, acne fulminans in (Poster), 1408
sarcoidosis presenting as ichthyosis in preschool Afro-Caribbean child (Poster), 1408
scalp
actinic keratoses, treatment with photodynamic therapy using ambient light (Correspondence), 779
scarring folliculitis as symptom of Bazex–Dupré–Christol syndrome (Correspondence), 184
scarring alopecia, acute 'relaxer'-associated (Correspondence), 1394
schistosomiasis, immunomodulatory effects of cercarial interactions with Langerhans cells and keratinocytes (Poster), 1113
Schnitzler syndrome, rituximab treatment (Correspondence), 1072
scleroderma
diffuse, treatment with high-dose intravenous immunoglobulin (Correspondence), 1058
localized, treatment dependent on clinical subtype (Correspondence), 1363
taxane-induced (Case Report), 363
sclerosis, pseudosystemic, as complication of recombinant human interleukin-2 therapy (Correspondence), 182
SCN9A gene mutation hotspots in primary erythermalgia (Correspondence), 767
Scotland, recent trends in incidence of nonmelanoma skin cancer in East of Scotland, 1295
scrotal cutaneous chylous reflux (Correspondence), 752
Scytalidium infection with dyskeratosis congenita (Correspondence), 604
sebaceous carcinoma, cutaneous horn as clinical manifestation (Correspondence), 180
sebaceous tumours, cell subpopulation expressing keratin 15 stem cell marker (Correspondence), 378
sebocytes, regulation of testosterone metabolism and sebaceous lipid synthesis by PPAR ligands, 428
seborrhoeic warts associated with skin cancer in renal transplant recipients (Poster), 1107
sebum excretion, temporal changes in children with and without acne, 22
selenium intoxication in a fasting cure (Correspondence), 177
sequential tape stripping in assessment of barrier integrity and cohesion, 231
severe combined immunodeficiency, cutaneous manifestation of dissemination of BCG (Abstract), 1405

Sézary syndrome
folliculotropic, as variant of cutaneous T-cell lymphoma (Correspondence), 781
and mycosis fungoides, treatment by extracorporeal photopheresis and bexarotene (Correspondence), 1379
in patient receiving infliximab for ankylosing spondylitis (Case Report), 742
skin barrier function
acceleration of recovery in mice by olopatadine hydrochloride, 906
acute disruption by adhesive tapes, influence of pressure, time and anatomical location, 231
changes in following long-term treatment with moisturizers, 492
disruption by mechanical scratching in mice, effect of cyclooxygenase-1 inhibition on recovery, 1178
skin pigment in young people in the West Midlands (Abstract), 1403
smoking
effects on skin elastic fibres, 85
and risk of melanoma, 99
social stress, acute, effects on cutaneous T-cell trafficking (Poster), 1107
solar lentigo, gene expression profiling analysis and immunohistochemical characteristics, 1214
solar-simulated radiation, effect of repeated low doses on immune responses in human skin (Poster), 1109
solitary collagenoma with sacral dimple and mid-dorsal hypertrichosis in occult spinal dysraphism (Correspondence), 1065
spinal dysraphism, occult, with sacral dimple, solitary collagenoma and mid-dorsal hypertrichosis (Correspondence), 1065
spitzoid lesions, genetic and epigenetic alterations in differential diagnosis from melanoma, 1287
spotted and rippled reticulate hypermelanosis as possible variant of Dowling–Degos disease (Correspondence), 196
squamous cell carcinoma
allelic imbalances and microdeletions affecting *PTPRD* gene (Abstract), 1100
epidermal growth factor receptor expression and activation, 92
multiple head and neck, and delayed diagnosis of dyskeratosis congenita (Correspondence), 406
multiple self-healing (Poster), 1112
nail apparatus, 871
in recessive dystrophic epidermolysis bullosa
identification of molecular signatures (Poster), 1110
role of type VII collagen (Abstract), 1103
use of confocal laser-scanning microscopy in microsurgery, 81
Staphylococcus aureus
intervention to reduce in atopic dermatitis (Poster), 1114
suppression of biofilm formation by DNase1L2, 1342
stefin A, identification of enhanced expression in neonatal murine skin by proteomics, 1156
stress responsiveness in psoriasis (Correspondence), 388
stromal fibroblasts from basal cell carcinoma, effect on phenotype of normal keratinocytes, 819
study design, reporting of in titles and abstracts of articles in clinically oriented dermatology journals, 557
subcutaneous fat necrosis in neonates, evaluation of risk factors, clinical manifestations, complications and outcome, 709
subcutaneous phaeohyphomycosis caused by *Exophiala oligosperma* in renal transplant recipient (Correspondence), 762
sun exposure, need for revised public health policy (Correspondence), 786, (Correspondence) 788
sun protection factor and amount of sunscreen applied, 716
sunscreens
protection from post-UVA exposure decrease in human epidermal antigen-presenting cell activity, 1315
relation between sun protection factor and amount applied, 716
thyroid function following short-term whole-body topical application (Correspondence), 1080
Sweet's syndrome, spectrum of unusual clinical presentations and associations, 480
syringocystadenoma papilliferum with naevus sebaceus of the female breast (Correspondence), 1397

T cells
allergen-specific
dose-related reduction associated with clinical response of atopic dermatitis to methotrexate (Correspondence), 1376 and induction of keratinocyte apoptosis (Abstract), 1097
CD4+, regulation of responses to *Propionibacterium acnes* and resolution of acne, 460
effects of acute social stress on cutaneous trafficking (Poster), 1107
interactions with keratinocytes in psoriasis (Correspondence), 171
role of keratinocytes in activation (Poster), 1106
UVB inhibition of T helper 2 chemokine production in cultured keratinocytes, 830
tacalcitol-induced hypercalcaemia and acute necrotic pancreatitis (Correspondence), 576
tacrolimus
comparison with clobetasol propionate in facial cutaneous lupus erythematosus (Correspondence), 191
comparison with hydrocortisone in adult atopic dermatitis, 312
cost-effectiveness of vs. standard treatment in moderate and severe atopic dermatitis, 913
efficacy on oral lesions in chronic graft-versus-host disease (Correspondence), 588
human papillomavirus reactivation following topical therapy of anogenital lichen sclerosus (Correspondence), 405
and transient induction of neuropeptide release and mast cell degranulation in murine skin, 1020
tape stripping, sequential, in assessment of barrier integrity and cohesion, 231
taxane-induced scleroderma (Case Report), 363

telangiectatic cutaneous metastasis from carcinoma of the prostate (Correspondence), 598
teledermatology
failure of, 411
lessons in service innovation in the UK, 521
maturity of evaluation research (Review), 412
telomerase-dependent protection of mitochondrial DNA to oxidative stress (Poster), 1105
testosterone metabolism, regulation in human sebocytes by PPAR ligands, 428
tetracycline antibiotics, efficacy in lichen planus (Correspondence), 758
thyroid function following short-term whole-body topical sunscreen application (Correspondence), 1080
tight junction components in active and healing psoriasis, 466
tissue-engineered skin, transglutaminase inhibitor induction of hyperproliferation and parakeratosis, 247
tobacco use and risk of melanoma, 99
see also smoking
toenail onychomycosis, reliability of self-reported willingness-to-pay and annual income, 922
toll-like receptor agonist regulation of β-defensins release in hair follicles, 1172
total skin irradiation and adjuvant alpha-interferon, effect on outcome in mycosis fungoides, 57
toxic epidermal necrolysis, ciclosporin use in (Correspondence), 390
transforming growth factor-β, downregulation of signal transducers in human skin following ultraviolet A irradiation, 951
transglutaminase 1, inhibition of transcriptional activation, mRNA and protein expression in keratinocytes by lithium (Poster), 1106
transglutaminase inhibitors, induction of hyperproliferation and parakeratosis in tissue-engineered skin, 247
transplantation
allogeneic bone marrow transplantation in erythropoietic porphyria (Case Report), 567
melanoma in renal transplant recipients (Correspondence), 165, (Correspondence) 167
psoriasis following cord blood stem cell transplantation (Correspondence), 386
seborrhoeic warts associated with skin cancer in renal transplant recipients (Poster), 1107
skin surveillance of paediatric population, 45
subcutaneous phaeohyphomycosis caused by *Exophiala oligosperma* in renal transplant recipient (Correspondence), 762
treatment of post-transplant premalignant disease, comparative study of 5-fluorouracil and topical photodynamic therapy, 320
trisomy 21-associated transient myeloproliferative disorder, neonatal facial vesiculopustular eruption in (Correspondence), 1373
tuberculid, papulonecrotic, clinical utility of interferon-γ-based assay for mycobacterial detection (Correspondence), 169
tuberculide reaction, lichen scrofulosorum caused by *Mycobacterium szulgai* (Correspondence), 586
tuberculosis, cutaneous, in infancy (Abstract), 1404
tubular apocrine adenoma with naevus sebaceus of the female breast (Correspondence), 1397
tumour necrosis factor-α inhibitors
cutaneous side-effects in patients with rheumatic diseases, 486
perforating folliculitis associated with therapy for rheumatoid arthritis (Case Report), 368

ulcerated haemangioma of infancy (Correspondence), 1050
ulcerative colitis
associated with epidermolysis bullosa acquisita, erythema gyratum repens-like eruption in (Correspondence), 773
with bullous eosinophilic cellulitis (Correspondence), 764
ultraviolet radiation
activation of NFAT and derivation of action spectrum for activation (Poster), 1108
direct influence on structure of fibrillin microfibrils (Abstract), 1102
UVA
decrease in human epidermal antigen-presenting cell activity after exposure, dose–response effects and protection by sunscreens, 1315
downregulation of TGF-β signal transducers in human skin following irradiation, 951
effect on cell cycle of human melanoma cells, 843
rapid photolysis of nitric oxide stores in human skin induced by (Abstract), 1101
UVB
and arginase upregulation in human epidermis (Abstract), 1101
effect on cell cycle of human melanoma cells, 843
influence of exposure on interpretation of serum S100β levels in melanoma (Correspondence), 772
inhibition of T helper 2 chemokine production in cultured keratinocytes, 830
repeated low-dose exposure and induction of limited photoprotection, 539
unilateral cutaneous heterotopic meningeal nodules with neural, smooth muscle and connective tissue hamartomas (Correspondence), 1047
urinary tract, nephro-urological complications of epidermolysis bullosa in paediatric patients (Case Report), 143
urticaria, latex-induced, study of sublingual immunotherapy, 674

vascular endothelial growth factor, role in Behçet disease, 32
vascular malformations, potential life-threatening complications (Abstract), 1406
VEGF, role in Behçet disease, 32
verruca vulgaris, HPV-2-induced, multiple huge cutaneous horns overlying (Correspondence), 760
verrucous epidermal naevus, FGFR3 gene mutation associated with mild facial dysmorphism (Case Report), 1353

vertebroplasty, necrotic livedo following (Correspondence), 382
vitamin D receptor BsmI polymorphism associated with melanoma and Breslow thickness, 277
vitiligo
effect of PUVA on cultured epidermal cells, 122
worsening with proton pump inhibitors (Correspondence), 1371
vulva, extensive mucinous metaplasia arising within Zoon's vulvitis (Correspondence), 750

warts
cost-effectiveness analysis of treatment, 687
seborrhoeic, associated with skin cancer in renal transplant recipients (Poster), 1107
Williams syndrome, fibrous hamartoma of infancy in (Correspondence), 1052
wound healing
in diabetic and nondiabetic mice, effects of acidified nitrite (Abstract), 1098
survey of approach to secondary healing among BSDS members (Correspondence), 575

X-linked ichthyosis with a contiguous gene defect in three successive generations (Abstract), 1404
xanthoma, planar, due to cholestasis in graft-versus-host disease (Correspondence), 1374

yellow nail syndrome, 1230
Young-HUNT study, 283

ZO-1 in active and healing psoriasis, 466
Zoon's vulvitis, extensive mucinous metaplasia of the vulva (Correspondence), 750

British Journal of Dermatology

Volume 156

January–June 2007

Blackwell
Publishing

Published for the
British Association of Dermatologists
by Blackwell Publishing

British Journal of Dermatology

The *British Journal of Dermatology* is owned by and is the official organ of the British Association of Dermatologists.

EDITOR
DR J.ENGLISH

© 2007 British Association of Dermatologists

Blackwell Publishing Ltd:
9600 Garsington Road, Oxford, OX4 2DQ, UK

Blackwell Publishing, Inc.:
Commerce Place, 350 Main Street, Malden, Massachusetts 02148-5018, USA

Blackwell Publishing Asia:
550 Swanston Street, Carlton South, Victoria 3053, Australia

Blackwell Verlag:
Kurfürstendamm 58, 10707 Berlin, Germany

Blackwell Munksgaard:
1 Rosenørns Allè, PO Box 227, DK-1502 Copenhagen V, Denmark

Blackwell Publishing Japan/Blackwell Publishing Asia, Tokyo Office:
5F, GS Chiyoda Building, 3-11-14 Iidabashi, Chiyoda-ku, Tokyo 102-0072, Japan

Blackwell Publishing Professional:
2121 State Avenue, Ames, IA 50014-8300, USA

Contents

Volume 156, Number 1, January

Snippets
Research Snippets
Clinical Snippets

Review article
1 Mycosis fungoides: a dermatological masquerader
D.NASHAN, D.FAULHABER, S.STÄNDER, T.A.LUGER AND R.STADLER

Guidelines
11 Guidelines for management of Bowen's disease: 2006 update
N.H.COX, D.J.EEDY AND C.A. MORTON ON BEHALF OF THE BRITISH ASSOCIATION OF DERMATOLOGISTS THERAPY GUIDELINES AND AUDIT SUBCOMMITTEE

Original articles
Clinical and laboratory investigations
22 Temporal changes in sebum excretion and propionibacterial colonization in preadolescent children with and without acne
K.MOURELATOS, E.A.EADY, W.J.CUNLIFFE, S.M.CLARK AND J.H.COVE
32 The role of heat shock protein 60, vascular endothelial growth factor and antiphospholipid antibodies in Behçet disease
O.SHAKER, M.A.AY EL-DEEN, H.EL HADIDI, B.D.GRACE, H.EL SHERIF AND A.ABDEL HALIM
38 Assessment of the presence of mucosal human papillomaviruses in malignant melanomas using combined fluorescent *in situ* hybridization and chemiluminescent immunohistochemistry
S.AMBRETTI, S.VENTUROLI, M.MIRASOLI, M.LA PLACA, F.BONVICINI, M.CRICCA, M.ZERBINI, A.RODA AND M.MUSIANI
45 Skin surveillance of a U.K. paediatric transplant population
M.A.THOMSON, N.R.SUGGETT, P.G.NIGHTINGALE, D.V.MILFORD, U.BAUMANN, D.A.KELLY, C.MOSS AND V.A.HILL
51 Altered innate and adaptive immune responses in patients with hidradenitis suppurativa
E.J.GIAMARELLOS-BOURBOULIS, A.ANTONOPOULOU, C.PETROPOULOU, M.MOUKTAROUDI, E.SPYRIDAKI, F.BAZIAKA, A.PELEKANOU, H.GIAMARELLOU AND N.G.STAVRIANEAS
57 Does adjuvant alpha-interferon improve outcome when combined with total skin irradiation for mycosis fungoides?
D.ROBERGE, T.MUANZA, G.BLAKE, C.SHUSTIK, T.VUONG AND C.R.FREEMAN
62 Transcriptional profiles in melanocytes from clinically unaffected skin distinguish the neoplastic growth pattern in patients with melanoma
C.MAGNONI, E.TENEDINI, F.FERRARI, L.BENASSI, C.BERNARDI, G.GUALDI, G.BERTAZZONI, E.RONCAGLIA, L.FANTONI, R.MANFREDINI, S.BICCIATO, S.FERRARI, A.GIANNETTI AND E.TAGLIAFICO
72 Melanomas arising from naevi and *de novo* melanomas — does origin matter?
S.C.WEATHERHEAD, M.HANIFFA AND C.M.LAWRENCE

Contact dermatitis
77 Severity of hand eczema assessed by patients and dermatologist using a photographic guide
M.HALD, N.K.VEIEN, G.LAURBERG AND J.D.JOHANSEN

Dermatological surgery and lasers
81 The use of confocal laser-scanning microscopy in microsurgery for invasive squamous cell carcinoma
M.HORN, A.GERGER, S.KOLLER, W.WEGER, U.LANGSENLEHNER, P.KRIPPL, H.KERL, H.SAMONIGG AND J.SMOLLE

Dermatopathology
85 Effect of smoking on skin elastic fibres: morphometric and immunohistochemical analysis
M.JUST, M.RIBERA, E.MONSÓ, J.C.LORENZO AND C.FERRÁNDIZ
92 Characterization of the expression and activation of the epidermal growth factor receptor in squamous cell carcinoma of the skin
G.B.FOGARTY, N.M.CONUS, J.CHU AND G.MCARTHUR

Epidemiology and health services research
99 The risk for cutaneous malignant melanoma, melanoma *in situ* and intraocular malignant melanoma in relation to tobacco use and body mass index
Å.ODENBRO, P.GILLGREN, R.BELLOCCO, P.BOFFETTA, N.HÅKANSSON AND J.ADAMI
106 Characteristics and completeness of clinical trial registrations in psoriasis and atopic dermatitis
R.D.QUAIN AND K.A.KATZ
111 Validation of the U.K. Working Party diagnostic criteria for atopic eczema in a Xhosa-speaking African population
D.A.CHALMERS, G.TODD, N.SAXE, J.T.MILNE, S.TOLOSANA, P.N.NGCELWANE, B.N.HLABA, L.N.MNGOMENI, T.G.NONXUBA AND H.C.WILLIAMS

Photobiology
117 Photodegradation of folic acid during extracorporeal photopheresis
M.DER-PETROSSIAN, M.FÖDINGER, R.KNOBLER, H.HÖNIGSMANN AND F.TRAUTINGER
122 Effects of psoralen plus ultraviolet A irradiation on cultured epidermal cells *in vitro* and patients with vitiligo *in vivo*
C-S.WU, C-C.E.LAN, L-F.WANG, G-S.CHEN, C-S.WU AND H-S.YU

Therapeutics
130 A double-blind, randomized quantitative comparison of calcitriol ointment and calcipotriol ointment on epidermal cell populations, proliferation and differentiation
J.E.M.KÖRVER, W.H.P.M.VISSERS, D.W.A.VAN RENS, M.C.PASCH, P.E.J.VAN ERP, J.B.M.BOEZEMAN AND P.C.M.VAN DE KERKHOF
138 Comparison of clinical and pharmacokinetic profiles of etanercept 25 mg twice weekly and 50 mg once weekly in patients with psoriasis
B.ELEWSKI, C.LEONARDI, A.B.GOTTLIEB, B.E.STROBER, M.A.SIMIENS, M.DUNN AND A.JAHREIS

Case reports
143 Nephro-urological complications of epidermolysis bullosa in paediatric patients
S.M.H.CHAN, M.J.DILLON, P.G.DUFFY AND D.J.ATHERTON
148 CD30+ large cell transformation of mycosis fungoides after psoralen plus ultraviolet A photochemotherapy
J.OGINO, K.SAGA, M.KAGAYA, A.KAMADA, K.HIROSAKI, R.KANEKO AND K.JIMBOW
152 A failure of mucocutaneous lymphangiogenesis may underlie the clinical features of lipoid proteinosis
T.UCHIDA, H.HAYASHI, M.INAOKI, T.MIYAMOTO AND W.FUJIMOTO

Gene corner

158 MSH6 mutation in Muir–Torre syndrome: could this be a rare finding?

Correspondence

163 Painless periungual pyogenic granulomata associated with reverse transcriptase inhibitor therapy in a patient with human immunodeficiency virus infection
L.H.WILLIAMS AND P.FLECKMAN

165 Melanomas in renal transplant recipients: the London experience, and invitation to participate in a European study
V.L.BROWN, R.N.MATIN, R.CERIO, M.E.LEEDHAM-GREEN, C.M.PROBY AND C.A.HARWOOD

167 Melanomas in renal transplant recipients: the London experience, and invitation to participate in a European study: reply from authors
B.IMKO-WALCZUK, A.LALLY, L.LE MIRE, D.CASABONNE, K.HOLLOWOOD, C.BORDEA AND F.WOJNAROWSKA

169 Clinical utility of an interferon-γ-based assay for mycobacterial detection in papulonecrotic tuberculid
R.TANAKA, H.MATSUURA, Y.KOBASHI AND W.FUJIMOTO

171 T cell/keratinocyte interactions in psoriasis: where is the trigger?
T.SIMONART AND M.HEENEN

172 Dapsone in the management of 'insect bite-like reaction' in a patient with chronic lymphocytic leukaemia
A.ULMER, G.METZLER, S.SCHANZ AND G.FIERLBECK

174 Indurated nodules and plaques showing a dense plasma cell infiltrate as a cutaneous manifestation of Castleman's disease
R.OKUYAMA, H.HARIGAE, T.MORIYA, S.KAGATANI, H.TAGAMI, R.ICHINOHASAMA AND S.AIBA

177 Selenium intoxication: undesirable effect of a fasting cure
B.SCHUH AND U.JAPPE

178 Differential clinical response to alefacept in combination with methotrexate in two patients with refractory palmar psoriasis
A.JACOBI, G.SCHULER AND M.HERTL

180 Cutaneous horn can be a clinical manifestation of underlying sebaceous carcinoma
H.KITAGAWA, M.MIZUNO, Y.NAKAMURA, I.KUROKAWA AND H.MIZUTANI

182 Pseudosystemic sclerosis as a complication of recombinant human interleukin 2 (aldesleukin) therapy
I.MARIE, P.JOLY, P.COURVILLE AND H.LEVESQSUE

184 A case of sporadic Bazex–Dupré–Christol syndrome presenting with scarring folliculitis of the scalp
T.GAMBICHLER, S.HOFFJAN, P.ALTMEYER AND F.G.BECHARA

186 Moral and cost dilemma of a psoriasis patient
S.ABDUL GHAFFAR AND A.Y.FINLAY

188 Reiter syndrome triggered by adalimumab (Humira®) and leflunomide (Arava®) in a patient with ankylosing spondylarthropathy and Crohn disease
A.M.THIELEN, C.BARDE, V.JANER, L.BORRADORI AND J.H.SAURAT

189 Efalizumab-induced aseptic meningitis
N.KLUGER, C.GIRARD, V.GONZALEZ, B.GUILLOT AND D.BESSIS

191 Tacrolimus vs. clobetasol propionate in the treatment of facial cutaneous lupus erythematosus: a randomized, double-blind, bilateral comparison study
T-Y.TZUNG, Y-S.LIU AND H-W.CHANG

192 'Mechanic's hands': a misleading cutaneous sign of the antisynthetase syndrome
C.BACHMEYER, I.TILLIE-LEBLOND, A.LACERT, J.CADRANEL AND S.ARACTINGI

194 A successful therapeutic trial of rituximab in the treatment of a patient with recalcitrant, high-titre epidermolysis bullosa acquisita
S.M.CRICHLOW, N.J.MORTIMER AND K.E.HARMAN

196 Spotted and rippled reticulate hypermelanosis: a possible variant of Dowling–Degos disease
N.OISO, D.TSURUTA, T.OTA, H.KOBAYASHI AND A.KAWADA

198 Primary cutaneous follicular B-cell lymphoma arising at the site of radiotherapy for breast cancer
C.BACHMEYER, K.KHOSROTEHRANI, P.MOGUELET AND S.ARACTINGI

199 Additional dermoscopic presentation of haemosiderotic dermatofibroma
R.CARDOSO, C.MASSONE, H.P.SOYER AND R.HOFMANN-WELLENHOF

201 **News and Notices**

Volume 156, Number 2, February

Snippets

Research Snippets

Clinical Snippets

Review article

203 A systematic review of the safety of topical therapies for atopic dermatitis
J.CALLEN, S.CHAMLIN, L.F.EICHENFIELD, C.ELLIS, M.GIRARDI, M.GOLDFARB, J.HANIFIN, P.LEE, D.MARGOLIS, A.S.PALLER, D.PIACQUADIO, W.PETERSON, K.KAULBACK, M.FENNERTY AND B.U.WINTROUB

Guidelines

222 Guidelines for the management of actinic keratoses
D.DE BERKER, J.M.MCGREGOR AND B.R. HUGHES ON BEHALF OF THE BRITISH ASSOCIATION OF DERMATOLOGISTS THERAPY GUIDELINES AND AUDIT SUBCOMMITTEE

Original articles

Cutaneous biology

231 Acute barrier disruption by adhesive tapes is influenced by pressure, time and anatomical location: integrity and cohesion assessed by sequential tape stripping; a randomized, controlled study
M.BRETERNITZ, M.FLACH, J.PRÄßLER, P.ELSNER AND J.W.FLUHR

241 Effects of high-affinity nerve growth factor receptor inhibitors on symptoms in the NC/Nga mouse atopic dermatitis model
N.TAKANO, T.SAKURAI, Y.OHASHI AND M.KURACHI

247 Transglutaminase inhibitors induce hyperproliferation and parakeratosis in tissue-engineered skin
C.A.HARRISON, C.M.LAYTON, Z.HAU, A.J.BULLOCK, T.S.JOHNSON AND S.MACNEIL

Clinical and laboratory investigations

258 A classification of psoriasis vulgaris according to phenotype
C.E.M.GRIFFITHS, E.CHRISTOPHERS, J.N.W.N.BARKER, R.J.G.CHALMERS, S.CHIMENTI, G.G.KRUEGER, C.LEONARDI, A.MENTER, J-P.ORTONNE AND L.FRY

263 Oral retinoic acid metabolism blocking agent Rambazole™ for plaque psoriasis: an immunohistochemical study
H.J.BOVENSCHEN, M.E.OTERO, A.M.G.LANGEWOUTERS, I.M.J.J.VAN VLIJMEN-WILLEMS, D.W.A.VAN RENS, M.M.B.SEYGER AND P.C.M.VAN DE KERKHOF

271 Psoriasis: a possible risk factor for development of coronary artery calcification
R.J.LUDWIG, C.HERZOG, A.ROSTOCK, F.R.OCHSENDORF, T.M.ZOLLNER, D.THACI, R.KAUFMANN, T.J.VOGL AND W.-H.BOEHNCKE

277 Association between cutaneous melanoma, Breslow thickness and vitamin D receptor BsmI polymorphism
C.SANTONOCITO, R.CAPIZZI, P.CONCOLINO, M.M.LAVIERI, A.PARADISI, S.GENTILESCHI, E.TORTI, S.RUTELLA, S.ROCCHETTI, A.DI CARLO, E.DI STASIO, F.AMEGLIO, C.ZUPPI AND E.CAPOLUONGO

Paediatric dermatology

283 Atopic dermatitis in adolescent boys is associated with greater psychological morbidity compared with girls of the same age: the Young-HUNT study
M.SAUNES, I.SMIDESANG, T.L.HOLMEN AND R.JOHNSEN

Photobiology

289 Genomic-scale analysis of psoriatic skin reveals differentially expressed insulin-like growth factor-binding protein-7 after phototherapy
M.HOCHBERG, S.ZELIGSON, N.AMARIGLIO, G.RECHAVI, A.INGBER AND C.D.ENK

301 Phototoxic reaction and porphyrin fluorescence in skin after topical application of methyl aminolaevulinate
E.ANGELL-PETERSEN, C.CHRISTENSEN, C.R.MÜLLER AND T.WARLOE

Therapeutics

308 Treatment of actinomycetoma due to *Nocardia* spp. with amoxicillin–clavulanate
A.BONIFAZ, P.FLORES, A.SAÚL, E.CARRASCO-GERARD AND R.M.PONCE

312 The comparative effects of tacrolimus and hydrocortisone in adult atopic dermatitis: an immunohistochemical study
M.CAPRONI, D.TORCHIA, E.ANTIGA, M.TERRANOVA, W.VOLPI, E.DEL BIANCO, A.D'AGATA AND P.FABBRI

320 Treatment of post-transplant premalignant skin disease: a randomized intrapatient comparative study of 5-fluorouracil cream and topical photodynamic therapy
C.M.PERRETT, J.M.MCGREGOR, J.WARWICK, P.KARRAN, I.M.LEIGH, C.M.PROBY AND C.A.HARWOOD

329 A follow-up study in 28 patients treated with infliximab for severe recalcitrant psoriasis: evidence for efficacy and high incidence of biological autoimmunity
N.POULALHON, E.BEGON, C.LEBBÉ, F.LIOTÉ, M.LAHFA, D.BENGOUFA, P.MOREL, L.DUBERTRET AND H.BACHELEZ

337 Phase I/II study of topical imiquimod and intralesional interleukin-2 in the treatment of accessible metastases in malignant melanoma
D.S.GREEN, M.D.BODMAN-SMITH, A.G.DALGLEISH AND M.D.FISCHER

346 An open-label, dose-ranging study of methotrexate for moderate-to-severe adult atopic eczema
S.C.WEATHERHEAD, S.WAHIE, N.J.REYNOLDS AND S.J.MEGGITT

Concise communications

352 Rituximab in autoimmune bullous diseases: mixed responses and adverse effects
E.SCHMIDT, C.S.SEITZ, S.BENOIT, E.B.BRÖCKER AND M.GOEBELER

357 p53 codon 72 Pro homozygosity increases the risk of cutaneous melanoma in individuals with dark skin complexion and among noncarriers of melanocortin 1 receptor red hair variants
I.STEFANAKI, A.J.STRATIGOS, G.DIMISIANOS, V.NIKOLAOU, O.PAPADOPOULOS, D.POLYDOROU, H.GOGAS, D.TSOUTSOS, P.PANAGIOTOU, E.KANAVAKIS, C.ANTONIOU AND A.D.KATSAMBAS

Case reports

363 Taxane-induced scleroderma
M.ITOH, K.YANABA, T.KOBAYASHI AND H.NAKAGAWA

368 Perforating folliculitis associated with tumour necrosis factor-α inhibitors administered for rheumatoid arthritis
Y.GILABERTE, C.COSCOJUELA, C.VÁZQUEZ, R.ROSELLÓ AND J.VERA

372 Severe psoriasis treated with a new macrolide: everolimus
E.FRIGERIO, M.D.COLOMBO, C.FRANCHI, A.ALTOMARE, C.GARUTTI AND G.F.ALTOMARE

Gene corner

375 Familial cutaneous collagenomas resulting from a novel mutation in *LEMD3*

Correspondence

378 Sebaceous tumours contain a subpopulation of cells expressing the keratin 15 stem cell marker
R.BIENIEK, A.J.F.LAZAR, C.PHOTOPOULOS AND S.LYLE

380 Naevus lipomatosus superficialis: a case report with a 2p24 deletion
N.CARDOT-LECCIA, A.ITALIANO, M.C.MONTEIL, E.BASC, C.PERRIN AND F.PEDEUTOUR

382 Necrotic livedo after vertebroplasty
P.DUFFAU, M.BEYLOT-BARRY, J.PALUSSIERE, S.LY, O.COGREL AND M.-S.DOUTRE

383 Periorbital pigmented and reticulated junctional melanocytic naevus: a report of two cases
J.X.SOUSA JR, E.D.OMAR, I.M.BERNARDELLI, M.N.SOTTO, C.G.SANTI, R.ROMITI AND M.C.R.MACHADO

384 Photodynamic therapy for infected leg ulcers
T.H.CLAYTON AND P.V.HARRISON

385 Isotretinoin-induced pleuritic chest pain
V.MADAN, H.L.MUSTON AND A.M.MARSLAND

386 Psoriasis after cord blood stem cell transplantation
T.HUBICHE, C.LEAUTE-LABREZE, S.LEPREUX, Y.PEREL AND A.TAÏEB

388 Stress responsiveness in patients with psoriasis
B.B.ARNETZ AND B.FJELLNER

388 Acute graft-versus-host disease (GVHD) overlapping chronic GVHD after reinduction chemotherapy
Y.DELGADO-JIMENEZ, R.GOIRIZ, E.VARGAS-DIEZ, J.FRAGA, A.GARCIA-DIEZ AND J.FERNANDEZ-HERRERA

390 Ciclosporin use in toxic epidermal necrolysis
F.W.DANBY

391 Klippel–Trenaunay syndrome showing hypotrophy of the affected arm
T.Y.YOON, J.W.KIM AND M.K.KIM

392 Incontinentia pigmenti in a newborn with a novel nonsense mutation in the *NEMO* gene
C.HAS, S.DANESCU, A.VOLZ, F.NÖH, K.TECHNAU AND L.BRUCKNER-TUDERMAN

394 A useful tip for direct microscopy
S.OGDEN AND I.H.COULSON

394 Nicorandil-induced leg ulceration
D.J.MCKENNA, J.DONNELLY AND D.K.B.ARMSTRONG

396 Paraneoplastic neutrophilic figurate erythema
I.TRÉBOL, R.GONZÁLEZ-PÉREZ, I.GARCÍA-RIO, M.A.ARREGUI, N.SARACIBAR, L.CARNERO AND R.SOLOETA

398 Surgical treatment of axillary hyperhidrosis
F.G.BECHARA, P.ALTMEYER, M.SAND AND K.HOFFMANN

399 Treatment of Fordyce spots with 5-aminolaevulinic acid–photodynamic therapy
Y.J.KIM, H.Y.KANG, E-S.LEE AND Y.C.KIM

400 Caspase-dependent cleavage of desmoglein 1 depends on the apoptotic stimulus
A.LANZA AND N.CIRILLO

402 Infliximab-induced acne: report of two cases
E.BASSI, F.POLI, A.CHARACHON, P.CLAUDEPIERRE AND J.REVUZ
404 Four millimetres: a variable measurement?
E.M.WAIN AND C.M.STEFANATO
405 Human papillomavirus reactivation following topical tacrolimus therapy of anogenital lichen sclerosus
R.BILENCHI, S.POGGIALI, L.A.DE PADOVA, C.PISANI, M.DE PAOLA AND M.FIMIANI
406 Delayed diagnosis of dyskeratosis congenita in a 40-year-old woman with multiple head and neck squamous cell carcinomas
M.CASTORI, C.CECCARINI, D.CASTIGLIA, S.RUGGERI, D.DALLAPICCOLA AND G.ZAMBRUNO
408 The nature of solar (actinic) keratosis
M.A.HURT
409 **News and Notices**
409 **Corrigenda**

Volume 156, Number 3, March

Snippets
Research Snippets
Clinical Snippets

Editorial
411 Has teledermatology in the U.K. finally failed?
J.S.C.ENGLISH AND D.J.EEDY

Review article
412 Maturity of teledermatology evaluation research: a systematic literature review
N.EMINOVIĆ, N.F.DE KEIZER, P.J.E.BINDELS AND A.HASMAN

Original articles
Cutaneous biology
420 Nine procaspases are expressed in normal human epidermis, but only caspase-14 is fully processed
A-A.RAYMOND, M-C.MÉCHIN, R.NACHAT, E.TOULZA, R.TAZI-AHNINI, G.SERRE AND M.SIMON
428 Testosterone metabolism to 5α-dihydrotestosterone and synthesis of sebaceous lipids is regulated by the peroxisome proliferator-activated receptor ligand linoleic acid in human sebocytes
E.MAKRANTONAKI AND C.C.ZOUBOULIS
433 The antiwrinkle effect of topical concentrated 2-dimethylaminoethanol involves a vacuolar cytopathology
G.MORISSETTE, L.GERMAIN AND F.MARCEAU

Clinical and laboratory investigations
440 Expression of p16, CD95, CD95L and *Helix pomatia* agglutinin in relapsing and nonrelapsing very thin melanoma
L.A.FEARFIELD, J.M.G.LARKIN, A.ROWE, R.A'HERN, C.FISHER, N.FRANCIS, R.MACKIE, B.MCCANN, M.E.GORE AND C.B.BUNKER
448 Inactivation of the *CDKN2A* and the p53 tumour suppressor genes in external genital carcinomas and their precursors
N.SOUFIR, S.QUEILLE, M.LIBOUTET, O.THIBAUDEAU, F.BACHELIER, G.DELESTAING, B.C.BALLOY, J.BREUER, A.JANIN, L.DUBERTRET, C.VILMER AND N.BASSET-SEGUIN
454 Serum chemokine profile in patients with bullous pemphigoid
H.NAKASHIMA, M.FUJIMOTO, N.ASASHIMA, R.WATANABE, Y.KUWANO, N.YAZAWA, N.MARUYAMA, H.OKOCHI, A.KUMANOGOH AND K.TAMAKI
460 Resolution of inflammatory acne vulgaris may involve regulation of CD4+ T-cell responses to *Propionibacterium acnes*
H.E.WILCOX, M.D.FARRAR, W.J.CUNLIFFE, K.T.HOLLAND AND E.INGHAM
466 Tight junction components occludin, ZO-1, and claudin-1, -4 and -5 in active and healing psoriasis
S.PELTONEN, J.RIEHOKAINEN, K.PUMMI AND J.PELTONEN
473 Cutaneous mucinosis associated with dermatomyositis and nephrogenic fibrosing dermopathy: fibroblast hyaluronan synthesis and the effect of patient serum
M.EDWARD, L.FITZGERALD, C.THIND, J.LEMAN AND A.D.BURDEN
480 Sweet's syndrome: a spectrum of unusual clinical presentations and associations
C.Y.NEOH, A.W.H.TAN AND S.K.NG
486 Cutaneous side-effects in patients with rheumatic diseases during application of tumour necrosis factor-α antagonists
H-H.LEE, I-H.SONG, M.FRIEDRICH, A.GAULIARD, J.DETERT, J.ROWERT, H.AUDRING, S.KARY, G-R.BURMESTER, W.STERRY AND M.WORM
492 Changes in skin barrier function following long-term treatment with moisturizers, a randomized controlled trial
I.BURACZEWSKA, B.BERNE, M.LINDBERG, H.TÖRMÄ AND M.LODÉN
499 Oral treatment with probiotic *Lactobacillus johnsonii* NCC533 (La1) for a specific part of the weaning period prevents the development of atopic dermatitis induced after maturation in model mice, NC/Nga
R.INOUE, A.NISHIO, Y.FUKUSHIMA AND K.USHIDA

Contact dermatitis and allergy
510 Compositae dermatitis from airborne parthenolide
E.PAULSEN, L.P.CHRISTENSEN AND K.E.ANDERSEN

Dermatological surgery and lasers
516 Comparative study of photodynamic therapy vs. CO_2 laser vaporization in treatment of condylomata acuminata, a randomized clinical trial
K.CHEN, B.Z.CHANG, M.JU, X.H.ZHANG AND H.GU

Epidemiology and health services research
521 Teledermatology in the U.K.: lessons in service innovation
T.L.FINCH, F.S.MAIR AND C.R.MAY
528 The Family Dermatology Life Quality Index: measuring the secondary impact of skin disease
M.K.A.BASRA, R.SUE-HO AND A.Y.FINLAY

Photobiology
539 Repeated low-dose ultraviolet (UV) B exposures of humans induce limited photoprotection against the immune effects of erythemal UVB radiation
J.NARBUTT, A.LESIAK, A.SYSA-JEDRZEJOWSKA, A.WOZNIACKA, A.CIERNIEWSKA-CIESLAK, J.BONCELA, C.JOCHYMSKI, W.KOZLOWSKI, A.ZALEWSKA, M.SKIBINSKA AND M.NORVAL

Therapeutics
548 A pilot study of the safety and efficacy of picolinic acid gel in the treatment of acne vulgaris
M.P.HEFFERNAN, M.M.NELSON AND M.J.ANADKAT

553 Treatment of refractory erosive oral lichen planus with extracorporeal photochemotherapy: 12 cases
A.D.GUYOT, D.FARHI, S.INGEN-HOUSZ-ORO, A.BUSSEL, N.PARQUET, C.RABIAN, H.BACHELEZ AND C.FRANCÈS

Concise communication

557 Reporting of study design in titles and abstracts of articles published in clinically oriented dermatology journals
R.UBRIANI, N.SMITH AND K.A.KATZ

Case reports

560 Solitary plaque mycosis fungoides on the penis responding to topical imiquimod therapy
L.Y.T.CHIAM AND Y.C.CHAN

563 Paraneoplastic pemphigus without an underlying neoplasm
G.T.PARK, J.H.LEE, S.J.YUN, S.C.LEE AND J.B.LEE

567 Allogeneic bone marrow transplantation in a 7-year-old girl with congenital erythropoietic porphyria: a treatment dilemma
S.M.TAIBJEE, O.E.STEVENSON, A.ABDULLAH, C.Y.TAN, P.DARBYSHIRE, C.MOSS, H.GOODYEAR, A.HEAGERTY, S.WHATLEY AND M.N.BADMINTON

Gene corner

572 Galli–Galli disease is an acantholytic variant of Dowling–Degos disease

Correspondence

575 A survey of approach to wound healing by secondary intention among British Society for Dermatological Surgery members
A.LALLY AND R.TURNER

576 Acute necrotic pancreatitis induced by severe hypercalcaemia due to tacalcitol ointment
C.KNACKSTEDT, R.WINOGRAD, A.KOCH, F.ABUZAHRA, C.TRAUTWEIN AND H.E.WASMUTH

578 Raised limb bands in infancy: a post-traumatic aetiology?
M.M.MARQUE, B.GUILLOT, G.LE GALLIC AND D.BESSIS

579 Human papillomavirus type 5 infection in a patient with Hailey–Hailey disease successfully treated with imiquimod
C-C.CHAN, H-Y.THONG, Y-C.CHAN AND Y-H.LIAO

582 Perioral dermatitis in a patient with myasthenia gravis following systemic corticosteroid treatment
J.M.GOSS, K.M.NORD, M.R.OLARTE AND M.E.GROSSMAN

583 Confluent and reticulated papillomatosis successfully treated with amoxicillin
R.F.DAVIS AND K.E.HARMAN

584 Folliculotropic mycosis fungoides with CD30+ large-cell transformation in a young woman: beneficial effect of bexarotene
C.MITTELDORF, R.STADLER, H.P.BERTSCH AND C.NEUMANN

586 Lichen scrofulosorum caused by *Mycobacterium szulgai*: a new cause of a tuberculide reaction
G.L.ROSS, H.CHONG, T.COLLYNS, D.M.GASCOYNE-BINZI AND R.P.E.SARKANY

588 Long-term efficacy of topical tacrolimus on oral lesions of chronic graft-versus-host disease
J-C.FRICAIN, V.SIBAUD, N.SWETYENGA, R.TABRIZI, F.CAMPANA AND A.TAÏEB

590 Minocycline-induced pigmentation of pre-existing capillaritis
V.MADAN AND J.T.LEAR

591 Anti-desmoglein-1 antibodies are prevalent in Tunisian patients with hydatidosis and leishmaniasis
M.KALLEL SELLAMI, M.ZITOUNI, W.TOMBARI, M.BEN AYED, O.ABIDA, L.LAADHAR, M.MOKNI, B.FEZZA, H.TURKI, I.MOKHTAR, A.BEN OSMAN, R.KAMOUN MOHAMED, P.JOLY, F.TRON, D.GILBERT, H.MASMOUDI AND S. MAKNI (MEMBERS OF THE 'FRANCO-TUNISIAN GROUP OF SURVEY AND RESEARCH ON TUNISIAN ENDEMIC PEMPHIGUS')

593 Needle-free anaesthesia prior to botulinum toxin type A injection treatment of palmar and plantar hyperhidrosis
A.BENOHANIAN

596 Increased human papillomavirus type 31 DNA load in a verrucous high-grade intraepithelial neoplasia of a human immunodeficiency virus-infected patient with extensive bowenoid papulosis
A.KREUTER, N.H.BROCKMEYER, H.PFISTER, P.ALTMEYER AND U. WIELAND FOR THE GERMAN COMPETENCE NETWORK HIV/AIDS

598 Telangiectatic cutaneous metastasis from carcinoma of the prostate
S.REDDY, R.H.BANG AND M.E.CONTRERAS

600 Isolated recurrence of vesicobullous incontinentia pigmenti in a schoolgirl
S.DARNÉ AND A.J.CARMICHAEL

602 Infantile systemic hyalinosis: a case report and mutation analysis in a Chinese infant
Y-C.HUANG, Y-Y.XIAO, Y-H.ZHENG, W.JANG, Y-L.YANG AND X-J.ZHU

604 *Scytalidium* infection associated with dyskeratosis congenita
J.GARG, R.TILAK, A.K.GULATI, S.SINGH, P.PRAKASH AND A.GARG

606 Pityriasis rubra pilaris and hypothyroidism. Efficacy of thyroid hormone replacement therapy in skin recovery
V.ORLANDINI, O.COGREL, M.S.DOUTRE, C.BEYLOT AND M.BEYLOT-BARRY

608 Nicorandil-induced peristomal ulcers: is nicorandil also associated with gastrointestinal fistula formation?
S.OGDEN, Y.MUKASA, C.C.LYON AND I.H.COULSON

609 Variability in the clinical pattern of cutaneous side-effects of drugs with systemic symptoms: does a DRESS syndrome really exist?
S.H.KARDAUN, A.SIDOROFF, L.VALEYRIE-ALLANORE, S.HALEVY, B.B.DAVIDOVICI, M.MOCKENHAUPT AND J.C.ROUJEAU

Book review

611 Textbook of Pediatric Dermatology, 2nd edn. J. Harper, A. Oranje & N. Prose (editors). Oxford: Blackwell Publishing, 2005
D.K.B.ARMSTRONG

611 **News and Notices**

612 **Corrigenda**

Volume 156, Number 4, April

Snippets
Research Snippets
Clinical Snippets

Original articles

Cutaneous biology

613 Expression of matrilysin (matrix metalloproteinase-7) in primary cutaneous and metastatic melanoma
K.KAWASAKI, T.KAWAKAMI, H.WATABE, F.ITOH, M.MIZOGUCHI AND Y.SOMA

620 The distribution of melanin in skin determined *in vivo*
P.J.MATTS, P.J.DYKES AND R.MARKS

629 Scratching and noxious heat stimuli inhibit itch in humans: a psychophysical study
G.YOSIPOVITCH, M.I.DUQUE, K.FAST, A.G.DAWN AND R.C.COGHILL

Clinical and laboratory investigations

635 Coexistence of IgA antibodies to desmogleins 1 and 3 in pemphigus vulgaris, pemphigus foliaceus and paraneoplastic pemphigus
I.F.MENTINK, M.C.J.M.DE JONG, G.J.KLOOSTERHUIS, J.ZUIDERVEEN, M.F.JONKMAN AND H.H.PAS

642 Association between the insertion/deletion polymorphism of the angiotensin I-converting enzyme gene and risk for psoriasis in a Chinese population in Taiwan
Y-C.CHANG, W-M.WU, C-H.CHEN, S-H.LEE, H-S.HONG AND L-A.HSU

646 Association analysis of *IL19*, *IL20* and *IL24* genes in palmoplantar pustulosis
K.KINGO, R.MÖSSNER, S.KÕKS, R.RÄTSEP, U.KRÜGER, E.VASAR, K.REICH AND H.SILM

653 Early increase in serum levels of the angiogenesis-inhibitor endostatin and of basic fibroblast growth factor in melanoma patients during disease progression
P.KURSCHAT, S.EMING, D.NASHAN, T.KRIEG AND C.MAUCH

659 Palmoplantar pustulosis and gluten sensitivity: a study of serum antibodies against gliadin and tissue transglutaminase, the duodenal mucosa and effects of gluten-free diet
G.MICHAËLSSON, G.KRISTJÁNSSON, I.PIHL LUNDIN AND E.HAGFORSEN

667 Itch Severity Scale: a self-report instrument for the measurement of pruritus severity
C.J.MAJESKI, J.A.JOHNSON, S.N.DAVISON AND G.J.LAUZON

Contact dermatitis and allergy

674 Double-blind, placebo-controlled study of sublingual immunotherapy in patients with latex-induced urticaria: a 12-month study
E.NETTIS, M.C.COLANARDI, A.L.SOCCIO, M.MARCANDREA, L.PINTO, A.FERRANNINI, A.TURSI AND A.VACCA

Dermatological surgery and lasers

682 Application of topical mitomycin C to the base of shave-removed keloid scars to prevent their recurrence
J.N.R.BAILEY, A.E.WAITE, W.J.CLAYTON AND M.H.A.RUSTIN

687 To freeze or not to freeze: a cost-effectiveness analysis of wart treatment
M.R.KEOGH-BROWN, R.J.FORDHAM, K.S.THOMAS, M.O.BACHMANN, R.C.HOLLAND, A.J.AVERY, S.J.ARMSTRONG, J.R.CHALMERS, A.HOWE, S.RODGERS, H.C.WILLIAMS AND I.HARVEY

Epidemiology and health services research

693 Lifetime prevalence of self-reported atopic diseases in a population-based sample of elderly subjects: results of the ESTHER study
M.WOLKEWITZ, D.ROTHENBACHER, M.LÖW, C.STEGMAIER, H.ZIEGLER, M.RADULESCU, H.BRENNER AND T.L.DIEPGEN

698 Early allergen exposure and atopic eczema
J.M.HARRIS, H.C.WILLIAMS, C.WHITE, S.MOFFAT, P.MILLS, A.J.NEWMAN TAYLOR AND P.CULLINAN

Paediatric dermatology

705 Idiopathic facial aseptic granuloma: a multicentre prospective study of 30 cases
F.BORALEVI, C.LÉAUTÉ-LABRÈZE, S.LEPREUX, S.BARBAROT, J.MAZEREEUW-HAUTIER, C.ESCHARD AND A. TAÏEB, ON BEHALF OF THE GROUPE DE RECHERCHE CLINIQUE EN DERMATOLOGIE PÉDIATRIQUE

709 Subcutaneous fat necrosis of the newborn: a systematic evaluation of risk factors, clinical manifestations, complications and outcome of 16 children
E.MAHÉ, N.GIRSZYN, S.HADJ-RABIA, C.BODEMER, D.HAMEL-TEILLAC AND Y.DE PROST

Photobiology

716 The relation between sun protection factor and amount of suncreen applied *in vivo*
A.FAURSCHOU AND H.C.WULF

Therapeutics

720 Inhibitory or scavenging action of ketoconazole and ciclopiroxolamine against reactive oxygen species released by primed inflammatory cells
T.NAKASHIMA, E.SATO, Y.NIWANO, M.KOHNO, W.MURAOKA AND T.ODA

728 Pimecrolimus cream 1% for papulopustular rosacea: a randomized vehicle-controlled double-blind trial
S.WEISSENBACHER, J.MERKL, B.HILDEBRANDT, A.WOLLENBERG, M.BRAEUTIGAM, J.RING AND H.HOFMANN

Concise communication

733 Ear, nose and throat manifestations in pemphigus vulgaris
A.ESPAÑA, S.FERNÁNDEZ, J.DEL OLMO, M.MARQUINA, M.PRETEL, D.RUBA AND A.SÁNCHEZ-IBARROLA

Case reports

738 Pulmonary carcinoid associated with melanoma: two cases and a review of the literature
R.RAJARATNAM, J.R.MARSDEN, J.MARZOUK AND I.HERO

742 Sézary syndrome in a patient receiving infliximab for ankylosing spondylitis
J.N.DAUENDORFFER, J.RIVET, A.ALLARD AND H.BACHELEZ

Gene corner

744 A recurrent splice-site mutation in the human hairless gene underlies congenital atrichia in Irish families
G.M.O'REGAN, J.ZURADA, A.MARTINEZ-MIR, A.M.CHRISTIANO AND A.D.IRVINE

Correspondence

748 AL amyloidosis enhances development of amyloid A amyloidosis
J.C.H.VAN DER HILST, J.W.M.VAN DER MEER, J.P.H.DRENTH AND A.SIMON

750 Extensive mucinous metaplasia of the vulva arising within Zoon's vulvitis
M.A.THOMSON, R.A.CARR, R.GANESAN AND F.HUMPHREYS

752 Scrotal cutaneous chylous reflux
H-Y.HUANG AND S-L.HU

754 A woman with iatrogenic androgenetic alopecia responding to finasteride
J-B.HONG, H-C.CHIU, J-Y.CHAN, R-J.CHEN AND S-J.LIN

755 Immunohistochemical characterization of elastofibroma and exclusion of *ABCC6* as a predisposing gene
M.NAOURI, P.MICHENET, N.CHASSAING AND L.MARTIN

758 The efficacy of tetracycline antibiotics for treatment of lichen planus: an open-label clinical trial
B.M.HANTASH AND M.H.KANZLER

760 Multiple huge cutaneous horns overlying verrucae vulgaris induced by human papillomavirus type 2: a case report
W.CHEN, W.WEI, L.YAN-JUN, W.JI-YING, D.XIAO-PING, W.JIAN, S.RUI-HONG, P.ZI-ANG, Z.WEN-YUAN, Y.LI-PING, P.HONG-XIA AND X.XIN-YE

762 Subcutaneous phaeohyphomycosis caused by *Exophiala oligosperma* in a renal transplant recipient
M.A.GONZÁLEZ-LÓPEZ, R.SALESA, M.C.GONZÁLEZ-VELA, H.FERNÁNDEZ-LLACA, J.F.VAL-BERNAL AND J.CANO

764 Bullous eosinophilic cellulitis associated with ulcerative colitis: effective treatment with sulfasalazine and glucocorticoids
J.UTIKAL, W.K.PEITSCH, N.KEMMLER, N.BOOKEN, R.HILDENBRAND, R.GLADISCH, S.GOERDT AND M.GOEBELER

766 Hypohidrosis colocalized with Becker's naevus
I.-D.DO, Y.J.KIM AND H.Y.KANG

767 Mutation hotspots of *SCN9A* in primary erythermalgia
L.-L.ZHANG, Z.-M.LIN, Z.-H.MA, Z.XU, Y.-L.YANG AND Y.YANG

769 Cost-effectiveness of treatment of superficial basal cell carcinoma: surgical excision vs. imiquimod 5% cream
F.VANACLOCHA, E.DAUDÉN, X.BADÍA, C.GUILLÉN, J. S.CONEJO-MIR, M.SAINZ DE LOS TERREROS, L.HAMEL AND M.A. J.LORENS FOR THE HEIS STUDY GROUP

771 Comparative efficacy of topical antipsoriatic treatments, systemic treatment and biologics: is severity assessment beyond Psoriasis Area and Severity Index a necessity?
P.C.M.VAN DE KERKHOF, U.MROWIETZ, S.SEGAERT AND K.KRAGBALLE

772 Ultraviolet B exposure could influence the interpretation of serum S100β levels in patients with malignant melanoma
J.VITZTHUM, H.D.DÖRR AND V.MEINEKE

773 Erythema gyratum repens-like eruption in a patient with epidermolysis bullosa acquisita associated with ulcerative colitis
A.ESPAÑA, C.SITARU, M.PRETEL, L.AGUADO AND J.JIMENEZ

775 Blindness due to the IgA variant of epidermolysis bullosa acquisita, and treatment with osteo-odonto-keratoprosthesis
N.H.COX, M.A.BEARN, J.HEROLD, G.AINSWORTH AND C.LIU

777 A patient with alopecia, nail dystrophy, palmoplantar hyperkeratosis, keratitis, hearing difficulty and micrognathia without GJB2 or GJB6 mutations: a new type of hidrotic ectodermal dysplasia?
M.NAKAMURA AND O.ISHIKAWA

779 Successful treatment of scalp actinic keratoses with photodynamic therapy using ambient light
R.J.BATCHELOR, G.I.STABLES AND M.R.STRINGER

781 Folliculotropic Sézary syndrome: a new variant of cutaneous T-cell lymphoma
P.GERAMI AND J.GUITART

784 Bortezomib-associated rash: a new recognizable and avoidable side-effect
B.VILLARRUBIA, I.BETLLOCH, J.MATAIX, A.LUCAS AND C.BOTELLA

785 Primary cutaneous peripheral T-cell lymphoma, unspecified, that completely regressed after skin biopsy
V.MADAN AND N.H.COX

786 Do we need a revised public health policy on sun exposure?
P.E.HUTCHINSON AND J.E.OSBORNE

788 Do we need a revised public health policy on sun exposure? Response from Brian Diffey
B.DIFFEY

788 Allergic contact dermatitis complicating pustular psoriasis in two patients
R.P.KATUGAMPOLA, T.M.HUGHES, C.M.MILLS AND N.M.STONE

790 **News and Notices**

791 **Erratum**

Volume 156, Number 5, May

Snippets
Research Snippets
Clinical Snippets

Review article

793 Methyl aminolaevulinate–photodynamic therapy: a review of clinical trials in the treatment of actinic keratoses and nonmelanoma skin cancer
P.LEHMANN

Meeting report

802 Updates from the British Association of Dermatologists 86th Annual Meeting, 4–7 July 2006, Manchester, U.K.
A.BIRNIE, S.LANGAN, J.S.C.ENGLISH AND D.J.EEDY

Original articles

Cutaneous biology

814 S-nitrosoglutathione-containing hydrogel increases dermal blood flow in streptozotocin-induced diabetic rats
A.B.SEABRA, E.PANKOTAI, M.FEHÉR, Á.SOMLAI, I.KISS, I.BÍRÓ, C.SZABÓ, M.KOLLAI, M.G.OLIVEIRA AND Z.LACZA

819 Stromal fibroblasts from basal cell carcinoma affect phenotype of normal keratinocytes
L.LACINA, K.SMETANA JR, B.DVOŘÁNKOVÁ, R.PYTLÍK, I.KIDERYOVÁ, L.KUČEROVÁ, Z.PLZÁKOVÁ, J.ŠTORK, H-J.GABIUS AND S.ANDRÉ

830 Inhibition of T helper 2 chemokine production by narrowband ultraviolet B in cultured keratinocytes
R.HINO, M.KOBAYASHI, T.MORI, H.ORIMO, T.SHIMAUCHI, K.KABASHIMA AND Y.TOKURA

838 Dimethylfumarate inhibits nuclear binding of nuclear factor κB but not of nuclear factor of activated T cells and CCAAT/enhancer binding protein β in activated human T cells
S.GERDES, K.SHAKERY AND U.MROWIETZ

843 Effect of ultraviolet (UV) A, UVB or ionizing radiation on the cell cycle of human melanoma cells
M.PLACZEK, B.PRZYBILLA, U.KERKMANN, S.GAUBE AND K-P.GILBERTZ

Clinical and laboratory investigations

848 Novel function of DUSP14/MKP6 (dual specific phosphatase 14) as a nonspecific regulatory molecule for delayed-type hypersensitivity
Y.NAKANO

861 Localized and generalized forms of blistering in junctional epidermolysis bullosa due to *COL17A1* mutations in the Netherlands
A.M.G.PASMOOIJ, H.H.PAS, G.H.L.JANSEN, H.H.LEMMINK AND M.F.JONKMAN

871 Squamous cell carcinoma of the nail apparatus: clinicopathological study of 35 cases
S.DALLE, L.DEPAPE, A.PHAN, B.BALME, S.RONGER-SAVLE AND L.THOMAS

875 Aberrant human tissue kallikrein levels in the stratum corneum and serum of patients with psoriasis: dependence on phenotype, severity and therapy
N.KOMATSU, K.SAIJOH, C.KUK, F.SHIRASAKI, K.TAKEHARA AND E.P.DIAMANDIS

884 Establishment of a mouse skin model of the lichenification in human chronic eczematous dermatitis
Y.MATSUNAGA, Y.OGURA, R.EHAMA, S.AMANO, T.NISHIYAMA AND H.TAGAMI

892 Assessment of nailfold capillaroscopy by × 30 digital epiluminescence (dermoscopy) in patients with Raynaud phenomenon
E.BELTRÁN, A.TOLL, A.PROS, J.CARBONELL AND R.M.PUJOL

899 Cytokine gene polymorphisms in Chinese patients with psoriasis
Y.T.CHANG, C.T.CHOU, C.W.YU, M.W.LIN, Y.M.SHIAO, C.C.CHEN, C.H.HUANG, D.D.LEE, H.N.LIU, W.J.WANG AND S.F.TSAI

Contact dermatitis and allergy

906 Olopatadine hydrochloride accelerates the recovery of skin barrier function in mice
T.AMANO, T.TAKEDA, H.YANO AND T.TAMURA

Epidemiology and health services research

913 Cost-effectiveness of tacrolimus ointment vs. standard treatment in patients with moderate and severe atopic dermatitis: a health-economic model simulation based on a patient survey and clinical trial data
J.HJELMGREN, Å.SVENSSON, E.T.JORGENSEN, B.LINDEMALM-LUNDSTAM AND G.RAGNARSON TENNVALL

922 Reliability of self-reported willingness-to-pay and annual income in patients treated for toenail onychomycosis
P.M.H.CHAM, S.C.CHEN, J.P.GRILL, Y.C.JONK AND E.M.WARSHAW

929 The family impact of skin diseases: the Greater Patient concept
M.K.A.BASRA AND A.Y.FINLAY

938 Factors associated with a high tumour thickness in patients with melanoma
J.BAUMERT, G.PLEWIG, M.VOLKENANDT AND M-H.SCHMID-WENDTNER

945 The Dermatology Life Quality Index: assessing the efficacy of biological therapies for psoriasis
R.P.KATUGAMPOLA, V.J.LEWIS AND A.Y.FINLAY

Photobiology

951 Significant downregulation of transforming growth factor-β signal transducers in human skin following ultraviolet-A1 irradiation
T.GAMBICHLER, M.SKRYGAN, N.S.TOMI, S.BREUKSCH, P.ALTMEYER AND A.KREUTER

957 Protection from photodamage by topical application of caffeine after ultraviolet irradiation
S-W.KOO, S.HIRAKAWA, S.FUJII, M.KAWASUMI AND P.NGHIEM

Therapeutics

965 Oral liarozole vs. acitretin in the treatment of ichthyosis: a phase II/III multicentre, double-blind, randomized, active-controlled study
C.J.VERFAILLE, F.P.VANHOUTTE, C.BLANCHET-BARDON, M.A.VAN STEENSEL AND P.M.STEIJLEN

974 Single application of a fluorescent test cream by healthy volunteers: assessment of treated and neglected body sites
E.ULFF, M.MAROTI, Å.KETTIS-LINDBLAD, K.I.KJELLGREN, J.AHLNER, L.RING AND J.SERUP

979 Low basal serum cortisol in patients with severe atopic dermatitis: potent topical corticosteroids wrongfully accused
I.M.HAECK, L.TIMMER-DE MIK, E.G.W.M.LENTJES, E.BUSKENS, D.J.HIJNEN, C.GUIKERS, C.A.F.M.BRUIJNZEEL-KOOMEN AND M.S.DE BRUIN-WELLER

986 Treatment of axillary hyperhidrosis with botulinum toxin type A reconstituted in lidocaine or in normal saline: a randomized, side-by-side, double-blind study
J.VADOUD-SEYEDI AND T.SIMONART

990 Rituximab in the adjuvant treatment of pemphigus vulgaris: a prospective open-label pilot study in five patients
M.S.Y.GOH, C.MCCORMACK, H.V.DINH, B.WELSH, P.FOLEY AND H.M.PRINCE

997 Evaluation of efficacy and safety of rucinol serum in patients with melasma: a randomized controlled trial
A.KHEMIS, A.KAIAFA, C.QUEILLE-ROUSSEL, L.DUTEIL AND J.P.ORTONNE

1005 Is minocycline therapy in acne associated with antineutrophil cytoplasmic antibody positivity? A cross-sectional study
H.MARZO-ORTEGA, K.BAXTER, R.M.STRAUSS, S.DRYSDALE, B.GRIFFITHS, S.A.MISBAH, A.GOUGH, W.J.CUNLIFFE AND P.EMERY

1010 Two years of experience with etanercept in recalcitrant psoriasis
K.AHMAD AND S.ROGERS

Concise communications

1015 Keratitis–ichthyosis–deafness syndrome: disease expression and spectrum of connexin 26 (*GJB2*) mutations in 14 patients
J.MAZEREEUW-HAUTIER, E.BITOUN, J.CHEVRANT-BRETON, S.Y.K.MAN, C.BODEMER, C.PRINS, C.ANTILLE, J-H.SAURAT, D.ATHERTON, J.I.HARPER, D.P.KELSELL AND A.HOVNANIAN

1020 Topical pimecrolimus and tacrolimus transiently induce neuropeptide release and mast cell degranulation in murine skin
S.STÄNDER, H.STÄNDER, S.SEELIGER, T.A.LUGER AND M.STEINHOFF

Case reports

1027 Ultrastructural features of ichthyosis hystrix strongly resembling Lambert type
W-H.WANG, L-F.LI, Q.ZHANG, S-M.YANG, W.JIANG, Y-Y.WANG, P-C.LEI AND X-R.CHEN

1032 Sclerodermatous graft-versus-host disease: clinical spectrum and therapeutic challenges
J.M.L.WHITE, D.CREAMER, A.W.P.DU VIVIER, A.PAGLIUCA, A.Y.HO, S.DEVEREUX, J.R.SALISBURY AND G.J.MUFTI

1039 Complete response of deep neutrophilic dermatosis associated with myelodysplastic syndrome to 5-azacytidine
K.RAJ, A.HO, J.D.CREAMER, A.W.P.DU VIVIER, J.R.SALISBURY AND G.J.MUFTI

Gene corner

1042 A novel H1 domain mutation in the keratin 2 gene in a Japanese family with ichthyosis bullosa of Siemens
A.NISHIZAWA, Y.TOYOMAKI, A.NAKANO, S.TAKEUCHI, Y.MATSUZAKI, H.TAKEDA, T.KANEKO, Y.MITSUHASHI AND H.NAKANO

Correspondence

1045 Audit of erythema in patients with psoriasis undergoing phototherapy with narrowband (TL-01) ultraviolet B: impact of the introduction of a comprehensive erythema-reporting protocol
R.J.BATCHELOR, R.F.ROSE, A.YUNG, B.RATHMELL, D.TURNER AND V.GOULDEN

1046 Oral adverse effects for escitalopram (Cipralex®)
D.J.AFRAMIAN

1047 Unilateral cutaneous heterotopic meningeal nodules with neural, smooth muscle and connective tissue hamartomas: a field defect of cephalic neural crest-derived tissues
C.M.HUNZEKER, D.BORYS, M.A.GRECO, S.J.ORLOW AND J.V.SCHAFFER

1050 Ulcerated haemangioma of infancy: a retrospective review of 47 patients
H.T.SHIN, S.J.ORLOW AND M.W.CHANG

1052 Fibrous hamartoma of infancy in a patient with Williams syndrome
T.TOGO, E.ARAKI, M.G.TA, T.MANABE, S.SUZUKI AND A.UTANI

1055 Type II adult-onset pityriasis rubra pilaris successfully treated with intravenous immunoglobulin
A.C.KERR AND J.FERGUSON

1056 Angio-oedema induced by bicycling
B.SCHUBERT, C.S.SEITZ, C.WEIGEL, E.B.BRÖCKER AND A.TRAUTMANN

1058 High-dose intravenous immunoglobulin infusion as treatment for diffuse scleroderma
H.IHN, Y.MIMURA, N.YAZAWA, M.JINNIN, Y.ASANO, K.YAMANE AND K.TAMAKI

1060 Development of a diagnostic role for a clinical nurse specialist
N.N.GOYAL AND G.B.COLVER

1061 Sclerodermoid graft-versus-host disease-like lesions occurring after drug-induced hypersensitivity syndrome
Y.KANO, K.SAKUMA AND T.SHIOHARA

1063 A case of hereditary angio-oedema type III presenting with C1-inhibitor cleavage and a missense mutation in the F12 gene
L.BOUILLET, D.PONARD, H.ROUSSET, S.CICHON AND C.DROUET

1065 Coexistence of sacral dimple, solitary collagenoma and mid-dorsal hypertrichosis in a child with occult spinal dysraphism
A.SENAYLI, E.SEZER, T.SEZER, Y.SENAYLI, D.KOSEOGLU, N.FILIZ AND B.SARIKAYA

1066 Two patients with localized epidermolysis bullosa acquisita: diagnostic value of laser scanning confocal microscopy
K.WOZNIAK, C.KOWALEWSKI, D.ROSINSKA-BORKOWSKA AND M.CIUPINSKA

1068 An infant with extensive Mongolian spot, naevus flammeus and cutis marmorata telangiectatica congenita: a unique case of phakomatosis pigmentovascularis
B-H.CHANG, C-H.HSU, H-C.CHEN AND J-W.HSIEH

1071 Nail bed lichen planus associated with onycho-papilloma
B.RICHERT, M.IORIZZO, A.TOSTI AND J.ANDRÉ

1072 Schnitzler syndrome: a case report of successful treatment using the anti-CD20 monoclonal antibody rituximab
K.M.RAMADAN, H.A.ESWEDI AND M.R.EL-AGNAF

1074 Class I and class II major histocompatibility complex genes in Mexican patients with actinic prurigo
S.ZULOAGA-SALCEDO, M.CASTILLO-VAZQUEZ, E.VEGA-MEMIJE, O.ARELLANO-CAMPOS, J.M.RODRÍGUEZ-PÉREZ, N.PÉREZ-HERNÁNDEZ, L.DOMÍNGUEZ-SOTO, T.HOJYO-TOMOKA, G.VARGAS-ALARCÓN AND J.GRANADOS

1075 Anti-p200 pemphigoid in a 17-year-old girl successfully treated with systemic corticosteroid and dapsone
N.YAMANE, D.SAWAMURA, W.NISHIE, M.ABE, K.KODAMA, K.ADACHI, H.NAKAMURA, N.ISHII, T.HASHIMOTO AND H.SHIMIZU

1078 Multifocal distribution of cutaneous human papillomavirus types in hairs from different skin areas
A.KOHLER, T.FORSCHNER, T.MEYER, C.ULRICH, M.GOTTSCHLING, E.STOCKFLETH AND I.NINDL

1080 Sunscreens and thyroid function in humans after short-term whole-body topical application: a single-blinded study
N.R.JANJUA, B.KONGSHOJ, J.H.PETERSEN AND H.C.WULF

1083 The diagnosis of a DRESS syndrome has been sufficiently established on the basis of typical clinical features and viral reactivations
T.SHIOHARA, M.IIJIMA, Z.IKEZAWA AND K.HASHIMOTO

1084 A case of herpes zoster in a child with congenital insensitivity to pain with anhidrosis
M.OGATA, N.MISAGO, Y.SUZUKI, N.HIRASHIMA, T.INOUE, M.YAMASAKI AND Y.NARISAWA

1086 Life imitating art
F.J.MOLONEY AND S.ROGERS

1087 An unusual terminal hair growth on the nose tip associated with gefitinib therapy
S.Y.KIM, H-J.CHOI, H.J.PARK, J.Y.LEE AND B.K.CHO

1088 Milia and cutaneous leishmaniasis
P.DEL GIUDICE

1089 Type 2 segmental Cowden disease vs. Proteus syndrome
R.HAPPLE

1090 Elevated triglyceride and cholesterol levels after intravenous antitumour necrosis factor-α therapy in a patient with psoriatic arthritis and psoriasis vulgaris
C.ANTONIOU, C.DESSINIOTI, A.KATSAMBAS AND A.J.STRATIGOS

1091 **News and Notices**

Abstracts

1093 British Society for Investigative Dermatology Annual Meeting

Volume 156, Number 6, June

Snippets
Research Snippets
Clinical Snippets

Review articles

1115 A current and online genodermatosis database
S.N.LEECH AND C.MOSS

1149 The role of fibroblasts in tissue engineering and regeneration
T.WONG, J.A.MCGRATH AND H.NAVSARIA

Original articles

Cutaneous biology

1156 Proteomics identifies enhanced expression of stefin A in neonatal murine skin compared with adults: functional implications
D.K.SCOTT, R.LORD, H.K.MULLER, R.C.MALLEY AND G.M.WOODS

1163 Interleukin-6 (IL-6) modulates migration and matrix metalloproteinase function in dermal fibroblasts from IL-6KO mice
L.R.LUCKETT AND R.M.GALLUCCI

1172 Toll-like receptor agonists regulate β-defensin 2 release in hair follicle
S.SELLERI, F.ARNABOLDI, M.PALAZZO, S.GARIBOLDI, L.ZANOBBIO, E.OPIZZI, Y.F.SHIRAI, A.BALSARI AND C.RUMIO

1178 Cyclooxygenase-1 inhibition delays recovery of the cutaneous barrier disruption caused by mechanical scratching in mice
Y.HONMA, I.ARAI, N.FUTAKI, Y.HASHIMOTO, M.SUGIMOTO, T.SAKURAI AND S.NAKAIKE

1188 Effect of heat shock protein 47 on collagen accumulation in keloid fibroblast cells
J-J.CHEN, S.ZHAO, Y.CEN, X-X.LIU, R.YU AND D-M.WU

Clinical and laboratory investigations

1196 Preliminary evaluation of *in vivo* reflectance confocal microscopy features of discoid lupus erythematosus
M.ARDIGÒ, I.MALISZEWSKI, C.COTA, A.SCOPE, G.SACERDOTI, S.GONZALEZ AND E.BERARDESCA

1204 Combined targeting of MAPK and AKT signalling pathways is a promising strategy for melanoma treatment
F.MEIER, S.BUSCH, K.LASITHIOTAKIS, D.KULMS, C.GARBE, E.MACZEY, M.HERLYN AND B.SCHITTEK

1214 Gene expression profiling analysis of solar lentigo in relation to immunohistochemical characteristics
H.AOKI, O.MORO, H.TAGAMI AND J.KISHIMOTO

1224 *In vivo* quantification of microvessels in clinically uninvolved psoriatic skin and in normal skin
S.HERN AND P.S.MORTIMER

1230 Yellow nail syndrome: not a genetic disorder? Eleven new cases and a review of the literature
S.R.HOQUE, S.MANSOUR AND P.S.MORTIMER

1235 Effectiveness of the nursing programme 'Coping with itch': a randomized controlled study in adults with chronic pruritic skin disease
H.VAN OS-MEDENDORP, W.J.G.ROS, P.C.M.ELAND-DE KOK, C.KENNEDY, B.H.THIO, A.VAN DER SCHUUR-VANDER ZANDE, M.H.F.GRYPDONCK AND C.A.F.M.BRUIJNZEEL-KOOMEN

1245 Psoriasis has a major secondary impact on the lives of family members and partners
A.M.EGHLILEB, E.E.G.DAVIES AND A.Y.FINLAY

Dermatological surgery and lasers

1251 Rapid, severe repigmentation of congenital melanocytic naevi after curettage and dermabrasion: histological features
K.KISHI, N.MATSUDA, Y.KUBOTA, K-I.KATSUBE, N.IMANISHI AND T.NAKAJIMA

1258 Should eye protection be worn during dermatological surgery: prospective observational study
A.J.BIRNIE, K.S.THOMAS AND S.VARMA

Dermatopathology

1263 Erythema migrans: a reassessment of diagnostic criteria for early cutaneous manifestations of borreliosis with particular emphasis on clonality investigations
A.BÖER, M.BRESCH, J.DAYRIT AND T.M.FALK

1272 Neuropeptides and their receptors in psoriatic skin in relation to pruritus
S-E.CHANG, S-S.HAN, H-J.JUNG AND J-H.CHOI

1278 The absence of apoeccrine glands in the human axilla has disease pathogenetic implications, including axillary hyperhidrosis
D.L.BOVELL, A.D.CORBETT, S.HOLMES, A.MACDONALD AND M.HARKER

1287 Genetic and epigenetic alterations in the differential diagnosis of malignant melanoma and spitzoid lesion
M.TAKATA, J.LIN, S.TAKAYANAGI, T.SUZUKI, S.ANSAI, T.KIMURA, L.CERRONI AND T.SAIDA

Epidemiology and health services

1295 Recent trends in incidence of nonmelanoma skin cancers in the East of Scotland, 1992–2003
D.H.BREWSTER, L.A.BHATTI, J.H.C.INGLIS, E.R.NAIRN AND V.R.DOHERTY

1301 Skin cancer trends in Northern Ireland and consequences for provision of dermatology services
S.E.H.HOEY, C.E.J.DEVEREUX, L.MURRAY, D.CATNEY, A.GAVIN, S.KUMAR, D.DONNELLY AND O.M.DOLAN

Paediatric dermatology

1308 Hutchinson–Gilford progeria syndrome: clinical findings in three patients carrying the G608G mutation in *LMNA* and review of the literature
J.MAZEREEUW-HAUTIER, L.C.WILSON, S.MOHAMMED, D.SMALLWOOD, S.SHACKLETON, D.J.ATHERTON AND J.I.HARPER

Photobiology

1315 Decreased human epidermal antigen-presenting cell activity after ultraviolet A exposure: dose–response effects and protection by sunscreens
P.E.STOEBNER, R.POOSTI, K.DJOUKELFIT, J.MARTINEZ AND L.MEUNIER

Therapeutics

1321 Mycophenolate sodium for subacute cutaneous lupus erythematosus resistant to standard therapy
A.KREUTER, N.S.TOMI, S.M.WEINER, M.HUGER, P.ALTMEYER AND T.GAMBICHLER

1328 Diffuse cutaneous leishmaniasis responds to miltefosine but then relapses
O.ZERPA, M.ULRICH, B.BLANCO, M.POLEGRE, A.AVILA, N.MATOS, I.MENDOZA, F.PRATLONG, C.RAVEL AND J.CONVIT

1336 Miconazole as adjuvant therapy for oral lichen planus: a double-blind randomized controlled trial
G.IODI, M.TAROZZI, A.SARDELLA, F.DEMAROSI, L.CANEGALLO, D.DI BENEDETTO AND A.CARRASSI

Concise communications

1342 DNase1L2 suppresses biofilm formation by *Pseudomonas aeruginosa* and *Staphylococcus aureus*
L.ECKHART, H.FISCHER, K.B.BARKEN, T.TOLKER-NIELSEN AND E.TSCHACHLER

1346 Prevalence of physical symptoms of itch, pain and fatigue in patients with skin diseases in general practice
E.W.M.VERHOEVEN, F.W.KRAAIMAAT, P.C.M.VAN DE KERKHOF, C.VAN WEEL, P.DULLER, P.G.M.VAN DER VALK, H.J.M.VAN DEN HOOGEN, J.H.J.BOR, H.J.SCHERS AND A.W.M.EVERS

1350 The use of a spectrophotometric intracutaneous analysis device in the real-time diagnosis of melanoma in the setting of a melanoma screening clinic
M.A.HANIFFA, J.J.LLOYD AND C.M.LAWRENCE

Case reports

1353 Fibroblast growth factor receptor 3 (*FGFR3*) mutation in a verrucous epidermal naevus associated with mild facial dysmorphism
B.COLLIN, I.B.TAYLOR, A.O.M.WILKIE AND C.MOSS

1357 Indeterminate cell histiocytosis in association with later occurrence of acute myeloblastic leukaemia
C.VENER, D.SOLIGO, F.BERTI, U.GIANELLI, F.SERVIDA, E.CERETTI, R.CAPUTO, E.PASSONI AND G.LAMBERTENGHI DELILIERS

Correspondence

1362 The prevalence of pili multigemini
I.LESTER AND C.VENDITTI

1363 Treatment of localized scleroderma depends on the clinical subtype
A.KREUTER, P.ALTMEYER AND T.GAMBICHLER

1365 Familial pityriasis rotunda in black-skinned patients; a first report
A.C.FRIEDMANN, M.AMEEN AND V.J.SWALE

1367 Ciclosporin treatment of psoriasis in a patient with chronic hepatitis C
S.IMAFUKU, A.TASHIRO AND M.FURUE

1369 Multiple dermatomal daughter lesions of postzoster granuloma
E.ARAKI, N.KAMBE, K.TAKAHASHI, Y.MIYACHI AND A.UTANI

1371 From the bench to the bedside: proton pump inhibitors can worsen vitiligo
K.U.SCHALLREUTER AND H.ROKOS

1373 Neonatal vesiculopustular eruption of the face: a sign of trisomy 21-associated transient myeloproliferative disorder
R.MORIUCHI, A.SHIBAKI, K.YASUKAWA, T.ONOZUKA, T.SATO, M.KANEDA, A.IGUCHI, R.KOBAYASHI AND H.SHIMIZU

1374 Planar xanthoma due to cholestasis in graft versus host disease
T.MORIUE, K.YONEDA, J.KATSUURA, Y.MATSUOKA, K.NAKAI, I.YOKOI, Y.MATSUDA, N.NIBU, I.MIYAMOTO, T.DEMITSU AND Y.KUBOTA

1376 Dose-related reduction in allergen-specific T cells associates with clinical response of atopic dermatitis to methotrexate
E.A.L.BATEMAN, M.ARDERN-JONES AND G.S.OGG

1377 Annular elastolytic giant cell granuloma: a prodromal stage of mid-dermal elastolysis?
F.B.MÜLLER AND W.GROTH

1379 Extracorporeal photopheresis in combination with bexarotene in the treatment of mycosis fungoides and Sézary syndrome
P.TSIRIGOTIS, V.PAPPA, S.PAPAGEORGIOU, V.KAPSIMALI, V.GIANNOPOULOU, I.KAITSA, K.GIRKAS, E.PAPAGEORGIOU, N.STAVRIANEAS, T.ECONOMOPOULOS AND J.DERVENOULAS

1381 A large foot ulcer due to disseminated *Mycobacterium avium* infection in a patient with previously undiagnosed HIV infection
K.PARK, M.TANIOKA, M.YONEZAWA, Y.MATSUMURA, S.KORE-EDA AND Y.MIYACHI

1383 Cosmetic surgery: who needs surgeons when you've got creams?
R.CLAYTON AND R.TURNER

1384 Pterygium unguis formation in porokeratosis of Mibelli
D.S.KIM, M.R.ROH, J.H.LEE AND K.H.LEE

1385 The efficacy of oral treatment with pramiconazole in pityriasis versicolor: a phase II a trial
J.FAERGEMANN, J.AUSMA, L.VANDEPLASSCHE AND M.BORGERS

1388 Erythema nodosum and eosinophilic oesophagitis: more than a chance association?
S.OGDEN, M.E.DENYER AND S.M.WILKINSON

1389 Safety of calcineurin inhibitors in the management of lichen sclerosis
F.M.LEWIS AND S.M.NEILL

1390 Successful treatment of cutaneous lesions in juvenile dermatomyositis with high-dose intravenous immunoglobulin
H.AMANO, Y.NAGAI, K.KATADA, C.HASHIMOTO AND O.ISHIKAWA

1392 Interest in interests in photodynamic therapy
D.DE BERKER

1393 Interest in interests in photodynamic therapy: reply from authors
K.CAEKELBERGH AND L.ANNEMANS

1393 The Delphi panel in the economic evaluation of photodynamic therapy for actinic keratosis and basal cell carcinoma: poor results?
K-P.DE ROOS AND R.C.BELJAARDS

1394 Acute 'relaxer'-associated scarring alopecia: a report of five cases
N.P.KHUMALO, K.PILLAY AND R.M.NGWANYA

1397 Naevus sebaceus on the female breast accompanied with a tubular apocrine adenoma and a syringocystadenoma papilliferum
N.YAMANE, N.KATO, T.YANAGI AND R.OSAWA

1399 Palmoplantar pustulosis is not inevitably associated with antigliadin antibodies
P.WEISENSEEL, A.V.KUZNETSOV, T.RUZICKA AND J.C.PRINZ

1400 Family history of psoriasis and age at disease onset in Italian patients with psoriasis
E.ALTOBELLI, R.PETROCELLI, C.MARZILIANO, M.C.FARGNOLI, M.MACCARONE, S.CHIMENTI AND K.PERIS

1402 **News and Notices**

Abstracts

1403 21st Annual Symposium of the British Society of Paediatric Dermatology

1410 **Author Index**

1429 **Subject Index**